according to Regulation (EC) No. 1907/2006



EPIBOND® 1217 B US

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11.01.2023

 3.0
 04.01.2024
 400001008475
 Date of first issue: 24.08.2018

Print Date 12.01.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : EPIBOND® 1217 B US

Unique Formula Identifier

(UFI)

: N7F5-Q0YJ-800R-MCEG

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Hardener

Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe) BV

Address : Grijpenlaan 18

3300 Tienen

Belgium

Telephone : +41 61 299 20 41 Telefax : +41 61 299 20 40

E-mail address of person

responsible for the SDS

: Global_Product_EHS_AdMat@huntsman.com

1.4 Emergency telephone number

Emergency telephone number : Centres Antipoison et de Toxicovigilance:

ANGERS: 02 41 48 21 21 BORDEAUX: 05 56 96 40 80

LILLE: 0 825 812 822 LYON: 04 72 11 69 11 MARSEILLE 04 91 75 25 25 NANCY: 03 83 32 36 36 PARIS: 01 40 05 48 48 RENNES: 02 99 59 22 22 STRASBOURG: 03 88 37 37 37 TOULOUSE: 05 61 77 74 47 EUROPE: +32 35 75 1234

France ORFILA: +33(0)145425959

ASIA: +65 6336-6011 China: +86 20 39377888 +86 532 83889090 India: + 91 22 42 87 5333

Australia: 1800 786 152 New Zealand: 0800 767 437 USA: +1 800-424-9300

according to Regulation (EC) No. 1907/2006



EPIBOND® 1217 B US

Version Revision Date: Date of last issue: 11.01.2023 SDS Number: 400001008475 3.0 04.01.2024 Date of first issue: 24.08.2018

Print Date 12.01.2024

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Sub-category 1C H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Long-term (chronic) aquatic hazard, H412: Harmful to aquatic life with long lasting

Category 3 effects.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word Danger

Hazard statements Causes severe skin burns and eye damage. H314

> May cause an allergic skin reaction. H317

H412 Harmful to aquatic life with long lasting effects.

Prevention: Precautionary statements

P261 Avoid breathing mist or vapours. Avoid release to the environment. P273

Wear protective gloves/ protective clothing/ eye P280

protection/ face protection/ hearing protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off

immediately all contaminated clothing. Rinse skin

with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh

air and keep comfortable for breathing.

Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously

with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/

doctor.

Hazardous components which must be listed on the label:

Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulfide

2,4,6-tris(dimethylaminomethyl)phenol

according to Regulation (EC) No. 1907/2006



Enriching lives through innovation

EPIBOND® 1217 B US

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11.01.2023

 3.0
 04.01.2024
 400001008475
 Date of first issue: 24.08.2018

Print Date 12.01.2024

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

-			
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concent ration (% w/w)
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulfide	Not Assigned - 01-2120118957-46	Skin Sens. 1B; H317 Aquatic Chronic 3; H412	>= 70 - < 90
2,4,6- tris(dimethylaminomethyl)phenol	90-72-2 202-013-9 603-069-00-0 01-2119560597-27	Acute Tox. 4; H302 Skin Corr. 1C; H314 Eye Dam. 1; H318	>= 5 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Treat symptomatically.

Get medical attention if symptoms occur.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Avoid inhalation, ingestion and contact with skin and eyes. No action shall be taken involving any personal risk or without

suitable training.

It may be dangerous to the person providing aid to give

mouth-to-mouth resuscitation.

If inhaled : If inhaled, remove to fresh air.

according to Regulation (EC) No. 1907/2006



EPIBOND® 1217 B US

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11.01.2023

 3.0
 04.01.2024
 400001008475
 Date of first issue: 24.08.2018

Print Date 12.01.2024

Get medical attention if symptoms occur.

In case of skin contact : Immediate medical treatment is necessary as untreated

wounds from corrosion of the skin heal slowly and with

difficulty.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible

tissue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

Causes serious eye damage.

Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

Exercise caution when using a high volume water jet as it may

scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

Carbon oxides

Sulphur oxides

according to Regulation (EC) No. 1907/2006



EPIBOND® 1217 B US

Version Revision Date: SDS Number: Date of last issue: 11.01.2023 3.0 04.01.2024 400001008475 Date of first issue: 24.08.2018

Print Date 12.01.2024

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Specific extinguishing

methods

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Repeated or prolonged skin contact may cause skin irritation

and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this

product.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

To avoid spills during handling keep bottle on a metal tray.

according to Regulation (EC) No. 1907/2006



EPIBOND® 1217 B US

Version Revision Date: SDS Number: Date of last issue: 11.01.2023 04.01.2024 400001008475 3.0 Date of first issue: 24.08.2018

Print Date 12.01.2024

Dispose of rinse water in accordance with local and national

regulations.

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

When using do not eat or drink. When using do not smoke. Hygiene measures

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label

precautions. Keep in properly labelled containers.

Advice on common storage For incompatible materials please refer to Section 10 of this

SDS.

Further information on

storage stability

: Stable under normal conditions.

Recommended storage

temperature

: 2 - 40 °C

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2,4,6- tris(dimethylaminomet hyl)phenol	Workers	Inhalation	Long-term systemic effects	0,53 mg/m3
	Workers	Inhalation	Acute systemic effects	2,1 mg/m3
	Workers	Dermal	Long-term systemic effects	0,150 mg/kg
	Workers	Dermal	Acute systemic effects	0,600 mg/kg
	Consumers	Inhalation	Long-term systemic effects	0,130 mg/m3
	Consumers	Inhalation	Acute systemic effects	0,130 mg/m3

according to Regulation (EC) No. 1907/2006



EPIBOND® 1217 B US

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11.01.2023

 3.0
 04.01.2024
 400001008475
 Date of first issue: 24.08.2018

Print Date 12.01.2024

	Consumers	Dermal	Long-term systemic effects	0,075 mg/kg
	Consumers	Dermal	Acute systemic effects	0,075 mg/kg
	Consumers	Oral	Long-term systemic effects	0,075 mg/kg
Silicon, amorphous	Workers	Inhalation	Long-term systemic effects	4 mg/m3
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulfide	Workers	Inhalation	Long-term systemic effects	22 mg/m3
	Workers	Dermal	Long-term systemic effects	2,7 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	6,52 mg/m3
	Consumers	Dermal	Long-term systemic effects	1,61 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	1,9 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2,4,6-	Fresh water	0,046 mg/l
tris(dimethylaminomethyl)phenol		
	Marine water	0,005 mg/l
	Remarks:Assessment Factors	
	Sewage treatment plant	0,262 mg/l
	Remarks: Assessment Factors	
	Freshwater - intermittent	0,46 mg/l
	Soil	0,025 mg/kg
Reaction products of	Fresh water	70 μg/l
pentaerythritol, propoxylated and		
1-chloro-2,3-epoxypropane with		
hydrogen sulfide		
	Remarks: Assessment Factors	
	Marine water	7 μg/l
	Remarks: Assessment Factors	
	Sewage treatment plant	10 mg/l
	Remarks: Assessment Factors	
	Fresh water sediment	0,322 mg/kg dry
		weight (d.w.)
	Remarks:Equilibrium method	
	Marine sediment	0,032 mg/kg dry
		weight (d.w.)
	Remarks:Equilibrium method	
	Soil	0,023 mg/kg dry
		weight (d.w.)
	Remarks:Equilibrium method	

8.2 Exposure controls

Personal protective equipment

according to Regulation (EC) No. 1907/2006



EPIBOND® 1217 B US

Version Revision Date: SDS Number: Date of last issue: 11.01.2023 400001008475 3.0 04.01.2024 Date of first issue: 24.08.2018

Print Date 12.01.2024

Eye/face protection Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material butyl-rubber

Break through time > 8 h

Material Solvent-resistant gloves (butyl-rubber)

Material Nitrile rubber 10 - 480 min Break through time

Remarks Chemical-resistant, impervious gloves complying with an

> approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. The suitability for a specific workplace should be

discussed with the producers of the protective gloves.

Skin and body protection Impervious clothing

> Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Use respiratory protection unless adequate local exhaust Respiratory protection

> ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines

Equipment should conform to EN 143

Filter type Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : paste

Colour amber

Odour : strong

Odour Threshold : No data is available on the product itself.

Melting point/freezing point : No data is available on the product itself.

Boiling point : > 200 °C

Flammability (solid, gas) : No data is available on the product itself.

according to Regulation (EC) No. 1907/2006



EPIBOND® 1217 B US

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11.01.2023

 3.0
 04.01.2024
 400001008475
 Date of first issue: 24.08.2018

Print Date 12.01.2024

Lower explosion limit / Lower

flammability limit

: No data is available on the product itself.

Upper explosion limit / Upper

flammability limit

: No data is available on the product itself.

Flash point : > 124 °C

Method: Pensky-Martens closed cup, closed cup

Auto-ignition temperature : No data is available on the product itself.

Decomposition temperature : > 200 °C

pH : substance/mixture is non-soluble (in water)

Viscosity

Viscosity, dynamic : 90 000 mPa.s (25 °C)

Solubility(ies)

Water solubility : practically insoluble (20 °C)

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-

octanol/water

: No data is available on the product itself.

Vapour pressure : < 0,099975 hPa (20 °C)

Density : No data is available on the product itself.

Relative density : 1,19

Relative vapour density : No data is available on the product itself.

Particle characteristics : No data is available on the product itself.

9.2 Other information

No data is available on the product itself.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

according to Regulation (EC) No. 1907/2006



EPIBOND® 1217 B US

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11.01.2023

 3.0
 04.01.2024
 400001008475
 Date of first issue: 24.08.2018

Print Date 12.01.2024

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2 000 mg/kg

Method: Calculation method

Components:

Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulfide:

Acute oral toxicity : LD50 (Rat, male and female): 2 600 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 0,1 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

GLP: no

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 10 200 mg/kg

Method: OECD Test Guideline 402

GLP: no

Assessment: The substance or mixture has no acute dermal

toxicity

2,4,6-tris(dimethylaminomethyl)phenol:

Acute oral toxicity : LD50 (Rat, male and female): 2 169 mg/kg

Method: OECD Test Guideline 401

Assessment: The component/mixture is low toxic after single

ingestion.

Acute dermal toxicity : LD50 (Rat, male): > 1 ml/kg

Assessment: The substance or mixture has no acute dermal

toxicity

according to Regulation (EC) No. 1907/2006



EPIBOND® 1217 B US

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11.01.2023

 3.0
 04.01.2024
 400001008475
 Date of first issue: 24.08.2018

Print Date 12.01.2024

Skin corrosion/irritation

Causes severe burns.

Components:

Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulfide:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Species : reconstructed human epidermis (RhE)

Assessment : No skin irritation

Method : OECD Test Guideline 439

Result : No skin irritation

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 431

Result : Not corrosive

2,4,6-tris(dimethylaminomethyl)phenol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Corrosive after 1 to 4 hours of exposure

Species : synthetic macromolecular bio-barrier

Method : OECD Test Guideline 435

Result : Corrosive after 1 to 4 hours of exposure

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulfide:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : no

2,4,6-tris(dimethylaminomethyl)phenol:

Species : Rabbit
Assessment : Corrosive
Method : Other guidelines
Result : Corrosive

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

according to Regulation (EC) No. 1907/2006



EPIBOND® 1217 B US

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11.01.2023

 3.0
 04.01.2024
 400001008475
 Date of first issue: 24.08.2018

Print Date 12.01.2024

Respiratory sensitisation

Not classified due to lack of data.

Components:

Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulfide:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin Species : Mouse

Assessment : Probability or evidence of low to moderate skin sensitisation

rate in humans

Method : OECD Test Guideline 429

Result : Probability or evidence of low to moderate skin sensitisation

rate in humans

2,4,6-tris(dimethylaminomethyl)phenol:

Exposure routes : Skin

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulfide:

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

GLP: yes

Test Type: gene mutation test

Test system: Chinese hamster lung cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative GLP: yes

2,4,6-tris(dimethylaminomethyl)phenol:

Genotoxicity in vitro : Concentration: 5000 ug/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

according to Regulation (EC) No. 1907/2006



EPIBOND® 1217 B US

Version Revision Date: SDS Number: Date of last issue: 11.01.2023 3.0 04.01.2024 400001008475 Date of first issue: 24.08.2018

Print Date 12.01.2024

Result: negative

Concentration: 2500 ug/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

Components:

2,4,6-tris(dimethylaminomethyl)phenol:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

Method: OECD Test Guideline 422

Remarks: No significant adverse effects were reported

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Components:

Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulfide:

Species : Rat, male and female

NOAEL : 75 mg/kg Application Route : oral (gavage)

Dose : 75, 250 and 1000 mg/kg bw/d Method : OECD Test Guideline 408

GLP : yes

2,4,6-tris(dimethylaminomethyl)phenol:

Species : Rat, male and female

NOEL : 15 mg/kg Application Route : Ingestion Exposure time : 1 032 h Number of exposures : 7 d

Method : Subacute toxicity

Aspiration toxicity

Not classified due to lack of data.

according to Regulation (EC) No. 1907/2006



EPIBOND® 1217 B US

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11.01.2023

 3.0
 04.01.2024
 400001008475
 Date of first issue: 24.08.2018

Print Date 12.01.2024

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulfide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 87 mg/l

End point: mortality Exposure time: 96 h

Test substance: Fresh water Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 12 mg/l

End point: Immobilization Exposure time: 48 h

Test Type: static test
Test substance: Fresh water

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 733 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Toxicity to microorganisms : EC50 (activated sludge): > 1 000 mg/l

Exposure time: 3 h
Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 209

GLP: yes

according to Regulation (EC) No. 1907/2006



EPIBOND® 1217 B US

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11.01.2023

 3.0
 04.01.2024
 400001008475
 Date of first issue: 24.08.2018

Print Date 12.01.2024

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC: 3,5 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test substance: Fresh water Method: OECD Test Guideline 211

GLP: yes

2,4,6-tris(dimethylaminomethyl)phenol:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 175 mg/l

Exposure time: 96 h Test Type: static test

Test substance: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Palaeomonetes vulgaris (Grass shrimp)): 718 mg/l

End point: mortality
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no
Test substance: Marine water

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 84 mg/l

Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Test substance: Fresh water
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 6,25 mg/l

Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Test substance: Fresh water
Method: OECD Test Guideline 201

12.2 Persistence and degradability

Components:

Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulfide:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: Not biodegradable Biodegradation: 5 % Exposure time: 28 d

Method: OECD Test Guideline 301B

2,4,6-tris(dimethylaminomethyl)phenol:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge, non-adapted

Concentration: 2 mg/l Result: Not biodegradable Biodegradation: 4 %

according to Regulation (EC) No. 1907/2006



EPIBOND® 1217 B US

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11.01.2023

 3.0
 04.01.2024
 400001008475
 Date of first issue: 24.08.2018

Print Date 12.01.2024

Exposure time: 28 d

Method: OECD Test Guideline 301D

12.3 Bioaccumulative potential

Components:

2,4,6-tris(dimethylaminomethyl)phenol:

Partition coefficient: n- \circ : Pow: >= 0,219 (21,5 °C) octanol/water \circ log Pow: -0,66 (21,5 °C)

Method: OPPTS 830.7550

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher

12.7 Other adverse effects

Product:

Additional ecological

information

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

according to Regulation (EC) No. 1907/2006



EPIBOND® 1217 B US

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11.01.2023

 3.0
 04.01.2024
 400001008475
 Date of first issue: 24.08.2018

Print Date 12.01.2024

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 2735
ADR : UN 2735
RID : UN 2735
IMDG : UN 2735
IATA : UN 2735

14.2 UN proper shipping name

ADN : POLYAMINES, LIQUID, CORROSIVE, N.O.S.

(2,4,6-TRIS(DIMETHYL AMINOMETHYL)PHENOL)

ADR : POLYAMINES, LIQUID, CORROSIVE, N.O.S.

(2,4,6-TRIS(DIMETHYL AMINOMETHYL)PHENOL)

RID : POLYAMINES, LIQUID, CORROSIVE, N.O.S.

(2,4,6-TRIS(DIMETHYL AMINOMETHYL)PHENOL)

IMDG : POLYAMINES, LIQUID, CORROSIVE, N.O.S.

(2,4,6-TRIS(DIMETHYL AMINOMETHYL)PHENOL)

IATA : Polyamines, liquid, corrosive, n.o.s.

(2,4,6-TRIS(DIMETHYL AMINOMETHYL)PHENOL)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 8
ADR : 8
RID : 8
IMDG : 8
IATA : 8

14.4 Packing group

ADN

Packing group : III
Classification Code : C7
Hazard Identification Number : 80
Labels : 8

ADR

Packing group : III
Classification Code : C7
Hazard Identification Number : 80
Labels : 8
Tunnel restriction code : (E)

RID

Packing group : III
Classification Code : C7
Hazard Identification Number : 80

according to Regulation (EC) No. 1907/2006



EPIBOND® 1217 B US

Version Revision Date: SDS Number: Date of last issue: 11.01.2023 400001008475 3.0 04.01.2024 Date of first issue: 24.08.2018

Print Date 12.01.2024

Labels 8

IMDG

Ш Packing group Labels 8 EmS Code F-A, S-B

IATA (Cargo)

Packing instruction (cargo 856

aircraft)

Packing instruction (LQ) Y841 Packing group Ш Labels Corrosive

IATA (Passenger)

852 Packing instruction

(passenger aircraft)

Packing instruction (LQ) Y841 Packing group Ш

Labels Corrosive

14.5 Environmental hazards

ADN

Environmentally hazardous no

Environmentally hazardous no

Environmentally hazardous no

IMDG

Marine pollutant no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation

(Annex XIV)

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

: This product does not contain substances of very high concern.

Conditions of restriction for the

following entries should be

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

considered: Number on list 75, 3

: Not applicable

mixtures and articles (Annex XVII)

SDS FR-AM - - 400001008475

18 / 21

according to Regulation (EC) No. 1907/2006



EPIBOND® 1217 B US

Version Revision Date: Date of last issue: 11.01.2023 SDS Number: 400001008475 3.0 04.01.2024 Date of first issue: 24.08.2018

Print Date 12.01.2024

If you intend to use this product as tattoo ink, please contact your vendor.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Occupational Illnesses (R- : Not applicable

461-3, France)

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AIIC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On or in compliance with the active portion of the TSCA

inventory

Inventories

AICS (Australia), AIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

according to Regulation (EC) No. 1907/2006



EPIBOND® 1217 B US

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11.01.2023

 3.0
 04.01.2024
 400001008475
 Date of first issue: 24.08.2018

Print Date 12.01.2024

15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.

H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage Skin Corr. : Skin corrosion Skin Sens. : Skin sensitisation

Further information

Classification of the mixture: Classification procedure:

Skin Corr. 1C H314 Calculation method
Eye Dam. 1 H318 Calculation method
Skin Sens. 1 H317 Calculation method
Aquatic Chronic 3 H412 Calculation method

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

according to Regulation (EC) No. 1907/2006



EPIBOND® 1217 B US

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11.01.2023

 3.0
 04.01.2024
 400001008475
 Date of first issue: 24.08.2018

Print Date 12.01.2024

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.