according to Regulation (EC) No. 1907/2006



REN HY 5212

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.04.2017 400001009577 Date of first issue: 06.04.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : REN HY 5212

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Hardener

Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe)BVBA

Address : Everslaan 45 3078 Everberg

Belgium

Telephone : +41 61 299 20 41 Telefax : +41 61 299 20 40

E-mail address of person

responsible for the SDS

: Global_Product_EHS_AdMat@huntsman.com

1.4 Emergency telephone number

Emergency telephone number : EUROPE: +32 35 75 1234

France ORFILA: +33(0)145425959

ASIA: +65 6336-6011 China: +86 20 39377888 +86 532 83889090 India: +91 22 42 87 5333

Australia: 1800 786 152 New Zealand: 0800 767 437 USA: +1/800/424.9300

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed.

Acute toxicity, Category 4 H312: Harmful in contact with skin.

Skin corrosion, Category 1A H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Reproductive toxicity, Category 1B H360F: May damage fertility.

according to Regulation (EC) No. 1907/2006



REN HY 5212

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.04.2017 400001009577 Date of first issue: 06.04.2017

Specific target organ toxicity - single exposure, Category 3, Respiratory

system

H335: May cause respiratory irritation.

Specific target organ toxicity - repeated exposure, Category 2, Pancreas, Liver,

Kidney

H373: May cause damage to organs through prolonged or repeated exposure if swallowed.

Acute aquatic toxicity, Category 1 H400: Very toxic to aquatic life.

Chronic aquatic toxicity, Category 1 H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms









Signal word : Danger

Hazard statements : H302 + H312 Harmful if swallowed or in contact with skin

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.

H360F May damage fertility.

H373 May cause damage to organs (Pancreas,

Liver, Kidney) through prolonged or repeated exposure if swallowed.

Very toxic to aquatic life with long lasting

effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P260 Do not breathe mist or vapours.

P280 Wear protective gloves/ protective clothing/

eve protection/ face protection.

Response:

H410

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh

air and keep comfortable for breathing.

Immediately call a POISON

CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously

with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/doctor.

according to Regulation (EC) No. 1907/2006



REN HY 5212

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.04.2017 400001009577 Date of first issue: 06.04.2017

P308 + P313 IF exposed or concerned: Get medical

advice/ attention.

Hazardous components which must be listed on the label:

3,5-Diethyl-2,4-diaminotoluene

1,2-diaminocyclohexane

4,4'-isopropylidenediphenol

Additional Labelling:

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concent ration (% w/w)
Diethylmethylbenzenediamine	Registration number 68479-98-1 270-877-4 612-130-00-0 01-2119486805-25	Acute Tox. 4; H302 Acute Tox. 4; H312 Eye Irrit. 2; H319 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	60 - 100
Cyclohex-1,2-ylenediamine	694-83-7 211-776-7 -	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Corr. 1A; H314 STOT SE 3; H335	13 - 30
4,4'-Isopropylidenediphenol	80-05-7 201-245-8 604-030-00-0 01-2119457856-23	Eye Dam. 1; H318 Skin Sens. 1; H317 Repr. 1B; H360F STOT SE 3; H335 Aquatic Chronic 2; H411	7 - 13
Toluene-4-sulphonic acid	104-15-4 203-180-0 -	STOT SE 3; H335 Skin Irrit. 2; H315 Eye Irrit. 2; H319	1 - 3

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006



REN HY 5212

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.04.2017 400001009577 Date of first issue: 06.04.2017

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.

If unconscious, place in recovery position and seek medical

advice.

In case of skin contact : Immediate medical treatment is necessary as untreated

wounds from corrosion of the skin heal slowly and with

difficulty.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible

tissue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: High volume water jet

5.2 Special hazards arising from the substance or mixture

according to Regulation (EC) No. 1907/2006



REN HY 5212

Version

Revision Date:

Date: SDS Number:

Date of last issue: -

1.0 06.04.2017

400001009577 Date of fi

Date of first issue: 06.04.2017

Specific hazards during

firefighting

: No data is available on the product itself.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: No hazardous combustion products are known

No data is available on the product itself.

5.3 Advice for firefighters

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Specific extinguishing

methods

: No data is available on the product itself.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

None

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapours/dust.

according to Regulation (EC) No. 1907/2006



REN HY 5212

Version Revision Date: SDS Number: Date of last issue: -

400001009577 Date of first issue: 06.04.2017 1.0 06.04.2017

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the application area.

Provide sufficient air exchange and/or exhaust in work rooms. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Advice on protection against

fire and explosion

: Normal measures for preventive fire protection.

When using do not eat or drink. When using do not smoke. Hygiene measures

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Recommended storage

temperature

: 2 - 40 °C

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
4,4'- isopropylidenediph enol	80-05-7	TWA (inhalable dust)	10 mg/m3	GB EH40	
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used				
		TWA (inhalable dust)	10 mg/m3	2009/161/EU	
Further information	Indicative				

8.2 Exposure controls

Personal protective equipment

according to Regulation (EC) No. 1907/2006



REN HY 5212

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.04.2017 400001009577 Date of first issue: 06.04.2017

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material : butyl-rubber

Break through time : > 8 h

Material : Solvent-resistant gloves (butyl-rubber)

Material : Nitrile rubber Break through time : 10 - 480 min

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In the case of vapour formation use a respirator with an

approved filter.

Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : yellow

Odour : slight

Odour Threshold : No data is available on the product itself.

pH : No data is available on the product itself.

Freezing point : No data is available on the product itself.

Melting point No data is available on the product itself.

Boiling point No data is available on the product itself.

Flash point : $> 150 \, ^{\circ}\text{C}$

Method: Pensky-Martens closed cup, closed cup

Evaporation rate : No data is available on the product itself.

Flammability (solid, gas) : No data is available on the product itself.

according to Regulation (EC) No. 1907/2006



REN HY 5212

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.04.2017 400001009577 Date of first issue: 06.04.2017

Burning rate : No data is available on the product itself.

Upper explosion limit : No data is available on the product itself.

Lower explosion limit : No data is available on the product itself.

Vapour pressure : < 0,1 hPa (25 °C)

Relative vapour density : No data is available on the product itself.

Relative density : No data is available on the product itself.

Density : 1 g/cm3 (20 °C)

Solubility(ies)

Water solubility : partly soluble (20 °C)

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-

octanol/water

: No data is available on the product itself.

Auto-ignition temperature : No data is available on the product itself.

Decomposition temperature : > 200 °C

Viscosity

Viscosity, dynamic : 250 - 350 mPa,s (25 °C)

Explosive properties : No data is available on the product itself.

Oxidizing properties : No data is available on the product itself.

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : No data available

according to Regulation (EC) No. 1907/2006



REN HY 5212

Date of last issue: -Version Revision Date: SDS Number:

Date of first issue: 06.04.2017 400001009577 1.0 06.04.2017

10.5 Incompatible materials

10.6 Hazardous decomposition products

Carbon oxides

Nitrogen oxides (NOx)

Burning produces noxious and toxic fumes.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate: 632,04 mg/kg Acute oral toxicity - Product

Method: Calculation method

Acute inhalation toxicity -

Product

: Acute toxicity estimate : > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity -

Product

: Acute toxicity estimate : 1 340 mg/kg

Method: Calculation method

Acute toxicity (other routes of : No data available

administration)

Skin corrosion/irritation

Components:

diethyltoluenediamine:

Species: Rabbit

Assessment: No skin irritation Method: OECD Test Guideline 404

Result: No skin irritation

1,2-diaminocyclohexane:

Species: Rabbit

Method: OECD Test Guideline 404 Result: Causes severe burns.

GLP: no

4,4'-isopropylidenediphenol:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

P-toluenesulphonic acid:

Species: Rabbit

Method: OECD Test Guideline 404

Result: Irritating to skin.

according to Regulation (EC) No. 1907/2006



REN HY 5212

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.04.2017 400001009577 Date of first issue: 06.04.2017

Serious eye damage/eye irritation

Components:

diethyltoluenediamine: Species: Rabbit Assessment: Irritant Result: Irritating to eyes.

Species: Rabbit Assessment: Irritant

Method: OECD Test Guideline 405 Result: Normally reversible injuries

1,2-diaminocyclohexane:

Species: Rabbit

Result: Risk of serious damage to eyes.

GLP: no

4,4'-isopropylidenediphenol:

Species: Rabbit

Method: OECD Test Guideline 405 Result: Irreversible effects on the eye

P-toluenesulphonic acid:

Species: Rabbit

Result: Irritation to eyes, reversing within 7 days

Assessment: Irritating to eyes. Result: Irritating to eyes.

Respiratory or skin sensitisation

Components:

diethyltoluenediamine: Exposure routes: Skin Species: Guinea pig

Result: Does not cause skin sensitisation.

1,2-diaminocyclohexane: Exposure routes: Skin Species: Guinea pig Result: negative

4,4'-isopropylidenediphenol:

Exposure routes: Skin Species: Mouse

Method: OECD Test Guideline 429 Result: Does not cause skin sensitisation.

Exposure routes: Skin Species: Humans

Assessment: May cause sensitisation by skin contact.

Result: Causes sensitisation.

according to Regulation (EC) No. 1907/2006



REN HY 5212

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.04.2017 400001009577 Date of first issue: 06.04.2017

P-toluenesulphonic acid: Exposure routes: Skin Species: Guinea pig

Method: Directive 67/548/EEC, Annex V, B.6. Result: Does not cause skin sensitisation.

Assessment: No data available

Germ cell mutagenicity

Components:

diethyltoluenediamine:

Genotoxicity in vitro : Metabolic activation: negative

Method: OECD Test Guideline 476

Result: negative

1,2-diaminocyclohexane:

Genotoxicity in vitro : Concentration: 15 - 1500 ug/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

: Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative GLP: yes

: Concentration: 33 - 1142 µg/L

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

GLP: yes

4,4'-isopropylidenediphenol:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation

Result: negative

P-toluenesulphonic acid:

Genotoxicity in vitro : Concentration: 5000 ug/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

: Concentration: 1902 µg/L

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

according to Regulation (EC) No. 1907/2006



REN HY 5212

Version Revision Date: 400001009577

1.0 06.04.2017

Date of last issue: -SDS Number:

Date of first issue: 06.04.2017

Result: negative

Components:

diethyltoluenediamine:

Genotoxicity in vivo : Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

1,2-diaminocyclohexane:

Genotoxicity in vivo : Application Route: Inhalation

Exposure time: 13 Weeks Dose: 1.6 - 160 mg/m3

Method: OECD Test Guideline 474

Result: negative GLP: yes

Application Route: Oral Dose: 75 - 750 mg/kg

Method: OECD Test Guideline 475

Result: negative GLP: yes

4,4'-isopropylidenediphenol:

Genotoxicity in vivo Method: OECD Test Guideline 474

Result: negative

P-toluenesulphonic acid:

: Application Route: Oral Genotoxicity in vivo

Exposure time: 72 h Dose: 4467 mg/kg

Method: OECD Test Guideline 474

Result: negative

Application Route: Intraperitoneal injection

Exposure time: 72 h Dose: 580 mg/kg

Method: EPA OTS 798.5395

Result: negative

Carcinogenicity

Components:

diethyltoluenediamine:

Species: Rat, (male and female)

Application Route: Oral Exposure time: 24 month(s)

according to Regulation (EC) No. 1907/2006



REN HY 5212

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.04.2017 400001009577 Date of first issue: 06.04.2017

Dose: 1.8 - 3.2 mg/kg

Frequency of Treatment: 7 daily Method: OECD Test Guideline 451

Result: negative

4,4'-isopropylidenediphenol: Species: Rat, (male and female)

Application Route: Oral Exposure time: 103 weeks Frequency of Treatment: 7 daily

Result: negative

P-toluenesulphonic acid:

Species: Rat, (male and female)

Application Route: Oral Exposure time: 24 month(s)

Dose: >= 240 mg/kg

Frequency of Treatment: 5 daily Method: OECD Test Guideline 453

Result: negative

Carcinogenicity - : No data available

Assessment

Reproductive toxicity

Components:

1,2-diaminocyclohexane:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

Method: OECD Test Guideline 416

GLP: yes

4,4'-isopropylidenediphenol:

Species: Rat, male and female

Application Route: Oral

Method: OECD Test Guideline 416

Result: Embryotoxic effects and adverse effects on the

offspring were detected.

Components:

1,2-diaminocyclohexane:

Effects on foetal : Species: Rat, male and female

development Application Route: Oral

General Toxicity Maternal: No observed adverse effect level:

ca. 184 mg/kg body weight

Method: OECD Test Guideline 414 Result: No teratogenic effects

GLP: no

4,4'-isopropylidenediphenol:

Species: Rat, female Application Route: Oral

according to Regulation (EC) No. 1907/2006



REN HY 5212

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.04.2017 400001009577 Date of first issue: 06.04.2017

General Toxicity Maternal: No observed adverse effect level:

< 160 mg/kg body weight

Method: OECD Test Guideline 416 Result: No teratogenic effects

P-toluenesulphonic acid:

Species: Rat, female Application Route: Oral

General Toxicity Maternal: No observed adverse effect level:

> 936 mg/kg body weight Result: No teratogenic effects

Components:

4,4'-isopropylidenediphenol:

Reproductive toxicity - : Clear evidence of adverse effects on sexual function and

Assessment fertility, based on animal experiments.

STOT - single exposure

Components:

1,2-diaminocyclohexane: Exposure routes: Inhalation Target Organs: Respiratory Tract

Assessment: May cause respiratory irritation.

4,4'-isopropylidenediphenol:

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

P-toluenesulphonic acid:

Target Organs: Respiratory Tract

Assessment: The substance or mixture is classified as specific target organ toxicant, single

exposure, category 3 with respiratory tract irritation.

STOT - repeated exposure

Components:

diethyltoluenediamine: Exposure routes: Ingestion

Target Organs: Pancreas, Liver, Kidney

Assessment: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

diethyltoluenediamine:

Species: Rat, male and female

NOAEL: 8 - 10 mg/kg Application Route: Ingestion

according to Regulation (EC) No. 1907/2006



REN HY 5212

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.04.2017 400001009577 Date of first issue: 06.04.2017

Exposure time: 2 160 hMethod: Subchronic toxicity

1,2-diaminocyclohexane: Species: Rat, male and female

: 16

Test atmosphere: dust/mist

Exposure time: 13 WeeksMethod: OECD Test Guideline 413

4,4'-isopropylidenediphenol: Species: Dog, male and female

: 75 mg/kg, 10

Application Route: Ingestion Test atmosphere: dust/mist

Exposure time: 2 160 hNumber of exposures: 7 d

Method: Subchronic toxicity

Species: Rat, male and female

LOAEL: 600 mg/kg

Application Route: Ingestion

Exposure time: 672 hNumber of exposures: 7 d

Method: Subchronic toxicity

P-toluenesulphonic acid: Species: Rat, male and female NOAEL: >= 500 mg/kg Application Route: Ingestion

Exposure time: 672 hNumber of exposures: 7 d

Method: Subchronic toxicity

Repeated dose toxicity - : No data available

Assessment

Aspiration toxicity

No data available

Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

according to Regulation (EC) No. 1907/2006



REN HY 5212

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.04.2017 400001009577 Date of first issue: 06.04.2017

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

Ingestion: No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

diethyltoluenediamine:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 200 mg/l

Exposure time: 48 h
Test Type: static test

Test substance: Fresh water

Method: DIN 38412

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 0,5 mg/l

Exposure time: 48 h Test Type: static test

Test substance: Fresh water

Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae : ErC50 (Desmodesmus subspicatus (Scenedesmus

subspicatus)): ca. 104 mg/l Exposure time: 72 h Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 201

M-Factor (Acute aquatic

toxicity)

: 1

Toxicity to microorganisms : EC50 (Pseudomonas putida): >= 170 mg/l

Exposure time: 24 h Test Type: static test

Test substance: Fresh water

1,2-diaminocyclohexane:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 200 mg/l

Exposure time: 48 h

Test substance: Fresh water

Method: DIN 38412

according to Regulation (EC) No. 1907/2006



REN HY 5212

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.04.2017 400001009577 Date of first issue: 06.04.2017

GLP: yes

Remarks: Toxic to aquatic organisms.

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 19,8 mg/l

Exposure time: 48 h

Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 202

GLP: no

Toxicity to algae : EC50 : 29,6 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic

toxicity)

: GLP: yes

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: NOEC: 4,16 mg/l

Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 211

4,4'-isopropylidenediphenol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 7,5 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50: 3,9 - 10,2 mg/l

Exposure time: 48 h

(Ceriodaphnia dubia (Water flea)):

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 2,5 - 3,1

mg/l

Exposure time: 96 h

Toxicity to fish (Chronic

toxicity)

: NOEC: 0,016 mg/l Exposure time: 444 d

Species: Pimephales promelas (fathead minnow)

Test Type: flow-through test
Test substance: Fresh water
Method: EPA OPPTS 850.1500
Remarks: Toxic to aquatic organisms.

M-Factor (Chronic aquatic

toxicity)

: 1

Ecotoxicology Assessment

Chronic aquatic toxicity

: Toxic to aquatic life with long lasting effects.

P-toluenesulphonic acid:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 325 mg/l

Exposure time: 96 h

according to Regulation (EC) No. 1907/2006



REN HY 5212

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.04.2017 400001009577 Date of first issue: 06.04.2017

Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 103 mg/l

Exposure time: 48 h Test Type: static test

Test substance: Fresh water

Method: OECD Test Guideline 202

Toxicity to algae : ErC50 (Selenastrum capricornutum (green algae)): 73 mg/l

Exposure time: 72 h Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 201

ErC50 (Desmodesmus subspicatus (Scenedesmus

subspicatus)): > 40 mg/l Exposure time: 72 h Test Type: static test

Test substance: Fresh water

Method: Directive 67/548/EEC, Annex V, C.3.

EC50 (Selenastrum capricornutum (green algae)): >= 758

mg/l

Exposure time: 96 h
Test Type: static test
Test substance: Fresh water

EC50 (Selenastrum capricornutum (green algae)): >= 230

mg/l

Exposure time: 96 h Test Type: static test

Test substance: Fresh water

Toxicity to microorganisms : EC50 (activated sludge): > 650 mg/l

Exposure time: 3 h Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 209

12.2 Persistence and degradability

Components:

diethyltoluenediamine:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: < 60 % Exposure time: 28 d

Result: Not readily biodegradable.

Biodegradation: < 1 % Exposure time: 28 d

Method: OECD Test Guideline 301D

according to Regulation (EC) No. 1907/2006



REN HY 5212

Date of last issue: -Version Revision Date: SDS Number:

400001009577 Date of first issue: 06.04.2017 1.0 06.04.2017

Photodegradation : Test Type: Air

Rate constant: < .00001

1,2-diaminocyclohexane:

Biodegradability : Result: Readily biodegradable.

Exposure time: 17 d

Method: OECD Test Guideline 301D

Stability in water : Method: No information available.

GLP: No information available. Remarks: see user defined free text

Photodegradation : Rate constant: < .001

GLP: no

4,4'-isopropylidenediphenol:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 1 - 2 % Exposure time: 28 d

P-toluenesulphonic acid:

Biodegradability Result: Readily biodegradable.

> Biodegradation: > 60 % Exposure time: 28 d

12.3 Bioaccumulative potential

Components:

diethyltoluenediamine:

Bioaccumulation : Bioconcentration factor (BCF): 13,82

Remarks: Bioaccumulation is unlikely.

Bioconcentration factor (BCF): 2,75 Remarks: Does not bioaccumulate.

Partition coefficient: n-

: log Pow: 1,17 (25 °C)

Method: OECD Test Guideline 107 octanol/water

1,2-diaminocyclohexane:

Partition coefficient: n-: $\log Pow: < -0.9 (20 °C)$

octanol/water pH: 7

Method: OECD Test Guideline 107

GLP: yes

P-toluenesulphonic acid:

Partition coefficient: n-: log Pow: 0,41 (25 °C) octanol/water Method: Partition coefficient

12.4 Mobility in soil

Components:

diethyltoluenediamine:

according to Regulation (EC) No. 1907/2006



REN HY 5212

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.04.2017 400001009577 Date of first issue: 06.04.2017

Distribution among : Koc: 132 - 170

environmental compartments

: Koc: 31,72 - 551

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Other adverse effects

Product:

Additional ecological : ...

information

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

IATA

14.1 UN number : UN 2735

14.2 UN proper shipping

name

: Polyamines, liquid, corrosive, n.o.s.

(1,2-DIAMINO CYCLOHEXANE, DIETHYLTOLUENEDIAMINE)

14.3 Transport hazard

class(es)

: 8

14.4 Packing group : II

Labels : Corrosive

Packing instruction (cargo

aircraft)
Packing instruction

: 855 : 851

(passenger aircraft)

SDS_GB-AM - - 400001009577

according to Regulation (EC) No. 1907/2006



REN HY 5212

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.04.2017 400001009577 Date of first issue: 06.04.2017

IMDG

14.1 UN number : UN 2735

14.2 UN proper shipping : POLYAMINES, LIQUID, CORROSIVE, N.O.S.

name

(1,2-DIAMINO CYCLOHEXANE, DIETHYLTOLUENEDIAMINE)

14.3 Transport hazard : 8

class(es)

14.4 Packing group: IILabels: 8EmS Code: F-A, S-B

14.5 Environmental hazards

Marine pollutant : yes

ADR

14.1 UN number : UN 2735

14.2 UN proper shipping : POLYAMINES, LIQUID, CORROSIVE, N.O.S.

name

(1,2-DIAMINO CYCLOHEXANE, DIETHYLTOLUENEDIAMINE)

14.3 Transport hazard : 8

class(es)

14.4 Packing group : II Labels : 8

14.5 Environmental hazards

Environmentally hazardous : yes

RID

14.1 UN number : UN 2735

14.2 UN proper shipping

name

: POLYAMINES, LIQUID, CORROSIVE, N.O.S.

(1,2-DIAMINO CYCLOHEXANE, DIETHYLTOLUENEDIAMINE)

14.3 Transport hazard : 8

class(es)

14.4 Packing group : II Labels : 8

14.5 Environmental hazards

Environmentally hazardous : yes

Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High : 4,4'-isopropylidenediphenol

Concern for Authorisation (Article 59).

according to Regulation (EC) No. 1907/2006



REN HY 5212

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.04.2017 400001009577 Date of first issue: 06.04.2017

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.

H312 : Harmful in contact with skin.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.

according to Regulation (EC) No. 1907/2006



REN HY 5212

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.04.2017 400001009577 Date of first issue: 06.04.2017

H319 : Causes serious eye irritation.

H332 : Harmful if inhaled.

H335 : May cause respiratory irritation.

H360F : May damage fertility.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Acute aquatic toxicity
Aquatic Chronic : Chronic aquatic toxicity
Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation

Repr. : Reproductive toxicity
Skin Corr. : Skin corrosion
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

Further information

Classification of the mixture: Classification procedure: Acute Tox. 4 H302 Calculation method

Acute 10x. 4	П302	Calculation method
Acute Tox. 4	H312	Calculation method
Skin Corr. 1A	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Repr. 1B	H360F	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

according to Regulation (EC) No. 1907/2006



REN HY 5212

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.04.2017 400001009577 Date of first issue: 06.04.2017

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.