according to Regulation (EC) No. 1907/2006

EPIBOND® 420 B US

Version	Revisio
1.3	08.11.2

on Date: 2023



Enriching lives through innovation

Date of last issue: 10.01.2023 Date of first issue: 04.10.2017

Print Date 07.03.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: EPIBOND® 420 B US

1.2 Relevant identified uses of the substance or mixture and uses advised against

SDS Number:

400001008535

Use of the Substance/Mixture	: Hardener	

Recommended restrictions : For industrial use only. on use

1.3 Details of the supplier of the safety data sheet

Company Address	 Huntsman Advanced Materials (Europe) BV Everslaan 45 3078 Everberg Boloium
Telephone Telefax	Belgium : +41 61 299 20 41 : +41 61 299 20 40
E-mail address of person responsible for the SDS	: Global_Product_EHS_AdMat@huntsman.com

1.4 Emergency telephone number

Emergency telephone number	 Centres Antipoison et de Toxicovigilance: ANGERS: 02 41 48 21 21 BORDEAUX: 05 56 96 40 80 LILLE: 0 825 812 822 LYON: 04 72 11 69 11 MARSEILLE 04 91 75 25 25
	NANCY: 03 83 32 36 36 PARIS: 01 40 05 48 48
	RENNES: 02 99 59 22 22
	STRASBOURG: 03 88 37 37 37
	TOULOUSE: 05 61 77 74 47
	EUROPE: +32 35 75 1234
	France ORFILA: +33(0)145425959
	ASIA: +65 6336-6011
	China: +86 20 39377888
	+86 532 83889090 India: + 91 22 42 87 5333
	Australia: 1800 786 152
	New Zealand: 0800 767 437
	USA: +1 800-424-9300

according to Regulation (EC) No. 1907/2006

EPIBOND® 420 B US

Version	Re۱
1.3	08.

vision Date: 11.2023 SDS Number: 400001008535



Enriching lives through innovation

Date of last issue: 10.01.2023 Date of first issue: 04.10.2017

Print Date 07.03.2024

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

H314: Causes severe skin burns and eye damage.
H318: Causes serious eye damage.
H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Hazard statements

: H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

Precautionary statements

Prevention:

Danger

:

:

P261 Avoid breathing mist or vapours.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

•	
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do
NOT induce vomiting.	
P303 + P361 + P353	IF ON SKIN (or hair): Take off
immediately all contami	nated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh
air and keep comfortabl	e for breathing. Immediately call a
POISON CENTER/ doc	tor.
P305 + P351 + P338 +	P310 IF IN EYES: Rinse cautiously
with water for several m	inutes. Remove contact lenses, if
	Continue rinsing. Immediately call a
POISON CENTER/ doc	tor.

Hazardous components which must be listed on the label:

3,3'-oxybis(ethyleneoxy)bis(propylamine)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

according to Regulation (EC) No. 1907/2006

EPIBOND® 420 B US

Version	Revision Date:
1.3	08.11.2023

SDS Number: 400001008535

Date of last issue: 10.01.2023 Date of first issue: 04.10.2017

Print Date 07.03.2024

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Amines

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concent ration (% w/w)
3,3'-	4246-51-9	Skin Corr. 1B; H314	>= 50 -
oxybis(ethyleneoxy)bis(propylam	224-207-2	Eye Dam. 1; H318	< 70
ine)	01-2119963377-26	Skin Sens. 1; H317	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders :	First Aid responders should pay attention to self-protection and use the recommended protective clothing If potential for exposure exists refer to Section 8 for specific personal protective equipment. Avoid inhalation, ingestion and contact with skin and eyes. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
If inhaled :	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact :	Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact :	Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty



according to Regulation (EC) No. 1907/2006

EPIBOND® 420 B US



1.3	Revision Date: 08.11.2023		0S Number: 0001008535	Date of last issue: 10.01.2023 Date of first issue: 04.10.2017	
				Print Date 07.03.202	
			Continue rinsing Remove contact Keep eye wide o	k medical advice. eyes during transport to hospital. lenses. pen while rinsing. ersists, consult a specialist.	
If swallowed		:	 Keep respiratory tract clear. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital. 		
4.2 Most i	important symptoms ar	nd e	ffects, both acut	e and delayed	
Risks	3	:	May cause an al Causes serious e Causes severe b		
4.3 Indica	tion of any immediate	med	lical attention an	d special treatment needed	
	ment	:	Treat symptomat	-	
SECTION	N 5: Firefighting meas	sure	es		
5 1 Extinc	uuishing media				
-	guishing media ble extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (Dry chemical		
Suita	ble extinguishing media	:	Alcohol-resistant Carbon dioxide (Dry chemical	CO2) when using a high volume water jet as it may	
Suita Unsu media	ble extinguishing media itable extinguishing a	:	Alcohol-resistant Carbon dioxide (Dry chemical Exercise caution scatter and sprea	CO2) when using a high volume water jet as it may ad fire	
Suita Unsu media 5.2 Specia	ble extinguishing media itable extinguishing a al hazards arising from ific hazards during	:	Alcohol-resistant Carbon dioxide (Dry chemical Exercise caution scatter and sprea	CO2) when using a high volume water jet as it may ad fire	
Suita Unsu media 5 .2 Speci a Spec firefig	ble extinguishing media itable extinguishing a al hazards arising from ific hazards during ihting rdous combustion	: the	Alcohol-resistant Carbon dioxide (Dry chemical Exercise caution scatter and sprea	CO2) when using a high volume water jet as it may ad fire ixture -off from fire fighting to enter drains or water CO2) e	
Suita Unsu media 5.2 Spec firefig Haza produ	ble extinguishing media itable extinguishing a al hazards arising from ific hazards during hting rdous combustion ucts	: the	Alcohol-resistant Carbon dioxide (Dry chemical Exercise caution scatter and sprea substance or m Do not allow run- courses. Carbon dioxide (Carbon monoxid	CO2) when using a high volume water jet as it may ad fire ixture -off from fire fighting to enter drains or water CO2) e	
Suita Unsu media 5.2 Spec firefig Haza produ 5.3 Advic Spec	ble extinguishing media itable extinguishing a al hazards arising from ific hazards during ihting rdous combustion	: : :	Alcohol-resistant Carbon dioxide (Dry chemical Exercise caution scatter and sprea substance or m Do not allow run- courses. Carbon dioxide (Carbon monoxid Nitrogen oxides (CO2) when using a high volume water jet as it may ad fire ixture -off from fire fighting to enter drains or water CO2) e	
Suita Unsu media 5.2 Specia Spec firefig Haza produ 5.3 Advic Spec for fir	ble extinguishing media itable extinguishing a al hazards arising from ific hazards during hting rdous combustion ucts e for firefighters ial protective equipment efighters ific extinguishing	: : :	Alcohol-resistant Carbon dioxide (Dry chemical Exercise caution scatter and sprea substance or m Do not allow run- courses. Carbon dioxide (Carbon monoxid Nitrogen oxides of Wear self-contain necessary. Use extinguishin	CO2) when using a high volume water jet as it may ad fire ixture -off from fire fighting to enter drains or water CO2) e (NOx)	

according to Regulation (EC) No. 1907/2006

EPIBOND® 420 B US

HU	NT	S	M

Enriching lives through innovation

Version	Revisi
1.3	08.11.

evision Date: .11.2023 SDS Number: 400001008535 Date of last issue: 10.01.2023 Date of first issue: 04.10.2017

Print Date 07.03.2024

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Refer to protective measures listed in sections 7 and 8.
6.2 Environmental precautions		
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

according to Regulation (EC) No. 1907/2006

EPIBOND® 420 B US

Version 1.3	Revision Date: 08.11.2023		OS Number: 0001008535	Date of last issue: 10.01.2023 Date of first issue: 04.10.2017
				Print Date 07.03.2024
7.2 Cond	litions for safe storage,	inc	luding any inco	mpatibilities
	uirements for storage s and containers	:		tightly closed in a dry and well-ventilated label precautions. Keep in properly labelled
Advi	ce on common storage	:	For incompatib SDS.	le materials please refer to Section 10 of this
	ommended storage perature	:	2 - 40 °C	

: Stable under normal conditions.

Specific use(s) : No data available

Further information on

storage stability

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

			Detection the solution	
Substance name	End Use	Exposure routes	Potential health	Value
			effects	
3,3'-	Workers	Inhalation	Long-term systemic	59 mg/m3
oxybis(ethyleneoxy)bi			effects	Ũ
s(propylamine)				
S(propylainine)	Workers	Inhalation	Aquita avatamia	176 mg/m2
	workers	Innalation	Acute systemic	176 mg/m3
			effects	
	Workers	Inhalation	Long-term local	1 mg/m3
			effects	
	Workers	Dermal	Long-term systemic	8,3 mg/kg
			effects	e,eg
	Concumero	Inhalation		17 ma/m2
	Consumers	Innalation	Long-term systemic	17 mg/m3
			effects	
	Consumers	Inhalation	Acute systemic	52 mg/m3
			effects	
	Consumers	Inhalation	Long-term local	0,5 mg/m3
	Concamoro		effects	0,0 mg/m0
	Concumero	Inhalation	Acute local effects	6 5 ma/m2
	Consumers			6,5 mg/m3
	Consumers	Dermal	Long-term systemic	5 mg/kg
			effects	
	Consumers	Oral	Long-term systemic	5 mg/kg
			effects	
	I		010003	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
3,3'-	Fresh water	0,22 mg/l
oxybis(ethyleneoxy)bis(propylami		-



according to Regulation (EC) No. 1907/2006

EPIBOND® 420 B US

ne)

Version	Revision Date:	SDS Number:	Date of last issue: 10.01.2023	
1.3	08.11.2023	400001008535	Date of first issue: 04.10.2017	

Print Date 07.03.2024

ne)			
, 		Marine water	0,022 mg/l
		Intermittent use/release	2,2 mg/l
		Sewage treatment plant	125 mg/l
		Fresh water sediment	1,1 mg/kg
		Marine sediment	0,11 mg/kg
		Soil	0,091 mg/kg
8.2 Exposure contr			
•	ective equipment		
Eye/face protec	ition :	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnorn problems.	nal processing
Hand protectior	ı		
Material	:	butyl-rubber	
Break throug		> 8 h	
Material	:	Nitrile rubber	
Break throug	gh time :	10 - 480 min	
Material Break throug	; gh time :	Ethyl Vinyl Alcohol Laminate (EVAL) > 8 h	
Remarks	:	The selected protective gloves have to satisfy a specifications of Regulation (EU) 2016/425 and EN 374 derived from it. Gloves should be discareplaced if there is any indication of degradation breakthrough. Take note of the information give producer concerning permeability and break th and of special workplace conditions (mechanic duration of contact). Chemical-resistant, impervious gloves complying approved standard should be worn at all times chemical products if a risk assessment indicate necessary. The suitability for a specific workplate discussed with the producers of the protective standard should be workplate to the section of the sect	d the standard arded and on or chemical en by the rough times, al strain, ng with an when handling es this is ace should be
Skin and body	protection :	Impervious clothing Choose body protection according to the amou concentration of the dangerous substance at th	
Respiratory pro	tection :	Use respiratory protection unless adequate loc ventilation is provided or exposure assessment that exposures are within recommended expose Recommended Filter type: Combined particulates and organic vapour type	t demonstrates sure guidelines
Filter type	:	Filter type A-P	



according to Regulation (EC) No. 1907/2006

EPIBOND® 420 B US

Version	Re
1.3	08

evision Date: 3.11.2023 SDS Number: 400001008535



Enriching lives through innovation

Date of last issue: 10.01.2023 Date of first issue: 04.10.2017

Print Date 07.03.2024

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: blue
Odour	: ammoniacal
Odour Threshold	: No data is available on the product itself.
Melting point/freezing point	: No data is available on the product itself.
Boiling point	: No data is available on the product itself.
Flammability (solid, gas)	: No data is available on the product itself.
Lower explosion limit / Lower flammability limit	: No data is available on the product itself.
Upper explosion limit / Upper flammability limit	: No data is available on the product itself.
Flash point	: 110 °C Method: closed cup
Auto-ignition temperature	: No data is available on the product itself.
Decomposition temperature	: > 150 °C Method: estimated
рН	: No data is available on the product itself.
Viscosity Viscosity, dynamic	: ca. 18 000 mPa.s (25 °C)
Solubility(ies) Water solubility	: slightly soluble (20 °C)
Solubility in other solvents	: No data is available on the product itself.
Partition coefficient: n- octanol/water	: No data is available on the product itself.
Vapour pressure	: <1,4 hPa (20 °C)

according to Regulation (EC) No. 1907/2006

EPIBOND® 420 B US

Version 1.3	Revision Date: 08.11.2023	SDS Number: 400001008535	Date of last issue: 10.01.2023 Date of first issue: 04.10.2017
			Print Date 07.03.2024
Dens	ity	: 1 g/cm3 (25 °C	3)
Relative density :		: 1 (25 °C)	
Relative vapour density		: No data is ava	ilable on the product itself.
Partic	cle characteristics	characteristics : No data is available on the product itself.	

9.2 Other information

No data is available on the product itself.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid	: Strong acids Strong bases Strong oxidizing agents
	Strong oxidizing agents

None known.

10.6 Hazardous decomposition products

No decomposition if stored a	nd ap	plied as directed.
Hazardous decomposition	:	carbon dioxide
products		carbon monoxide
		Nitrogen oxides (NOx)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

3,3'-oxybis(ethyleneoxy)bis(propylamine):

Acute oral toxicity

: LD50 (Rat, male and female): 2 850 - 3 160 mg/kg Method: OECD Test Guideline 401



according to Regulation (EC) No. 1907/2006

HUNTSMAN

PIBO	ND® 420 B US			
ersion 3	Revision Date: 08.11.2023		S Number: 0001008535	Date of last issue: 10.01.2023 Date of first issue: 04.10.2017
				Print Date 07.03.202
			Assessment: Thingestion.	ne component/mixture is low toxic after single
Acute	dermal toxicity	:	Method: OECD	e and female): > 2 150 mg/kg Test Guideline 402 ne component/mixture is low toxic after single n.
Skin o	corrosion/irritation			
Cause	es severe burns.			
<u>Comp</u>	onents:			
	xybis(ethyleneoxy)bi	is(pro	pylamine):	
Speci		:	Rabbit	_
Metho Resul		:	Other guidelines	s 3 minutes to 1 hour of exposure
		-		
	u s eye damage/eye i l es serious eye damage		on	
	oonents:			
		0/220	nulomino).	
Speci	xybis(ethyleneoxy)bi	is(pro	Rabbit	
	sment	÷		damage to eyes.
Resul	t	:	Risk of serious of	damage to eyes.
Respi	ratory or skin sensit	isatio	n	
Skin s	sensitisation			
May c	ause an allergic skin r	eactic	n.	
Respi	ratory sensitisation			
Not cl	assified due to lack of	data.		
<u>Comp</u>	onents:			
3,3'-0	xybis(ethyleneoxy)bi	is(pro	pylamine):	
	sure routes	:	Skin	
Speci Resul		:	Other May cause sens	sitisation by skin contact.
			-	
Asses	sment	:	severe skin burr	if swallowed or in contact with skin., Causes ns and eye damage. Ilergic skin reaction.
	cell mutagenicity assified due to lack of	data		
		udid.		
	onents:	- /		
	xybis(ethyleneoxy)bi	is(pro		a toot
Geno	oxicity in vitro		Test Type: Ame Test system: Sa	s test Imonella typhimurium
			Concentration: 5	

according to Regulation (EC) No. 1907/2006

EPIBOND® 420 B US

HUNTSMAN

rsion B	Revision Date: 08.11.2023	SDS Number: 400001008535	Date of last issue: 10.01.2023 Date of first issue: 04.10.2017
			Print Date 07.03.20
			ation: with and without metabolic activation Test Guideline 471 e
		Metabolic activa	hinese hamster fibroblasts ation: with and without metabolic activation Test Guideline 487
		Test system: Cl Metabolic activa	tro mammalian cell gene mutation test hinese hamster ovary cells ation: with and without metabolic activation Test Guideline 476 e
Germ c Assess	ell mutagenicity- ment	: In vitro tests did	not show mutagenic effects
	ogenicity ssified due to lack of d	data.	
Reprod	luctive toxicity ssified due to lack of a		
Compo	onents:		
3,3'-oxy	ybis(ethyleneoxy)bi	s(propylamine):	
Effects	on fertility	Frequency of T General Toxicit Fertility: NOAEL Early Embryoni weight	
Reprod Assess	uctive toxicity - ment		adverse effects on sexual function and fertilit ent, based on animal experiments.
	single exposure	data.	
	repeated exposure	data.	
	ed dose toxicity		
Compo	-		
	ybis(ethyleneoxy)bi	s(propylamine):	
Species		: Rat, male and f	emale

Species	: Rat, male and femal
NOAEL	: < 100 mg/kg
Application Route	: oral (gavage)
Number of exposures	: daily

according to Regulation (EC) No. 1907/2006

EPIBOND® 420 B US

Revision Date: 08.11.2023	SDS Number:Date of last issue: 10.01.2023400001008535Date of first issue: 04.10.2017
	Print Date 07.03.20
Group	: 100, 300, 1000(600,day7)mg/kg : yes : OECD Test Guideline 422
ed dose toxicity - ment	 May be harmful if swallowed or in contact with skin., Causes severe skin burns and eye damage. No adverse effect has been observed in chronic toxicity tests
t ion toxicity ssified due to lack of	lata.
ation on other haza	ds
ine disrupting prop	erties
<u>t:</u>	
ment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher
ence with human ex a available	osure
logy, Metabolism, I a available	stribution
ogical effects	
r information a available	
	08.11.2023 Group ed dose toxicity - ment ion toxicity ssified due to lack of d ation on other hazard ine disrupting prope time disru

12.1 Toxicity

Components:

3,3'-oxybis(ethyleneoxy)bis(propylamine):

Toxicity to fish :	LC50 (Leuciscus idus (Golden orfe)): > 1 000 mg/l Exposure time: 96 h Test Type: static test Method: DIN 38412
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna (Water flea)): 218,16 mg/l Exposure time: 48 h Test Type: static test Method: Directive 67/548/EEC, Annex V, C.2.
Toxicity to algae/aquatic : plants	EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h Test Type: static test Method: DIN 38412



according to Regulation (EC) No. 1907/2006

EPIBOND® 420 B US

Version	Revision Date: 08.11.2023	SDS Number:	Date of last issue: 10.01.2023
1.3		400001008535	Date of first issue: 04.10.2017
			Print Date 07.03.2024

Toxicity to microorganisms : (Pseudomonas putida): 221,9 mg/l End point: Growth rate Exposure time: 17 h Test Type: static test

Method: DIN 38412

12.2 Persistence and degradability

Components:

3,3'-oxybis(ethyleneoxy)bis(propylamine):

Biodegradability	 Inoculum: activated sludge Concentration: 30 mg/l Result: Not readily biodegradable. Biodegradation: < 10 % Exposure time: 60 d Method: OECD Test Guideline 301B
------------------	---

12.3 Bioaccumulative potential

Components:

3,3'-oxybis(ethyleneoxy)bis(propylamine):

Partition coefficient: n-	:	log Pow: -1,25 (25 °C)
octanol/water		pH: 11,1
		Method: OECD Test Guideline 107

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

:

13.1 Waste treatment methods

Product

Dispose of contents and container in accordance with all local,



according to Regulation (EC) No. 1907/2006

EPIBOND® 420 B US

HUNTSMAN

Enriching lives through innovation

Version 1.3	Revision Date: 08.11.2023	SDS Number: 400001008535	Date of last issue: 10.01.2023 Date of first issue: 04.10.2017
			Print Date 07.03.2024
		Do not dispose	nal and international regulations. of waste into sewer. inate ponds, waterways or ditches with ed container.
Conta	aminated packaging	•	ng contents. unused product. empty containers.

SECTION 14: Transport information

14.1 UN number or ID number		
ADN	:	UN 2735
ADR	:	UN 2735
RID	:	UN 2735
IMDG	:	UN 2735
ΙΑΤΑ	:	UN 2735
14.2 UN proper shipping name		
ADN	:	AMINES, LIQUID, CORROSIVE, N.O.S. (TRIOXATRIDECANEDIAMINE)
ADR	:	AMINES, LIQUID, CORROSIVE, N.O.S. (TRIOXATRIDECANEDIAMINE)
RID	:	AMINES, LIQUID, CORROSIVE, N.O.S. (TRIOXATRIDECANEDIAMINE)
IMDG	:	AMINES, LIQUID, CORROSIVE, N.O.S. (TRIOXATRIDECANEDIAMINE)
ΙΑΤΑ	:	Amines, liquid, corrosive, n.o.s. (TRIOXATRIDECANEDIAMINE)
14.3 Transport hazard class(es)	
		Class Subsidiary risks
ADN	:	8
ADR	:	8
RID	:	8
IMDG	:	8
ΙΑΤΑ	:	8
14.4 Packing group		
ADN Packing group Classification Code Hazard Identification Numbe Labels	: : : :	II C7 80 8

according to Regulation (EC) No. 1907/2006

EPIBOND® 420 B US



Enriching lives through innovation

EPIB	EPIBOND® 420 B US						
Versior 1.3	n Revision Date: 08.11.2023	SDS Numbe 4000010085					
			Print Date 07.03.2024				
Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code		: II : C7 : 80 : 8 : (E)					
CI Ha	D acking group assification Code azard Identification Number abels	: II : C7 : 80 : 8					
Pa La	IDG acking group ubels nS Code	: II : 8 : F-A, S-B					
Pa air Pa Pa	TA (Cargo) acking instruction (cargo rcraft) acking instruction (LQ) acking group abels	: 855 : Y840 : II : Corrosive	9				
IATA (Passenger) Packing instruction (passenger aircraft) Packing instruction (LQ) Packing group Labels		: 851 : Y840 : II : Corrosive	9				
14.5 Environmental hazards							
	DN nvironmentally hazardous	: no					
	DR nvironmentally hazardous	: no					
	nvironmentally hazardous	: no					
	IDG						

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Regulation (EC) No. 1907/2006

EPIBOND® 420 B US

Version 1.3	Revision Date: 08.11.2023	SDS Number: 400001008535		st issue: 10.01.2023 st issue: 04.10.2017		
				Print Date 07.03.2024		
	CH - List of substance ex XIV)	s subject to authorisatio	n :N	ot applicable		
	CH - Candidate List of cern for Authorisation (Substances of Very Hig Article 59).		his product does not contain ubstances of very high concern.		
the r		ne manufacture, placing ain dangerous substance ex XVII)	es, fo co	onditions of restriction for the Ilowing entries should be onsidered: umber on list 3		
Seveso III: Directive 2012/18/EU of the Not applicable European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.						
	upational Illnesses (R- 3, France)	: Not applicable				
Take	Other regulations: Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.					
The	The components of this product are reported in the following inventories:					
	DSL : This product contains one or several components that are no on the Canadian DSL nor NDSL. AIIC : Not in compliance with the inventory					
AIIC						
ENC	S	: Not in compliand	e with the in	ventory		

ENCS	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
TCSI	: Not in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory

Inventories



according to Regulation (EC) No. 1907/2006

EPIBOND® 420 B US

Version	Revision Date:		
1.3	08.11.2023		

Date of last issue: 10.01.2023 Date of first issue: 04.10.2017

Print Date 07.03.2024

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

SDS Number:

400001008535

15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

SECTION 16: Other information

Full toxt of H Statements

	rui text of n-Statements					
	H314 H317 H318	:	Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage.			
Full text of other abbreviations						
	Eye Dam. Skin Corr. Skin Sens.	:	Serious eye damage Skin corrosion Skin sensitisation			
	Further information					
Classification of the mixture:				Classification procedure:		
	Skin Corr. 1B	H31	4	Calculation method		
	Eye Dam. 1	H31	8	Calculation method		
	Skin Sens. 1	H31	7	Calculation method		

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.



according to Regulation (EC) No. 1907/2006

HUNTSMAN

EPIBOND® 420 B US

Version Revision Date: 1.3 08.11.2023

ate: SDS Number: 400001008535 Date of last issue: 10.01.2023 Date of first issue: 04.10.2017

Print Date 07.03.2024

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.