

SAFETY DATA SHEET

Peelable Coating Mask - Synthetic

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	Peelable Coating Mask - Synthetic	
Product number	PCS, EPCS250, ZE	
1.2. Relevant identified uses	s of the substance or mixture and uses advised against	
Identified uses	Mask	
Uses advised against	No specific uses advised against are identified.	
1.3. Details of the supplier o	of the safety data sheet	
Supplier	ELECTROLUBE. A division of HK WENTWORTH LTD ASHBY PARK, COALFIELD WAY, ASHBY DE LA ZOUCH, LEICESTERSHIRE LE65 1JR UNITED KINGDOM +44 (0)1530 419600 +44 (0)1530 416640 info@hkw.co.uk	
1.4. Emergency telephone n	number	
Emergency telephone	IN CASE OF EMERGENCY CALL: +44 1865 407333 (24hr, Provided by Carechem 24) +353 (0)1 809 2166 (Beaumont Hospital, Republic of Ireland only, 8am-10pm, 7 days a week)	
SECTION 2: Hazards identit	fication	
2.1. Classification of the sub	ostance or mixture	
Classification (EC 1272/200	<u>8)</u>	
Physical hazards	Not Classified	
Health hazards	Eye Irrit. 2 - H319	
Environmental hazards	Not Classified	
2.2. Label elements		
Hazard pictograms		
Signal word	Warning	
Hazard statements	EUH208 Contains Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole- 2,5(1H,3H)-dione, 2-Methyl-2H-isothiazol-3-one, Reaction mass of: 5-chloro-2-methyl-4-	

EUH208 Contains Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione, 2-Methyl-2H-isothiazol-3-one, Reaction mass of: 5-chloro-2-methyl-4isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction. H319 Causes serious eye irritation.

Precautionary statements	P264 Wash contaminated skin thoroughly after handling.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P337+P313 If eye irritation persists: Get medical advice/ attention.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

3.2. Mixtures			
			4 5
Di-"isononyl" phthalate			1-5
CAS number: 28553-12-0	EC number: 249-079-5	REACH registration number: 01- 2119430798-28-XXXX	
Classification			
Not Classified			
Alcohols, secondary C11-15, ethoxylate	d		1-5
CAS number: 68131-40-8			
Classification			
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			
4-Nonylphenol, branched, ethoxylated			1-5
CAS number: 127087-87-0	EC number: 500-315-8		
Classification			
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			
Aquatic Chronic 3 - H412			
Tetrahydro-1,3,4,6-tetrakis(hydroxymeth	nyl)imidazo[4,5-		<1
d]imidazole-2,5(1H,3H)-dione			
CAS number: 5395-50-6	EC number: 226-408-0		
Classification			
Skin Sens. 1B - H317			
2,2' -oxybisethanol			<1
CAS number: 111-46-6	EC number: 203-872-2		
Classification			

Methanol			<1%
CAS number: 67-56-1	EC number: 200-659-6	REACH registration number: 01- 2119433307-44-XXXX	
Classification			
Flam. Liq. 2 - H225			
Acute Tox. 3 - H301			
Acute Tox. 3 - H311			
Acute Tox. 3 - H331			
STOT SE 1 - H370			
Reaction mass of: 5-chloro-2-me no. 247-500-7] and 2-methyl-2H 220-239-6] (3:1)	-		<1%
CAS number: 55965-84-9			
M factor (Acute) = 1	M factor (Chronic) = 1		
Classification Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410			
Formaldehyde			<1%
CAS number: 50-00-0	EC number: 200-001-8	REACH registration number: 01- 2119488953-20-XXXX	
Classification			
Acute Tox. 3 - H301			
Acute Tox. 3 - H311			
Acute Tox. 3 - H331			
Skin Corr. 1B - H314			
Eye Dam. 1 - H318			
Skin Sens. 1 - H317			
Muta. 2 - H341			
Carc. 1B - H350			
STOT SE 3 - H335			
The full text for all hazard stateme	ents is displayed in Section 16.		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.

Inhalation	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place.	
Ingestion	Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.	
Skin contact	Rinse with water.	
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.	
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.	
4.2. Most important symptoms	and effects, both acute and delayed	
General information	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.	
Ingestion	Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.	
Skin contact	Prolonged contact may cause dryness of the skin.	
Eye contact	Irritating to eyes.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Notes for the doctor	Treat symptomatically.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
5.2. Special hazards arising from the substance or mixture		
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up.	
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.	
5.3. Advice for firefighters		
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.	

Special protective equipmentWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective
clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,
protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material.

6.2. Environmental precautions

Environmental precautions Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Approach the spillage from upwind. Small Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Large Spillages: If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant, or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labelled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of waste to licensed waste disposal site in accordance with the
	requirements of the local Waste Disposal Authority.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Store away from incompatible materials (see Section 10). Store in accordance with local regulations. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.
Storage class	Chemical storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure controls/Personal protection	

8.1. Control parameters

Occupational exposure limits

Di-"isononyl" phthalate

Long-term exposure limit (8-hour TWA): WEL 5 mg/m³

2,2' -oxybisethanol

Long-term exposure limit (8-hour TWA): WEL 23 ppm 101 mg/m³

Methanol

Long-term exposure limit (8-hour TWA): WEL 200 ppm 266 mg/m³ Short-term exposure limit (15-minute): WEL 250 ppm 333 mg/m³ Sk

Formaldehyde

Long-term exposure limit (8-hour TWA): WEL 2 ppm 2.5 mg/m³ Short-term exposure limit (15-minute): WEL 2 ppm 2.5 mg/m³ WEL = Workplace Exposure Limit Sk = Can be absorbed through the skin.

8.2. Exposure controls

Protective equipment





Appropriate engineering controls

Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN136.
Environmental exposure controls	Keep container tightly sealed when not in use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Reddish. Pink.
Odour	Not known.
Odour threshold	Not available.
рН	pH (concentrated solution): 8.5-9.5
Melting point	Not available.
Initial boiling point and range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Evaporation factor	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	Not available.
Other flammability	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.

Bulk density	1.0 kg/l
Solubility(ies)	Not available.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	55000-65000 mPa s @ 23°C
Explosive properties	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.
9.2. Other information	
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	See the other subsections of this section for further details.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	No potentially hazardous reactions known.
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decomposition	on products
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
SECTION 11: Toxicological int	formation
11.1. Information on toxicologi	cal effects
Acute toxicity - oral	
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
<u>Acute toxicity - dermal</u> Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
. ,	שששע שה מימוומטוב עמנמ נורב טומששוונמנוטרו טוונבוומ מוב ווטנ ווופנ.
Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritation	
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory sensitisation	

Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	Contains a substance/a group of substances which may cause cancer. IARC Group 1 Carcinogenic to humans.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicity -	single exposure	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity -	repeated exposure	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.	
Ingestion	Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.	
Skin contact	Prolonged contact may cause dryness of the skin.	
Eye contact	Irritating to eyes.	
Route of exposure	Ingestion Inhalation Skin and/or eye contact	
Target organs	No specific target organs known.	
Toxicological information on ingredients.		

Di-"isononyl" phthalate

Toxicological effects	Not regarded as a health hazard under current legislation.
Acute toxicity - oral	
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC_{50})	Based on available data the classification criteria are not met.

Skin corrosion/irritation		
Animal data	Based on available data the classification criteria are not met.	
Serious eye damage/irritati	on	
Serious eye damage/irritation	Based on available data the classification criteria are not met.	
Respiratory sensitisation		
Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation		
Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	None of the ingredients are listed or exempt.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicit	y - single exposure	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity - repeated exposure		
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	No specific symptoms known. Spray/mists may cause respiratory tract irritation.	
Ingestion	No specific symptoms known. May cause discomfort if swallowed.	
Skin contact	No specific symptoms known. May cause discomfort.	
Eye contact	No specific symptoms known. May be slightly irritating to eyes.	
Route of exposure	Ingestion Inhalation Skin and/or eye contact	
Target organs	No specific target organs known.	
	Alcohols, secondary C11-15, ethoxylated	
Acute toxicity - oral		
Notes (oral LD ₅₀)	Based on available data the classification criteria are not met.	

Acute toxicity - dermal		
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation		
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation		
Animal data	Irritating.	
Serious eye damage/irritati	ion	
Serious eye damage/irritation	Eye Dam. 1 - H318 Causes serious eye damage.	
Respiratory sensitisation		
Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation		
Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	None of the ingredients are listed or exempt.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicit	ty - single exposure	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity - repeated exposure		
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	No specific symptoms known.	
Ingestion	May cause irritation.	
Skin contact	Redness. Irritating to skin.	
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.	
Route of exposure	Ingestion Inhalation Skin and/or eye contact	

Target organsNo specific target organs known.

Water

Toxicological effects	Not regarded as a health hazard under current legislation.	
Acute toxicity - oral		
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal		
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation		
Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation		
Animal data	Based on available data the classification criteria are not met.	
Serious eye damage/irritation	on	
Serious eye damage/irritation	Based on available data the classification criteria are not met.	
Respiratory sensitisation		
Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation		
Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	None of the ingredients are listed or exempt.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicity - single exposure		
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicit	y - repeated exposure	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	

Inhalation	No specific symptoms known. Spray/mists may cause respiratory tract irritation.
Ingestion	No specific symptoms known. May cause discomfort if swallowed.
Skin contact	No specific symptoms known. May cause discomfort.
Eye contact	No specific symptoms known. May be slightly irritating to eyes.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
	Amorphous Silica
Toxicological effects	Not regarded as a health hazard under current legislation.
Acute toxicity - oral	
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritat	ion
Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxici	ty - single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxici	tv - reneated exposure

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard Aspiration hazard	Not relevant. Solid.
General information	No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known. May cause discomfort if swallowed.
Skin contact	Prolonged contact may cause dryness of the skin.
Eye contact	No specific symptoms known. May be slightly irritating to eyes.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
	Lecithins
Toxicological effects	Not regarded as a health hazard under current legislation.
Acute toxicity - oral	
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritat	ion
Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.

Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxic	ity - single exposure	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxic	ity - repeated exposure	
STOT - repeated exposure	• Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	No specific symptoms known. Spray/mists may cause respiratory tract irritation.	
Ingestion	No specific symptoms known. May cause discomfort if swallowed.	
Skin contact	No specific symptoms known. May cause discomfort.	
Eye contact	No specific symptoms known. May be slightly irritating to eyes.	
Route of exposure	Ingestion Inhalation Skin and/or eye contact	
Target organs	No specific target organs known.	
	4-Nonylphenol, branched, ethoxylated	
Acute toxicity - oral		
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal		
Notes (dermal LD ₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation		
Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation		
Animal data	Irritating.	
Serious eye damage/irritation		
Serious eye damage/irritation	Eye Dam. 1 - H318 Causes serious eye damage.	
Respiratory sensitisation		
Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation		
Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	

IARC carcinogenicity	None of the ingredients are listed or exempt.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxici	ty - single exposure	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxici	ty - repeated exposure	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	No specific symptoms known.	
Ingestion	May cause irritation.	
Skin contact	Redness. Irritating to skin.	
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.	
Route of exposure	Ingestion Inhalation Skin and/or eye contact	
Target organs	No specific target organs known.	
Tego Foamex K 7		
Toxicological effects	Not regarded as a health hazard under current legislation.	
Acute toxicity - oral		
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal		
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation		
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation		
Animal data	Based on available data the classification criteria are not met.	
Serious eye damage/irritati	ion	
Serious eye damage/irritation	Based on available data the classification criteria are not met.	
Respiratory sensitisation		
Respiratory sensitisation	Based on available data the classification criteria are not met.	

Skin sensitisation		
Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	None of the ingredients are listed or exempt.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicit	y - single exposure	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity - repeated exposure		
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	No specific symptoms known. Spray/mists may cause respiratory tract irritation.	
Ingestion	No specific symptoms known. May cause discomfort if swallowed.	
Skin contact	No specific symptoms known. May cause discomfort.	
Eye contact	No specific symptoms known. May be slightly irritating to eyes.	
Route of exposure	Ingestion Inhalation Skin and/or eye contact	
Target organs	No specific target organs known.	
	2-Amino-2-methylpropanol	
Acute toxicity - oral		
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal		
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation		
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation		
Animal data	Irritating.	
Serious eye damage/irritation		

Serious eye damage/irritation	Causes serious eye irritation.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicit	y - single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicit	y - repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard	
Aspiration hazard	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	May cause irritation.
Skin contact	Redness. Irritating to skin.
Eye contact	Irritating to eyes.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
Tetrahydro-1,	3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

Acute toxicity - oral	
Notes (oral LD ₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	

Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritati	on
Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	May cause skin sensitisation or allergic reactions in sensitive individuals.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicit	y - single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicit	y - repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard	
Aspiration hazard	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	May cause sensitisation or allergic reactions in sensitive individuals.
Skin contact	May cause skin sensitisation or allergic reactions in sensitive individuals.
Eye contact	No specific symptoms known.
Route of exposure	
	Ingestion Inhalation Skin and/or eye contact
Target organs	Ingestion Inhalation Skin and/or eye contact No specific target organs known.

2,2' -oxybisethanol

Acute toxicity - oral		
Notes (oral LD₅₀)	Acute Tox. 4 - H302 Harmful if swallowed.	
ATE oral (mg/kg)	500.0	
Acute toxicity - dermal		
Notes (dermal LD ₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation		
Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation		
Animal data	Based on available data the classification criteria are not met.	
Serious eye damage/irritati	on	
Serious eye damage/irritation	Based on available data the classification criteria are not met.	
Respiratory sensitisation		
Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation		
Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	None of the ingredients are listed or exempt.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicit	y - single exposure	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity - repeated exposure		
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	No specific symptoms known.	
Ingestion	May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.	
Skin contact	No specific symptoms known.	

Eye contact	No specific symptoms known.	
Route of exposure	Ingestion Inhalation Skin and/or eye contact	
Target organs	No specific target organs known.	
	Magnesium nitrate	
Acute toxicity - oral	Magnosiam maato	
Notes (oral LD ₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal	Dased of available data the classification chiefla are not met.	
Notes (dermal LD ₅₀)	Based on available data the classification criteria are not met.	
	Dased on available data the classification chiefla are not met.	
Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation	Dased of available data the classification chiefla are not met.	
Animal data	Based on available data the classification criteria are not met.	
Serious eye damage/irritatio	—	
Serious eye damage/irritation	Causes serious eye irritation.	
Respiratory sensitisation		
Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation		
Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	None of the ingredients are listed or exempt.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicity - single exposure		
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity - repeated exposure		
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Not relevant. Solid.	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	

Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	Prolonged contact may cause dryness of the skin.
Eye contact	Irritating to eyes.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.

Gemsperse EX 242

Toxicological effects	Not regarded as a health hazard under current legislation.	
Acute toxicity - oral		
Notes (oral LD ₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal		
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation		
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation		
Animal data	Based on available data the classification criteria are not met.	
Serious eye damage/irritati	on	
Serious eye damage/irritation	Based on available data the classification criteria are not met.	
Respiratory sensitisation		
Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation		
Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	None of the ingredients are listed or exempt.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicity - single exposure		
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity - repeated exposure		

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.	
General information	No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	No specific symptoms known. Spray/mists may cause respiratory tract irritation.	
Ingestion	No specific symptoms known. May cause discomfort if swallowed.	
Skin contact	No specific symptoms known. May cause discomfort.	
Eye contact	No specific symptoms known. May be slightly irritating to eyes.	
Route of exposure	Ingestion Inhalation Skin and/or eye contact	
Target organs	No specific target organs known.	
	Methanol	
Acute toxicity - oral		
Notes (oral LD₅₀)	Acute Tox. 3 - H301 Toxic if swallowed.	
ATE oral (mg/kg)	100.0	
Acute toxicity - dermal		
Notes (dermal LD₅₀)	Acute Tox. 3 - H311 Toxic in contact with skin.	
ATE dermal (mg/kg)	300.0	
Acute toxicity - inhalation		
Notes (inhalation LC ₅₀)	Acute Tox. 3 - H331 Toxic if inhaled.	
ATE inhalation (gases ppm)	700.0	
ATE inhalation (vapours mg/l)	3.0	
ATE inhalation (dusts/mists mg/l)	0.5	
Skin corrosion/irritation		
Animal data	Based on available data the classification criteria are not met.	
Serious eye damage/irritation		
Serious eye damage/irritation	Based on available data the classification criteria are not met.	
Respiratory sensitisation		
Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation		
Skin sensitisation Germ cell mutagenicity	Based on available data the classification criteria are not met.	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
conclosury in theo		

Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	None of the ingredients are listed or exempt.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicit	y - single exposure	
STOT - single exposure	STOT SE 1 - H370 Causes damage to organs .	
Specific target organ toxicit	y - repeated exposure	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	A single exposure may cause the following adverse effects: Drowsiness, dizziness, disorientation, vertigo. Unconsciousness. High concentrations may be fatal.	
Ingestion	May cause stomach pain or vomiting. May cause severe internal injury.	
Skin contact	A single exposure may cause the following adverse effects: Pain.	
Eye contact	No specific symptoms known.	
Route of exposure	Ingestion Inhalation Skin and/or eye contact	
Target organs	No specific target organs known.	
	2-Methyl-2H-isothiazol-3-one	
Acute toxicity - oral		
 Acute toxicity oral (LD₅₀ mg/kg)	183.0	
Species	Rat	
Notes (oral LD₅₀)	Acute Tox. 3 - H301 Toxic if swallowed.	
ATE oral (mg/kg)	183.0	
Acute toxicity - dermal		
Acute toxicity dermal (LD∞ mg/kg)	242.0	
Species	Rat	
Notes (dermal LD₅₀)	Acute Tox. 3 - H311 Toxic in contact with skin.	
ATE dermal (mg/kg)	242.0	

Acute toxicity - inhalation

Acute toxicity inhalation (LC∞ dust/mist mg/l)	0.11	
Species	Rat	
Notes (inhalation LC ₅₀)	Acute Tox. 2 - H330 Fatal if inhaled.	
ATE inhalation (dusts/mists mg/l)	0.11	
Skin corrosion/irritation		
Skin corrosion/irritation	Corrosive to skin.	
Animal data	Skin Corr. 1B - H314 Causes severe burns.	
Serious eye damage/irritat	ion	
Serious eye damage/irritation	Eye Dam. 1 - H318 Corrosive to skin. Corrosivity to eyes is assumed.	
Respiratory sensitisation		
Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation		
Skin sensitisation	May cause skin sensitisation or allergic reactions in sensitive individuals.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	None of the ingredients are listed or exempt.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicity - single exposure		
STOT - single exposure	STOT SE 3 - H335 May cause respiratory irritation. Corrosive to the respiratory tract.	
Target organs	Respiratory system, lungs	
Specific target organ toxicity - repeated exposure		
STOT - repeated exposure	• Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	

Inhalation	A single exposure may cause the following adverse effects: Difficulty in breathing. Unconsciousness, possibly death.
Ingestion	May cause sensitisation or allergic reactions in sensitive individuals. May cause chemical burns in mouth, oesophagus and stomach. Symptoms following overexposure may include the following: Severe stomach pain. Nausea, vomiting.
Skin contact	May cause skin sensitisation or allergic reactions in sensitive individuals. Causes severe burns. Symptoms following overexposure may include the following: Pain or irritation. Redness. Blistering may occur.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	Respiratory system, lungs
Medical considerations	Skin disorders and allergies.
	1,2-Benzisothiazol-3(2H)-one
Acute toxicity - oral	
Notes (oral LD₅₀)	Acute Tox. 4 - H302 Harmful if swallowed.
ATE oral (mg/kg)	500.0
Acute toxicity - dermal	
Notes (dermal LD50)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Skin corrosion/irritation	Irritating to skin.
Animal data	Irritating.
Serious eye damage/irritati	on
Serious eye damage/irritation	Eye Dam. 1 - H318 Causes serious eye damage.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	May cause skin sensitisation or allergic reactions in sensitive individuals.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
	Deceder conficte data the charge of the state of the stat
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	

Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxici	ty - single exposure	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxici	ty - repeated exposure	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	No specific symptoms known.	
Ingestion	May cause sensitisation or allergic reactions in sensitive individuals. May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.	
Skin contact	May cause skin sensitisation or allergic reactions in sensitive individuals. Redness. Irritating to skin.	
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.	
Route of exposure	Ingestion Inhalation Skin and/or eye contact	
Target organs	No specific target organs known.	
Medical considerations	Skin disorders and allergies.	
Reaction mass of: 5-chlore	o-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one	
	[EC no. 220-239-6] (3:1)	
Acute toxicity - oral		
Notes (oral LD₅₀)	Acute Tox. 3 - H301 Toxic if swallowed.	
ATE oral (mg/kg)	100.0	
Acute toxicity - dermal		
Notes (dermal LD₅₀)	Acute Tox. 3 - H311 Toxic in contact with skin.	
ATE dermal (mg/kg)	300.0	
Acute toxicity - inhalation		
Acute toxicity inhalation (LC₅₀ dust/mist mg/l)	0.33	
Notes (inhalation LC ₅₀)	Acute Tox. 3 - H331 Toxic if inhaled.	
ATE inhalation (dusts/mists mg/l)	0.33	
Okin compoien/imitation		

Skin corrosion/irritation

Skin corrosion/irritation	Corrosive to skin. Causes burns.
Animal data	Skin Corr. 1B - H314 Causes severe burns.
Serious eye damage/irritati	ion
Serious eye damage/irritation	Eye Dam. 1 - H318 Corrosive to skin. Corrosivity to eyes is assumed.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	May cause skin sensitisation or allergic reactions in sensitive individuals.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	This substance has no evidence of mutagenic properties.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxici	ty - single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxici	ty - repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard	
Aspiration hazard	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Corrosive to the respiratory tract. Symptoms following overexposure may include the following: Severe irritation of nose and throat.
Ingestion	May cause sensitisation or allergic reactions in sensitive individuals. May cause chemical burns in mouth, oesophagus and stomach. Symptoms following overexposure may include the following: Severe stomach pain. Nausea, vomiting.
Skin contact	May cause skin sensitisation or allergic reactions in sensitive individuals. Causes severe burns. Symptoms following overexposure may include the following: Pain or irritation. Redness. Blistering may occur.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.

Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
Medical considerations	Skin disorders and allergies.
	Formaldehyde
Acute toxicity - oral	
Notes (oral LD₅₀)	Acute Tox. 3 - H301 Toxic if swallowed.
ATE oral (mg/kg)	100.0
Acute toxicity - dermal	
Notes (dermal LD ₅₀)	Acute Tox. 3 - H311 Toxic in contact with skin.
ATE dermal (mg/kg)	300.0
Acute toxicity - inhalation	
Notes (inhalation LC ₅₀)	Acute Tox. 3 - H331 Toxic if inhaled.
ATE inhalation (gases ppm)	700.0
ATE inhalation (dusts/mists mg/l)	0.5
Skin corrosion/irritation	
Animal data	Skin Corr. 1B - H314 Causes severe burns.
Serious eye damage/irritat	ion
Serious eye damage/irritat Serious eye damage/irritation	ion Eye Dam. 1 - H318 Corrosive to skin. Corrosivity to eyes is assumed.
Serious eye	
Serious eye damage/irritation	
Serious eye damage/irritation Respiratory sensitisation	Eye Dam. 1 - H318 Corrosive to skin. Corrosivity to eyes is assumed.
Serious eye damage/irritation Respiratory sensitisation Respiratory sensitisation	Eye Dam. 1 - H318 Corrosive to skin. Corrosivity to eyes is assumed.
Serious eye damage/irritation Respiratory sensitisation Respiratory sensitisation Skin sensitisation	Eye Dam. 1 - H318 Corrosive to skin. Corrosivity to eyes is assumed. Based on available data the classification criteria are not met.
Serious eye damage/irritation Respiratory sensitisation Respiratory sensitisation Skin sensitisation Skin sensitisation	Eye Dam. 1 - H318 Corrosive to skin. Corrosivity to eyes is assumed. Based on available data the classification criteria are not met.
Serious eye damage/irritation Respiratory sensitisation Respiratory sensitisation Skin sensitisation Skin sensitisation Germ cell mutagenicity	Eye Dam. 1 - H318 Corrosive to skin. Corrosivity to eyes is assumed. Based on available data the classification criteria are not met. May cause skin sensitisation or allergic reactions in sensitive individuals.
Serious eye damage/irritation Respiratory sensitisation Respiratory sensitisation Skin sensitisation Skin sensitisation Germ cell mutagenicity Genotoxicity - in vitro	Eye Dam. 1 - H318 Corrosive to skin. Corrosivity to eyes is assumed. Based on available data the classification criteria are not met. May cause skin sensitisation or allergic reactions in sensitive individuals.
Serious eye damage/irritation Respiratory sensitisation Respiratory sensitisation Skin sensitisation Skin sensitisation Germ cell mutagenicity Genotoxicity - in vitro Carcinogenicity	Eye Dam. 1 - H318 Corrosive to skin. Corrosivity to eyes is assumed. Based on available data the classification criteria are not met. May cause skin sensitisation or allergic reactions in sensitive individuals. Suspected of causing genetic defects.
Serious eye damage/irritation Respiratory sensitisation Respiratory sensitisation Skin sensitisation Skin sensitisation Germ cell mutagenicity Genotoxicity - in vitro Carcinogenicity Carcinogenicity	Eye Dam. 1 - H318 Corrosive to skin. Corrosivity to eyes is assumed. Based on available data the classification criteria are not met. May cause skin sensitisation or allergic reactions in sensitive individuals. Suspected of causing genetic defects. May cause cancer.
Serious eye damage/irritation Respiratory sensitisation Respiratory sensitisation Skin sensitisation Skin sensitisation Germ cell mutagenicity Genotoxicity - in vitro <u>Carcinogenicity</u> Carcinogenicity IARC carcinogenicity	Eye Dam. 1 - H318 Corrosive to skin. Corrosivity to eyes is assumed. Based on available data the classification criteria are not met. May cause skin sensitisation or allergic reactions in sensitive individuals. Suspected of causing genetic defects. May cause cancer.
Serious eye damage/irritation Respiratory sensitisation Respiratory sensitisation Skin sensitisation Skin sensitisation Germ cell mutagenicity Genotoxicity - in vitro Carcinogenicity Carcinogenicity IARC carcinogenicity Reproductive toxicity -	Eye Dam. 1 - H318 Corrosive to skin. Corrosivity to eyes is assumed. Based on available data the classification criteria are not met. May cause skin sensitisation or allergic reactions in sensitive individuals. Suspected of causing genetic defects. May cause cancer. None of the ingredients are listed or exempt.
Serious eye damage/irritation Respiratory sensitisation Respiratory sensitisation Skin sensitisation Skin sensitisation Germ cell mutagenicity Genotoxicity - in vitro Carcinogenicity Carcinogenicity IARC carcinogenicity Reproductive toxicity - fertility Reproductive toxicity -	Eye Dam. 1 - H318 Corrosive to skin. Corrosivity to eyes is assumed. Based on available data the classification criteria are not met. May cause skin sensitisation or allergic reactions in sensitive individuals. Suspected of causing genetic defects. May cause cancer. None of the ingredients are listed or exempt. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met.

	Target organs	Respiratory system, lungs
	Specific target organ toxicit	
		Not classified as a specific target organ toxicant after repeated exposure.
	Aspiration hazard	
	Aspiration hazard	Based on available data the classification criteria are not met.
	General information	May cause cancer after repeated exposure. Risk of cancer depends on duration and level of exposure. May cause genetic defects. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
	Inhalation	Corrosive to the respiratory tract. Symptoms following overexposure may include the following: Severe irritation of nose and throat.
	Ingestion	May cause sensitisation or allergic reactions in sensitive individuals. May cause chemical burns in mouth, oesophagus and stomach. Symptoms following overexposure may include the following: Severe stomach pain. Nausea, vomiting.
	Skin contact	May cause skin sensitisation or allergic reactions in sensitive individuals. Causes severe burns. Symptoms following overexposure may include the following: Pain or irritation. Redness. Blistering may occur.
	Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.
	Route of exposure	Ingestion Inhalation Skin and/or eye contact
	Target organs	Respiratory system, lungs
	Medical considerations	Skin disorders and allergies.
SECTION 1	2: Ecological information	
Ecotoxicity		rded as dangerous for the environment. However, large or frequent spills may have us effects on the environment.
Ecological in	nformation on ingredients.	
		Di-"isononyl" phthalate
	Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
		Alcohols, secondary C11-15, ethoxylated
	Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
		Water
	Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
		Amorphous Silica
	Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

Lecithins

Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
	Tego Foamex K 7
Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
	Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione
Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
	2,2' -oxybisethanol
Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
	Magnesium nitrate
Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
	Gemsperse EX 242
Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
	Methanol
Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
	Formaldehyde
Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
<u>12.1. Toxicity</u>	
Toxicity Ecological information of	Based on available data the classification criteria are not met.
	Di-"isononyl" phthalate
Toxicity	Based on available data the classification criteria are not met.
	Alcohols, secondary C11-15, ethoxylated
Toxicity	Based on available data the classification criteria are not met.
	Water
Toxicity	Based on available data the classification criteria are not met.

Amorphous Silica

Toxicity	Based on available data the classification criteria are not met.
	Lecithins
Toxicity	Based on available data the classification criteria are not met.
	4-Nonylphenol, branched, ethoxylated
Toxicity	Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.
	Tego Foamex K 7
Toxicity	Based on available data the classification criteria are not met.
	2-Amino-2-methylpropanol
Toxicity	Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.
Tetrahydro-1,	3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione
Toxicity	Based on available data the classification criteria are not met.
	2,2' -oxybisethanol
Toxicity	Based on available data the classification criteria are not met.
	Magnesium nitrate
Toxicity	Based on available data the classification criteria are not met.
	Gemsperse EX 242
Toxicity	Based on available data the classification criteria are not met.
	Methanol
Toxicity	Based on available data the classification criteria are not met.
	2-Methyl-2H-isothiazol-3-one
Toxicity	Aquatic Acute 1 - H400 Very toxic to aquatic life.
Acute aquatic toxicity	
LE(C) ₅₀	$0.1 < L(E)C50 \le 1$
M factor (Acute)	1
Acute toxicity - fish	LC_{50} , 96 hours: 4.77 mg/l, Oncorhynchus mykiss (Rainbow trout)
Acute toxicity - aquatic invertebrates	LC₅₀, 48 hours: 0.85 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC₅₀, 72 hours: 0.158 mg/l, Algae

1,2-Benzisothiazol-3(2H)-one

	Toxicity	Aquatic Acute 1 - H400 Very toxic to aquatic life.
	Acute aquatic toxicity	
	LE(C)50	$0.1 < L(E)C50 \le 1$
	M factor (Acute)	1
	Acute toxicity - fish	LC₅₀, 96 hours: 1.9 mg/l, Oncorhynchus mykiss (Rainbow trout)
	Acute toxicity - aquatic invertebrates	LC₅₀, 96 hours: 1.9 mg/l, Mysidopsis bahia EC₅₀, 48 hours: 2.94 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	EC₅₀, 96 hours: 0.38 mg/l, Pseudokirchneriella subcapitata
	Reaction mass of: 5-chlore	o-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)
	Toxicity	Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects.
	Acute aquatic toxicity	
	LE(C)50	$0.1 < L(E)C50 \le 1$
	M factor (Acute)	1
	Acute toxicity - fish	LC₅₀, 96 hours: 0.19 mg/l, Oncorhynchus mykiss (Rainbow trout)
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 0.16 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	EC₅₀, 72 hours: 0.027 mg/l, Selenastrum capricornutum
	Chronic aquatic toxicity	
	M factor (Chronic)	1
		Formaldehyde
	Toxicity	Based on available data the classification criteria are not met.
12.2. Persis	stence and degradability	
Persistence	e and degradability The deg	radability of the product is not known.
Ecological i	nformation on ingredients.	
		Di-"isononyl" phthalate
	Persistence and degradability	The degradability of the product is not known.
		Alcohols, secondary C11-15, ethoxylated
	Persistence and degradability	The degradability of the product is not known.
		Martan.

Water

Persistence and degradability	The degradability of the product is not known.
	Amorphous Silica
Persistence and degradability	The degradability of the product is not known.
	Lecithins
Persistence and degradability	The degradability of the product is not known.
	4-Nonylphenol, branched, ethoxylated
Persistence and degradability	The degradability of the product is not known.
	Tego Foamex K 7
Persistence and degradability	The degradability of the product is not known.
	2-Amino-2-methylpropanol
Persistence and degradability	The degradability of the product is not known.
Tetra	hydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione
Persistence and degradability	The degradability of the product is not known.
	2,2' -oxybisethanol
Persistence and	The degradability of the product is not known.
degradability	
degradability	Magnesium nitrate
degradability Persistence and degradability	
Persistence and	Magnesium nitrate
Persistence and	Magnesium nitrate The degradability of the product is not known.
Persistence and degradability Persistence and	Magnesium nitrate The degradability of the product is not known. Gemsperse EX 242
Persistence and degradability Persistence and	Magnesium nitrate The degradability of the product is not known. Gemsperse EX 242 The degradability of the product is not known.

	Persistence and		The degradability of the product is not known.
	degradability		
	Biodegradation		- Degradation ~98%: Estimated value. Expected to be readily biodegradable.
			1,2-Benzisothiazol-3(2H)-one
	Persistence and degradability		The degradability of the product is not known.
	Reaction mass o	f: 5-chloro	-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one
			[EC no. 220-239-6] (3:1)
	Persistence and degradability		The degradability of the product is not known.
	Biodegradation		Water - DT₅₀ : 0.2 - 1.3 days
			Formaldehyde
	Persistence and degradability		The degradability of the product is not known.
12.3. Bioac	cumulative potentia	<u>al</u>	
Bioaccumu	ative potential	No data	available on bioaccumulation.
Partition co	efficient	Not avai	lable.
Ecological i	nformation on ingre	edients.	
			Di-"isononyl" phthalate
	Bioaccumulative	potential	No data available on bioaccumulation.
			Alcohols, secondary C11-15, ethoxylated
	Bioaccumulative	potential	No data available on bioaccumulation.
			Water
	Bioaccumulative	potential	No data available on bioaccumulation.
			Amorphous Silica
	Bioaccumulative	potential	No data available on bioaccumulation.
			Lecithins
	Bioaccumulative	potential	No data available on bioaccumulation.
			4-Nonylphenol, branched, ethoxylated
	Bioaccumulative	potential	No data available on bioaccumulation.
			Tego Foamex K 7

	Bioaccumulative potential	No data available on bioaccumulation.
		2-Amino-2-methylpropanol
	Bioaccumulative potential	No data available on bioaccumulation.
	Tetrahydro-1	,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione
	Bioaccumulative potential	No data available on bioaccumulation.
		2,2' -oxybisethanol
	Bioaccumulative potential	No data available on bioaccumulation.
		Magnesium nitrate
	Bioaccumulative potential	No data available on bioaccumulation.
		Gemsperse EX 242
	Bioaccumulative potential	No data available on bioaccumulation.
		Methanol
	Bioaccumulative potential	No data available on bioaccumulation.
		2-Methyl-2H-isothiazol-3-one
	Bioaccumulative potential	No data available on bioaccumulation.
	Partition coefficient	log Pow: -0.75
		1,2-Benzisothiazol-3(2H)-one
	Bioaccumulative potential	No data available on bioaccumulation.
	Partition coefficient	log Pow: 1.19
	Reaction mass of: 5-chloro	p-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one
		[EC no. 220-239-6] (3:1)
	Bioaccumulative potential	No data available on bioaccumulation.
	Partition coefficient	log Pow: 0.401
		Formaldehyde
	Bioaccumulative potential	No data available on bioaccumulation.
12.4. Mobili	ty in soil	
Mobility	No data	available.
Ecological i	nformation on ingredients.	
		Di-"isononyl" phthalate

Mobility

No data available.

Alcohols, secondary C11-15, ethoxylated

Mobility	No data available.
	Water
Mobility	No data available.
	Amorphous Silica
Mobility	No data available.
	Lecithins
Mobility	No data available.
	4-Nonylphenol, branched, ethoxylated
Mobility	No data available.
	Tego Foamex K 7
Mobility	No data available.
	2-Amino-2-methylpropanol
Mobility	No data available.
	Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione
Mobility	No data available.
	2,2' -oxybisethanol
Mobility	No data available.
	Magnesium nitrate
Mobility	No data available.
	Gemsperse EX 242
Mobility	No data available.
	Methanol
Mobility	No data available.
	2-Methyl-2H-isothiazol-3-one
Mobility	No data available.
	1,2-Benzisothiazol-3(2H)-one
Mobility	No data available.

	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one		
		[EC no. 220-239-6] (3:1)	
	Mobility	No data available.	
		Formaldehyde	
	Mobility	No data available.	
12.5. Result	s of PBT and vPvB assessm	nent	
Ecological in	formation on ingredients.		
		Water	
	Results of PBT and vPvB assessment	Not applicable. Substance is inorganic.	
		2-Methyl-2H-isothiazol-3-one	
	Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.	
		1,2-Benzisothiazol-3(2H)-one	
	Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.	
	Reaction mass of: 5-chloro	-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one	
		[EC no. 220-239-6] (3:1)	
	Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.	
12.6. Other a	adverse effects		
Other adver	se effects None kn	own.	
Ecological in	formation on ingredients.		
		Di-"isononyl" phthalate	
	Other adverse effects	None known.	
		Alcohols, secondary C11-15, ethoxylated	
	Other adverse effects	None known.	
		Water	
	Other adverse effects	None known.	
		Amorphous Silica	
	Other adverse effects	None known.	
		Lecithins	
	Other adverse effects	None known.	

4-Nonylphenol, branched, ethoxylated

Other adverse effects	None known.
	Tego Foamex K 7
Other adverse effects	None known.
	2-Amino-2-methylpropanol
Other adverse effects	None known.
Tetrahydro-	,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione
Other adverse effects	None known.
	2,2' -oxybisethanol
Other adverse effects	None known.
	Magnesium nitrate
Other adverse effects	None known.
	Gemsperse EX 242
Other adverse effects	None known.
	Methanol
Other adverse effects	None known.
	2-Methyl-2H-isothiazol-3-one
Other adverse effects	None known.
	1,2-Benzisothiazol-3(2H)-one
Other adverse effects	None known.
Reaction mass of: 5-chlor	p-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one
	[EC no. 220-239-6] (3:1)
Other adverse effects	None known.
	Formaldehyde
Other adverse effects	None known.
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	

General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.
Disposal methods	Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible.
SECTION 14: Transport information	

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulationsHealth and Safety at Work etc. Act 1974 (as amended).
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment
Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
EH40/2005 Workplace exposure limits.

EU legislationRegulation (EC) No 1907/2006 of the European Parliament and of the Council of 18
December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
Chemicals (REACH) (as amended).
Commission Regulation (EU) No 2015/830 of 28 May 2015.
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
December 2008 on classification, labelling and packaging of substances and mixtures (as
amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS

SECTION 16: Other information

None of the ingredients are listed or exempt.

Abbreviations and acronyms used in the safety data sheet	 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail. IATA: International Air Transport Association. ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.
	 IMDG: International Maritime Dangerous Goods. CAS: Chemical Abstracts Service. ATE: Acute Toxicity Estimate. LC₅₀: Lethal Concentration to 50 % of a test population. LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose). EC₅₀: 50% of maximal Effective Concentration. PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.
Classification abbreviations and acronyms	Eye Irrit. = Eye irritation
Classification procedures according to Regulation (EC) 1272/2008	Eye Irrit. 2 - H319: : Calculation method.
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Issued by	Bethan Massey
Revision date	23/08/2018
Revision	1
SDS number	1689

Hazard statements in full	H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H330 Fatal if inhaled.
	H331 Toxic if inhaled.
	H335 May cause respiratory irritation.
	H341 Suspected of causing genetic defects.
	H350 May cause cancer.
	H370 Causes damage to organs.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	H412 Harmful to aquatic life with long lasting effects.
	EUH208 Contains Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole- 2,5(1H,3H)-dione, 2-Methyl-2H-isothiazol-3-one, Reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.