according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ARADUR® 985 E-1 CH

Unique Formula Identifier

(UFI)

: 42CF-X0P1-C00T-Y6QS

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Hardener

Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe) BV

Address : Grijpenlaan 18

3300 Tienen Belgium

Telephone : +41 61 299 20 41 Telefax : +41 61 299 20 40

E-mail address of person

responsible for the SDS

: Global_Product_EHS_AdMat@huntsman.com

1.4 Emergency telephone number

Emergency telephone number : Centres Antipoison et de Toxicovigilance:

ANGERS: 02 41 48 21 21 BORDEAUX: 05 56 96 40 80 LILLE: 0 825 812 822

LYON: 04 72 11 69 11 MARSEILLE 04 91 75 25 25 NANCY: 03 83 32 36 36 PARIS: 01 40 05 48 48 RENNES: 02 99 59 22 22 STRASBOURG: 03 88 37 37 37 TOULOUSE: 05 61 77 74 47 EUROPE: +32 35 75 1234

France ORFILA: +33(0)145425959

ASIA: +65 6336-6011 China: +86 20 39377888 +86 532 83889090

India: + 91 22 42 87 5333 Australia: 1800 786 152 New Zealand: 0800 767 437 USA: +1 800-424-9300

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapour.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Reproductive toxicity, Category 2 H361fd: Suspected of damaging fertility. Suspected

of damaging the unborn child.

Specific target organ toxicity - single exposure, Category 3, Central nervous

system

H336: May cause drowsiness or dizziness.

Specific target organ toxicity - single exposure, Category 3, Respiratory

system

H335: May cause respiratory irritation.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :









Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.

H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.

H361fd Suspected of damaging fertility. Suspected of

damaging the unborn child.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P261 Avoid breathing mist or vapours.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection/ hearing protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously

with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/

doctor.

P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam to extinguish.

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09,2024

Hazardous components which must be listed on the label:

4-hydroxy-4-methylpentan-2-one 1-methoxy-2-propanol propan-1-ol butan-1-ol

Additional Labelling

Restricted to professional users.

EUH208 Contains formaldehyde, phthalic anhydride. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concent ration (% w/w)
4-hydroxy-4-methylpentan-2-one	123-42-2 204-626-7 603-016-00-1 01-2119473975-21	Eye Irrit. 2; H319 Repr. 2; H361fd STOT SE 3; H335 (Respiratory system) specific concentration limit Eye Irrit. 2; H319 >= 10 %	>= 30 - < 50
1-methoxy-2-propanol	107-98-2 203-539-1 603-064-00-3 01-2119457435-35	Flam. Liq. 3; H226 STOT SE 3; H336 (Central nervous system)	>= 20 - < 30
propan-1-ol	71-23-8 200-746-9 603-003-00-0 01-2119486761-29	Flam. Liq. 2; H225 Eye Dam. 1; H318 STOT SE 3; H336 (Central nervous system)	>= 10 - < 20
butan-1-ol	71-36-3	Flam. Liq. 3; H226	>= 3 - <

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

		Time Date oo.	
	200-751-6 603-004-00-6 01-2119484630-38	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H336 (Central nervous system) STOT SE 3; H335 (Respiratory system)	10
phthalic anhydride	85-44-9 201-607-5 607-009-00-4 01-2119457017-41	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system)	>= 0,1 - < 1
formaldehyde	50-00-0 200-001-8 605-001-00-5 01-2119488953-20	Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Muta. 2; H341 Carc. 1B; H350 specific concentration limit Skin Corr. 1B; H314 >= 25 % Skin Irrit. 2; H315 5 - < 25 % Eye Irrit. 2; H319 5 - < 25 % STOT SE 3; H335 >= 5 % Skin Sens. 1; H317 >= 0,2 % Skin Irrit. 2; H315 5 - < 25 % Eye Irrit. 2; H315 >= 5 % Skin Sens. 1; H317 >= 0,2 % Skin Corr. 1B; H314 >= 25 % Skin Irrit. 2; H315 5 - < 25 % Eye Irrit. 2; H315 5 - < 25 % Skin Irrit. 2; H317 >= 0,2 % Skin Sens. 1; H317 >= 0,2 %	< 0,1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Treat symptomatically.

Get medical attention if symptoms occur.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Avoid inhalation, ingestion and contact with skin and eyes. No action shall be taken involving any personal risk or without

suitable training.

It may be dangerous to the person providing aid to give

mouth-to-mouth resuscitation.

If inhaled : Call a physician or poison control centre immediately.

If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible

tissue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye damage.

May cause respiratory irritation. May cause drowsiness or dizziness.

Suspected of damaging fertility. Suspected of damaging the

unborn child.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

according to Regulation (EC) No. 1907/2006



Enriching lives through innovation

ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

Exercise caution when using a high volume water jet as it may

scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

Carbon oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Specific extinguishing

methods

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored

separately in closed containments.

Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Refer to protective measures listed in sections 7 and 8. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Ensure that eyewash stations and safety showers are close to

the workstation location.

Local/Total ventilation : Ensure adequate ventilation.

Advice on safe handling : Repeated or prolonged skin contact may cause skin irritation

and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this

product.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Take precautionary measures against static discharges.

Open drum carefully as content may be under pressure.

To avoid spills during handling keep bottle on a metal tray.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Advice on protection against

fire and explosion

Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No smoking. Keep container tightly closed in a dry and wellventilated place. Containers which are opened must be

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

carefully resealed and kept upright to prevent leakage. Observe label precautions. Keep in properly labelled

containers.

Advice on common storage : For incompatible materials please refer to Section 10 of this

SDS.

Recommended storage

temperature

: 2 - 40 °C

Further information on

storage stability

Stable under normal conditions.

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
4-hydroxy-4-	123-42-2	VME	50 ppm	FR VLE
methylpentan-2-			240 mg/m3	
one				
	Further inform	nation: Indicative exp	osure limits	
1-methoxy-2-	107-98-2	TWA	100 ppm	2000/39/EC
propanol			375 mg/m3	
	Further inform	nation: Identifies the	possibility of significant uptak	e through the
	skin, Indicativ	е		·
		STEL	150 ppm	2000/39/EC
			568 mg/m3	
	Further inform	nation: Identifies the	possibility of significant uptak	e through the
	skin, Indicative			Ü
		VME	50 ppm	FR VLE
			188 mg/m3	
	Further information: Risk of penetration through skin, Regulatory binding			
	exposure limi			
		VLCT (VLE)	100 ppm	FR VLE
			375 mg/m3	
	Further inform	nation: Risk of peneti	ration through skin, Regulato	ry binding
	exposure limit	ts		
propan-1-ol	71-23-8	VME	200 ppm	FR VLE
			500 mg/m3	
	Further information: Indicative exposure limits			
butan-1-ol	71-36-3	VLCT (VLE)	50 ppm	FR VLE
		, ,	150 mg/m3	
	Further information: Indicative exposure limits			
phthalic anhydride	85-44-9	VLCT (VLE)	6 mg/m3	FR VLE

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

	Further information: Risk for sensitisation, Indicative exposure limits			
formaldehyde	50-00-0	VME	0,3 ppm	FR VLE
-			0,37 mg/m3	
			category 1B - Probably carci	
			Possibly mutagenic to human	s, Skin
	sensitisation,	Regulatory binding e	exposure limits	
		VLCT (VLE)	0,6 ppm	FR VLE
			0,74 mg/m3	
	Further information: Carcinogenic category 1B - Probably carcinogenic to			
	humans, Mutagenic category 2 - Possibly mutagenic to humans, Skin			
	sensitisation,	sensitisation, Regulatory binding exposure limits		
		STEL	0,6 ppm	2004/37/EC
			0,74 mg/m3	
	Further information: Dermal sensitisation, Carcinogens or mutagens			
		TWA	0,3 ppm	2004/37/EC
			0,37 mg/m3	
	Further information: Dermal sensitisation, Carcinogens or mutagens			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
phthalic anhydride	Workers	Inhalation	Long-term systemic effects	49,4 mg/m3
	Workers	Dermal	Long-term systemic effects	14 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,7 mg/m3
	Consumers	Dermal	Long-term systemic effects	5 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	5 mg/kg bw/day
	Consumers	Oral	Acute systemic effects	25 mg/kg bw/day
1-methoxy-2-propanol	Workers	Inhalation	Long-term systemic effects	369 mg/m3
	Workers	Inhalation	Acute systemic effects	533,5 mg/m3
	Workers	Inhalation	Acute local effects	553,5 mg/m3
	Workers	Dermal	Long-term systemic effects	183 mg/kg
	Consumers	Inhalation	Long-term systemic effects	43,9 mg/m3
	Consumers	Dermal	Long-term systemic effects	78 mg/kg
	Consumers	Oral	Long-term systemic effects	33 mg/kg
4-hydroxy-4- methylpentan-2-one	Workers	Inhalation	Long-term systemic effects	32,6 mg/m3
	Workers	Dermal	Long-term systemic effects	467 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	5,8 mg/m3
	Consumers	Dermal	Long-term systemic effects	167 mg/kg bw/day

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

			D.	ale 30.09.2024
	Consumers	Oral	Long-term systemic effects	1,67 mg/kg bw/day
butan-1-ol	Workers	Inhalation	Long-term local effects	310 mg/m3
	Consumers	Inhalation	Long-term systemic effects	55,357 mg/m3
	Consumers	Inhalation	Long-term local effects	115 mg/m3
	Consumers	Dermal	Long-term systemic effects	3,125 mg/m3
	Consumers	Oral	Long-term systemic effects	1,562 mg/m3
cyanoguanidine	Workers	Inhalation	Long-term systemic effects	15,3 mg/m3
	Workers	Inhalation	Acute systemic effects	76,5 mg/m3
	Workers	Dermal	Long-term systemic effects	30,1 mg/kg
	Consumers	Inhalation	Long-term local effects	11,2 mg/m3
	Consumers	Inhalation	Acute systemic effects	56 mg/m3
	Consumers	Dermal	Long-term systemic effects	6,5 mg/kg
	Consumers	Oral	Long-term systemic effects	6,5 mg/kg
phthalic anhydride	Workers	Inhalation	Long-term systemic effects	49,4 mg/m3
	Workers	Dermal	Long-term systemic effects	14 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,7 mg/m3
	Consumers	Dermal	Long-term systemic effects	5 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	5 mg/kg bw/day
	Consumers	Oral	Acute systemic effects	25 mg/kg bw/day
formaldehyde	Workers	Inhalation	Long-term systemic effects	9 mg/m3
	Workers	Inhalation	Long-term local effects	0,375 mg/m3
	Workers	Inhalation	Acute local effects	0,75 mg/m3
	Workers	Dermal	Long-term systemic effects	240 mg/kg bw/day
	Workers	Dermal	Long-term local effects	0,037 mg/cm2
	Consumers	Inhalation	Long-term systemic effects	3,2 mg/m3
	Consumers	Inhalation	Long-term local effects	0,1 mg/m3
	Consumers	Dermal	Long-term systemic effects	102 mg/kg bw/day
	Consumers	Dermal	Long-term local	0,012 mg/cm2

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

		effects	
Consumers	Oral	Long-term systemic	4,1 mg/kg
		effects	bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value		
phthalic anhydride	Marine water	0,1 mg/l		
·	Remarks:Assessment Factors			
	Freshwater - intermittent	5,6 mg/l		
	Sewage treatment plant	10 mg/l		
	Remarks: Assessment Factors			
	Fresh water sediment	3,8 mg/kg		
	Remarks:Equilibrium method			
	Marine sediment	0,38 mg/kg		
	Remarks:Equilibrium method			
	Soil	0,173 mg/kg		
	Remarks:Equilibrium method			
1-methoxy-2-propanol	Fresh water	10 mg/l		
	Marine water	1 mg/l		
	Freshwater - intermittent	100 mg/l		
	Sewage treatment plant	100 mg/l		
	Fresh water sediment	52,3 mg/kg		
	Marine sediment	5,2 mg/kg		
	Soil	4,59 mg/kg		
4-hydroxy-4-methylpentan-2-one	Marine water	0,2 mg/l		
, , ,	Fresh water	2 mg/l		
	Sewage treatment plant	10 mg/l		
	Intermittent use/release	1 mg/l		
	Fresh water sediment	7,4 mg/kg dry		
		weight (d.w.)		
	Marine sediment	0,74 mg/kg dry		
		weight (d.w.)		
	Soil	0,31 mg/kg dry		
		weight (d.w.)		
cyanoguanidine	Fresh water	2,5 mg/l		
	Marine water	0,25 mg/l		
	Freshwater - intermittent	10 mg/l		
	Sewage treatment plant	34 mg/l		
	Fresh water sediment	5,83 mg/kg		
	Marine sediment	0,58 mg/kg		
	Soil	3,16 mg/kg		
phthalic anhydride	Marine water	0,1 mg/l		
	Remarks: Assessment Factors			
	Freshwater - intermittent	5,6 mg/l		
	Sewage treatment plant	10 mg/l		
	Remarks: Assessment Factors			
	Fresh water sediment	3,8 mg/kg		
	Remarks:Equilibrium method			
	Marine sediment	0,38 mg/kg		
	Remarks:Equilibrium method			
	Soil	0,173 mg/kg		
	Remarks:Equilibrium method			

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material : butyl-rubber

Material : Ethyl Vinyl Alcohol Laminate (EVAL)

Break through time : > 8 h

Material : Nitrile rubber Break through time : 10 - 480 min

Remarks : Take note of the information given by the producer

concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of

contact).

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines

Equipment should conform to EN 14387

In the case of vapour formation use a respirator with an

approved filter.

Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : Clear

Odour : solvent-like

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

Odour Threshold : No data is available on the product itself.

Melting point/freezing point : No data is available on the product itself.

Boiling point : 153 °C

Flammability (solid, gas) : No data is available on the product itself.

Lower explosion limit / Lower

flammability limit

: No data is available on the product itself.

Upper explosion limit / Upper

flammability limit

: No data is available on the product itself.

Flash point : 36 °C

Method: Tag closed cup

Auto-ignition temperature : No data is available on the product itself.

Decomposition temperature : > 300 °C

pH : 7 (20 °C)

Concentration: 500 g/l

Viscosity : No data is available on the product itself.

Solubility(ies)

Water solubility : practically insoluble (20 °C)

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-

octanol/water

: No data is available on the product itself.

Vapour pressure : 6,5 hPa (20 °C)

Density : 0,95 g/cm3 (25 °C)

Relative density : No data is available on the product itself.

Relative vapour density : No data is available on the product itself.

Particle characteristics : No data is available on the product itself.

9.2 Other information

No data is available on the product itself.

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity : LD50 (Rat): > 2 000 mg/kg

Components:

4-hydroxy-4-methylpentan-2-one:

Acute oral toxicity : LD50 (Rat, male and female): 3 002 mg/kg

Method: OECD Test Guideline 401

GLP: no

Acute inhalation toxicity : LC0 (Rat, male and female): >= 7.6 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): 13 750 mg/kg

LD50 (Rat, male and female): 2ml/kg Method: OECD Test Guideline 402

1-methoxy-2-propanol:

Acute oral toxicity : LD50 (Rat, male and female): 4 016 mg/kg

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

Method: Directive 67/548/EEC, Annex V, B.1.

Assessment: The substance or mixture has no acute oral

toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): > 7000 ppm

Exposure time: 6 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat, male and female): > 2 000 mg/kg

Method: Directive 67/548/EEC, Annex V, B.3.

Assessment: The substance or mixture has no acute dermal

toxicity

butan-1-ol:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after

single ingestion.

Acute inhalation toxicity : LC0 (Rat, male and female): > 17,76 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit, male): 3 430 mg/kg

Method: OECD Test Guideline 402

phthalic anhydride:

Acute oral toxicity : LD50 (Rat, male): 1 530 mg/kg

Assessment: The component/mixture is moderately toxic after

single ingestion.

Acute inhalation toxicity : LC50 (Rat, male and female): > 2,14 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute

inhalation toxicity

formaldehyde:

Acute oral toxicity : LD50 (Rat, male): 640 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 463 ppm

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

GLP: yes

Assessment: The component/mixture is toxic after short term

inhalation.

Acute dermal toxicity : LD50 (Rabbit): 270 mg/kg

Assessment: The component/mixture is toxic after single

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

contact with skin.

Skin corrosion/irritation

Not classified due to lack of data.

Components:

4-hydroxy-4-methylpentan-2-one:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

1-methoxy-2-propanol:

Species : Rabbit

Assessment : No skin irritation

Method : Directive 67/548/EEC, Annex V, B.4.

Result : No skin irritation

butan-1-ol:

Species : Rabbit Assessment : Irritant

Result : Irritating to skin.

phthalic anhydride:

Species : Rabbit

Assessment : Irritating to skin.
Result : Skin irritation

formaldehyde:

Species : Rabbit

Assessment : Causes burns.

Method : OECD Test Guideline 404

Result : Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

4-hydroxy-4-methylpentan-2-one:

Species : Rabbit Assessment : Irritant

Method : OECD Test Guideline 405

Result : Irritating to eyes.

1-methoxy-2-propanol:

Species : Rabbit

Assessment : No eye irritation

Method : Directive 67/548/EEC, Annex V, B.5.

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

Result : No eye irritation

propan-1-ol:

Species : Rabbit
Assessment : Corrosive

Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

butan-1-ol:

Species : Rabbit

Method : OECD Test Guideline 405
Result : Risk of serious damage to eyes.

phthalic anhydride:

Species : Rabbit

Assessment : Risk of serious damage to eyes.
Result : Risk of serious damage to eyes.

GLP : no

formaldehyde:

Assessment : Risk of serious damage to eyes.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Components:

4-hydroxy-4-methylpentan-2-one:

Test Type : Maximisation Test

Exposure routes : Skin Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

1-methoxy-2-propanol:

Test Type : Maximisation Test

Exposure routes : Skin Species : Guinea pig

Method : Directive 67/548/EEC, Annex V, B.6. Result : Does not cause skin sensitisation.

phthalic anhydride:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Respiratory Tract Species : Guinea pig

Assessment : May cause sensitisation by inhalation.

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

Result : May cause sensitisation by inhalation.

Test Type : Maximisation Test

Exposure routes : Skin Species : Guinea pig

Assessment : Probability or evidence of high skin sensitisation rate in

humans

Method : OECD Test Guideline 406

Result : Probability or evidence of high skin sensitisation rate in

humans

formaldehyde:

Exposure routes : Skin Species : Guinea pig

Assessment : Probability or evidence of low to moderate skin sensitisation

rate in humans

Method : OECD Test Guideline 406

Result : Probability or evidence of low to moderate skin sensitisation

rate in humans

Test Type : Local lymph node assay (LLNA)

Exposure routes : Respiratory Tract

Species : Mouse

Assessment : Did not cause sensitisation on laboratory animals.
Result : Did not cause sensitisation on laboratory animals.

Assessment : May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

4-hydroxy-4-methylpentan-2-one:

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: Salmonella tryphimurium and E. coli

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster lung cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test Test system: Salmonella tryphimurium and E. coli Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Germ cell mutagenicity-

Assessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

1-methoxy-2-propanol:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Metabolic activation: negative Method: OECD Test Guideline 476

Result: negative

butan-1-ol:

Genotoxicity in vitro : Concentration: 740 μg/L

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Metabolic activation: negative

Result: negative

phthalic anhydride:

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: Salmonella tryphimurium and E. coli

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: negative

GLP: yes

Test Type: gene mutation test

Test system: Chinese hamster lung cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

GLP: yes

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (male) Cell type: Bone marrow

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Remarks: Information given is based on data obtained from

similar substances.

formaldehyde:

Genotoxicity in vitro : Test Type: unscheduled DNA synthesis assay

Result: positive

Test Type: unscheduled DNA synthesis assay

Result: positive

Test Type: gene mutation test

Test system: Chinese hamster lung cells Concentration: 0, 3.75, 7.5, 15 µg/mL

Metabolic activation: without metabolic activation

Method: OECD Test Guideline 476

Result: positive

Test Type: reverse mutation assay Test system: Salmonella typhimurium

Metabolic activation: without metabolic activation

Method: OECD Test Guideline 471

Result: positive

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: positive

Genotoxicity in vivo : Cell type: Germ + somatic

Result: Positive results were obtained in some in vivo tests.

Test Type: in vivo assay Species: Rat (male)

Application Route: inhalation (vapour)

Dose: 0.7/2/5.8/9.1 ppm

Result: negative

Test Type: in vivo assay Species: Rat (male)

Application Route: inhalation (vapour)

Dose: 0.7/2/5.8/9.1 ppm

Result: negative

Test Type: in vivo assay Species: Rat (male)

Application Route: inhalation (gas)

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

Version Revision Date: SDS Number: Date of last issue: 16.05.2023 400001009416 2.1 19.01.2024 Date of first issue: 16.12.2015

Print Date 30.09.2024

Dose: 0.7/2/5.8/9.1/15.2 ppm

Result: positive

Germ cell mutagenicity-

Assessment

Positive result(s) from in vivo non-mammalian somatic cell mutagenicity tests, supported by positive results from in vitro

mutagenicity assays.

Carcinogenicity

Not classified due to lack of data.

Components:

4-hydroxy-4-methylpentan-2-one:

Species Rat **Application Route** Inhalation Result negative

Remarks Information given is based on data obtained from similar

substances.

1-methoxy-2-propanol:

Species Mouse, male and female **Application Route** inhalation (vapour) Exposure time 24 month(s)

Dose 300, 1000, 3000 ppm

Frequency of Treatment 5 daily

OECD Test Guideline 453 Method

Result negative

phthalic anhydride:

Species Rat, male and female

Application Route Oral Exposure time 105 weeks Dose

0/500/1000 mg/kg

Frequency of Treatment 7 daily

NOAEL 1 000 mg/kg body weight

Result negative

Mouse, male and female Species

Application Route Oral 104 weeks Exposure time Frequency of Treatment 7 daily

NOAEL 1 785 - 3 570 mg/kg body weight

Result negative

formaldehyde:

Species Rat, male **Application Route** Inhalation Exposure time 24 month(s) Dose 6 ppm Frequency of Treatment 6 hour Result positive

Carcinogenicity -Sufficient evidence of carcinogenicity in inhalation studies with

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

Assessment animals

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:

4-hydroxy-4-methylpentan-2-one:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

Dose: 30, 100, 300, 1000 mg/kg bw/d

General Toxicity - Parent: NOAEL: 300 mg/kg body weight

Method: OECD Test Guideline 422

Result: Some evidence of adverse effects on development,

based on animal experiments.

Effects on foetal development

Species: Rabbit

General Toxicity Maternal: NOAEL: 300 mg/kg body weight Developmental Toxicity: NOAEL: 100 mg/kg body weight

Method: OECD Test Guideline 414 Result: No teratogenic effects

Reproductive toxicity -

Assessment

Suspected of damaging fertility. Suspected of damaging the

unborn child., Some evidence of adverse effects on

development, based on animal experiments.

1-methoxy-2-propanol:

Effects on fertility : Species: Rat, male and female

Application Route: inhalation (vapour)

Dose: 300, 1000, 3000 ppm Frequency of Treatment: 1 daily Method: OECD Test Guideline 416

Result: No effects on fertility and early embryonic

development were detected.

Effects on foetal development

Species: Rat, female

Application Route: Inhalation Dose: 0, 500, 1500, 3000 ppm Duration of Single Treatment: 21 Days

Frequency of Treatment: 1 daily

General Toxicity Maternal: NOAEL: 1 500 ppm

Method: OECD Test Guideline 414

Result: Not classified due to inconclusive data.

Species: Rabbit, female
Application Route: Inhalation
Dose: 0, 500, 1500, 3000 ppm
Duration of Single Treatment: 29 Days
Frequency of Treatment: 1 daily

General Toxicity Maternal: NOAEL: 1 500 ppm

Method: OECD Test Guideline 414 Result: No teratogenic effects

butan-1-ol:

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

Effects on fertility : Species: Rat, male and female

Application Route: Oral

Result: No effects on fertility and early embryonic

development were detected.

Effects on foetal development

Species: Rat, female Application Route: Oral

General Toxicity Maternal: NOAEL: 1 454 mg/kg body weight

Result: No teratogenic effects

phthalic anhydride:

Effects on foetal development

Species: Rat, female Application Route: Oral

Dose: 1021/1763/2981 milligram per kilogram

General Toxicity Maternal: NOAEL: ca. 1 021 mg/kg body

weight

Developmental Toxicity: NOAEL: 1 763 mg/kg body weight

Result: No teratogenic effects

Remarks: Information given is based on data obtained from

similar substances.

formaldehyde:

Effects on foetal development

Test Type: Pre-natal Species: Rat, female

Application Route: inhalation (gas)

Dose: 2/5/10 ppm

Duration of Single Treatment: 10 d Frequency of Treatment: 7 days/week General Toxicity Maternal: NOAEC: 5 ppm Developmental Toxicity: NOAEC: 10 ppm Method: OECD Test Guideline 414

Test Type: Pre-natal Species: Dog, female Application Route: Oral

Result: No teratogenic effects

Dose: 3.1 and 9.4 mg/kg bw/day Duration of Single Treatment: 50 d

General Toxicity Maternal: LOAEL: > 9,4 mg/kg body weight Developmental Toxicity: LOAEL: > 9,4 mg/kg body weight

Method: OECD Test Guideline 414

STOT - single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

Components:

4-hydroxy-4-methylpentan-2-one:

Exposure routes : Inhalation

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

1-methoxy-2-propanol:

Exposure routes : Inhalation

Target Organs : Central nervous system

Assessment : May cause drowsiness or dizziness.

propan-1-ol:

Exposure routes : Inhalation

Target Organs : Central nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with narcotic effects.

butan-1-ol:

Exposure routes : Inhalation

Target Organs : Respiratory Tract, Narcotic effects

Assessment : May cause respiratory irritation., May cause drowsiness or

dizziness.

phthalic anhydride:

Exposure routes : Inhalation

Target Organs : Respiratory Tract

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Components:

4-hydroxy-4-methylpentan-2-one:

Species : Rat, male and female

NOAEL : 600 mg/kg Application Route : Inhalation Exposure time : 6 weeks

Method : OECD Test Guideline 408

Target Organs : Liver, Kidney

NOAEL : 1041 mg/m3 Application Route : Inhalation

Species : Rat
Application Route : Oral
Exposure time : 8 weeks

Method : OECD Test Guideline 408

Target Organs : Liver, Kidney

1-methoxy-2-propanol:

Species : Rat, male
NOAEL : 919 mg/kg
LOAEL : 2 757 mg/kg
Application Route : oral (gavage)

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

Exposure time : 35 days
Number of exposures : 5 days/week
Method : Subacute toxicity

Species : Rat, male and female

NOAEL : 1000 ppm Application Route : Inhalation Test atmosphere : vapour Exposure time : 13 weeks

Number of exposures : 6 hours/day; 5 days/week
Dose : 300, 1000 and 3000 ppm
Method : OECD Test Guideline 413

Species : Rabbit, male and female

NOAEL : 1000 ppm
Application Route : Inhalation
Test atmosphere : vapour
Exposure time : 13 weeks

Number of exposures : 6 hours/day; 5 days/week
Dose : 300, 1000 and 3000 ppm
Method : OECD Test Guideline 413

Species : Rat, male and female

NOAEL : 300 ppm Application Route : Inhalation Test atmosphere : vapour Exposure time : 52 weeks

Number of exposures : 6 hours/day, 5 days/week
Dose : 300, 1000 and 3000 ppm
Method : OECD Test Guideline 453

Species : Rabbit, male and female

NOAEL : > 1000 mg/kg Application Route : Dermal Exposure time : 21 days

Number of exposures : 1 application/day
Dose : 1000 mg/kg

Method : OECD Test Guideline 410

butan-1-ol:

Species : Rat, male and female

NOAEL : 125 mg/kg Application Route : Ingestion

Method : Subchronic toxicity

phthalic anhydride:

Species : Rat, male and female

NOAEL : 500 mg/kg Application Route : oral (feed) Exposure time : 105 Weeks

Number of exposures : daily

Dose : 0/500/1000 mg/kg bw/day

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

formaldehyde:

Species : Rat, male and female

NOAEL : 82 mg/kg

Application Route : oral (drinking water)

Exposure time : 103 Weeks Number of exposures : 7 days/week

Dose : 5/25/125 mg/kg bw/day
Method : OECD Test Guideline 453
Target Organs : Gastrointestinal tract, Stomach

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

Product:

Remarks : Symptoms of overexposure may be headache, dizziness,

tiredness, nausea and vomiting.

Concentrations substantially above the TLV value may cause

narcotic effects.

Solvents may degrease the skin.

SECTION 12: Ecological information

12.1 Toxicity

Components:

4-hydroxy-4-methylpentan-2-one:

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 203

GLP: yes

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 000 mg/l

Exposure time: 48 h
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 1 000

mg/l

Exposure time: 72 h
Test Type: static test
Test substance: Fresh water

Method: OECD Test Guideline 201

GLP: yes

EC50 (Pseudokirchneriella subcapitata (green algae)): > 1

000 mg/l

Exposure time: 72 h Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 201

GLP: yes

Toxicity to microorganisms : EC50 (activated sludge): > 1 000 mg/l

Exposure time: 3 h Test Type: static test

Method: OECD Test Guideline 209

Toxicity to fish (Chronic

toxicity)

GLP: yes

Toxicity to daphnia and other : NOEC: 100 mg/l

aquatic invertebrates

(Chronic toxicity)

NOEC: 100 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test Test substance: Fresh water Method: OECD Test Guideline 211

1-methoxy-2-propanol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1 000 mg/l

Exposure time: 96 h
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 23 300 mg/l

Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: Other guidelines

Method: Other guidelines

Toxicity to algae/aquatic

plants

EgC50 (Selenastrum capricornutum (green algae)): > 1 000

mg/l

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

Exposure time: 168 h Test Type: static test

Test substance: Fresh water

Toxicity to microorganisms : IC50 : > 1 000 mg/l

Exposure time: 3 h
Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 209

propan-1-ol:

Toxicity to fish : LC50 : 4 630 mg/l

Exposure time: 96 h

butan-1-ol:

Toxicity to algae/aquatic

plants

IC50: 8 500 mg/l

Exposure time: 72 h

phthalic anhydride:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 560 mg/l

Exposure time: 168 h
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 210

GLP: no

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 640 mg/l

Exposure time: 48 h Test Type: static test

Test substance: Fresh water

GLP: yes

Remarks: Information given is based on data obtained from

similar substances.

Toxicity to algae/aquatic

plants

NOEC (Desmodesmus subspicatus (green algae)): >= 100

mg/l

Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Test substance: Fresh water
Method: OECD Test Guideline 201

GLP: yes

Remarks: Information given is based on data obtained from

similar substances.

Toxicity to microorganisms : EC50 (activated sludge): > 1 000 mg/l

Exposure time: 3 h
Test Type: static test

Test substance: Fresh water

Method: ISO 8192

GLP: no

EC50 (Pseudomonas putida): 213 mg/l

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

Exposure time: 16 h Test Type: static test

Test substance: Fresh water Method: ISO Method, other

Toxicity to fish (Chronic

toxicity)

NOEC: 10 mg/l

Exposure time: 60 d

Species: Oncorhynchus mykiss (rainbow trout)

Test Type: semi-static test Analytical monitoring: no Test substance: Fresh water Method: OECD Test Guideline 210

GLP: no

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC: 16 mg/l

Exposure time: 21 d

Species: Daphnia magna (Water flea) Test substance: Fresh water Method: OECD Test Guideline 211

GLP: yes

Plant toxicity : EC50: 731 mg/l

Exposure time: 72 h

Species: Lactuca sativa (lettuce)

formaldehyde:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 24,1 mg/l

End point: mortality Exposure time: 96 h Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): 5,8 mg/l

End point: Immobilization Exposure time: 48 h Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 4,89 mg/l

Exposure time: 72 h
Test Type: static test
Test substance: Fresh water

Method: OECD Test Guideline 201

EC50 (Desmodesmus subspicatus (green algae)): 3,48 mg/l

Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Bacteria): 20,4 mg/l

Exposure time: 120 h

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 209

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC: 1,04 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test substance: Fresh water Method: OECD Test Guideline 211

12.2 Persistence and degradability

Components:

4-hydroxy-4-methylpentan-2-one:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Concentration: 57,5 mg/l Result: Readily biodegradable. Biodegradation: 98,51 %

Related to: Dissolved organic carbon (DOC)

Exposure time: 28 d

Method: OECD Test Guideline 301A

1-methoxy-2-propanol:

Biodegradability : Test Type: aerobic

Inoculum: see user defined free text Result: Readily biodegradable.

Biodegradation: 96 % Exposure time: 28 d

Method: OECD Test Guideline 301E

butan-1-ol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 60 % Exposure time: 28 d

phthalic anhydride:

Biodegradability : Test Type: aerobic

Inoculum: Mixture Concentration: 100 mg/l Result: Readily biodegradable. Biodegradation: 85,2 %

Exposure time: 14 d

Method: OECD Test Guideline 301C

GLP: yes

Test Type: aerobic

Inoculum: Domestic sewage Concentration: 3 mg/l

Result: Readily biodegradable.

Biodegradation: 74 % Exposure time: 30 d

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

Method: OECD Test Guideline 301D

GLP: no

Inoculum: activated sludge Result: Inherently biodegradable.

Biodegradation: 88 % Exposure time: 1 d

Stability in water : Degradation half life (DT50): 0,7 h (25 °C)

pH: 4

Remarks: Fresh water

Degradation half life (DT50): 0,3 h (25 °C)

pH: 7

Remarks: Fresh water

Degradation half life (DT50): 0,02 h (25 °C)

pH: 9

Remarks: Fresh water

Photodegradation : Test Type: Water

Degradation (direct photolysis): 50 %

Test substance: Marine water

Test Type: Water

Degradation (direct photolysis): 50 %

Test Type: Air

Degradation (direct photolysis): 50 %

Test Type: Air

Degradation (direct photolysis): 50 %

Test substance: Marine water

Degradation (direct photolysis): 50 %

formaldehyde:

Biodegradability : Test Type: anaerobic

Inoculum: activated sludge Concentration: 1 360 mg/l Result: Readily biodegradable.

Biodegradation: 100 % Exposure time: 4 d

Test substance: Fresh water

Test Type: aerobic

Inoculum: Sewage (STP effluent) Result: Readily biodegradable.

Biodegradation: 99 %

Related to: Dissolved organic carbon (DOC)

Exposure time: 28 d

Method: OECD Test Guideline 303A Test substance: Fresh water

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

Biochemical Oxygen Demand (BOD) : 0,33 - 1,07 mg/l Incubation time: 5 d

Chemical Oxygen Demand

(COD)

: 1.07 mgO2/g

12.3 Bioaccumulative potential

Components:

4-hydroxy-4-methylpentan-2-one:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

: log Pow: -0,09 Method: QSAR

GLP: no

1-methoxy-2-propanol:

Bioaccumulation : Bioconcentration factor (BCF): 0,25

Partition coefficient: n-

octanol/water

log Pow: 0,43

butan-1-ol:

Partition coefficient: n-

octanol/water

log Pow: 0,8 - 0,9

phthalic anhydride:

Bioaccumulation : Bioconcentration factor (BCF): 5,28

Method: No information available.

Remarks: The value is given based on a SAR/AAR approach

using OECD Toolbox, DEREK, VEGA QSAR models

(CAESAR models), etc.

Bioconcentration factor (BCF): 0,01

Partition coefficient: n-

octanol/water

: log Pow: 2,07 (25 °C) Method: QSAR

GLP: no

formaldehyde:

Bioaccumulation : Species: Fish

Bioconcentration factor (BCF): < 1 Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

: log Pow: 0,35 (25 °C)

12.4 Mobility in soil

Components:

1-methoxy-2-propanol:

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

Distribution among

environmental compartments

Koc: 0,21

butan-1-ol:

Distribution among

environmental compartments

Koc: 71,6

phthalic anhydride:

Mobility : Medium: Air

Content: 0 %

: Medium: Water Content: 99,91 %

Medium: Soil Content: 0,04 %

Medium: Sediment Content: 0,04 %

: Content: 0 %

Medium: Biota Content: 0 %

: Content: 0 %

Distribution among : Koc: 2 - 31

environmental compartments Method: OECD Test Guideline 106

formaldehyde:

Distribution among : Koc: 15,9, log Koc: 1,202 environmental compartments Method: Calculation method

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Components:

phthalic anhydride:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09,2024

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 1993
ADR : UN 1993
RID : UN 1993
IMDG : UN 1993
IATA : UN 1993

14.2 UN proper shipping name

ADN : FLAMMABLE LIQUID, N.O.S.

(1-Methoxy-2-propanol, Propyl alcohol)

ADR : FLAMMABLE LIQUID, N.O.S.

(1-Methoxy-2-propanol, Propyl alcohol)

RID : FLAMMABLE LIQUID, N.O.S.

(1-Methoxy-2-propanol, Propyl alcohol)

IMDG : FLAMMABLE LIQUID, N.O.S.

(1-Methoxy-2-propanol, Propyl alcohol)

IATA : Flammable liquid, n.o.s.

(1-Methoxy-2-propanol, Propyl alcohol)

14.3 Transport hazard class(es)

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

Class Subsidiary risks

ADN : 3
ADR : 3
RID : 3
IMDG : 3
IATA : 3

14.4 Packing group

ADN

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3

ADR

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3
Tunnel restriction code : (D/E)

RID

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3

IMDG

Packing group : III
Labels : 3
EmS Code : F-E, <u>S-E</u>

IATA (Cargo)

Packing instruction (cargo : 366

aircraft)

Packing instruction (LQ) : Y344
Packing group : III

Labels : Flammable Liquids

IATA (Passenger)

Packing instruction : 355

(passenger aircraft)

Packing instruction (LQ) : Y344
Packing group : III

Labels : Flammable Liquids

14.5 Environmental hazards

ADN

Environmentally hazardous : no

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation (Annex XIV)

: Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: This product does not contain substances of very high concern.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered:

Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your vendor.

formaldehyde (Number on list 72, 28)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

FLAMMABLE LIQUIDS

Ç

Occupational Illnesses (R- : 84, 43bis, 66bis, 66, 51

461-3, France)

Installations classified for the : 4331

protection of the environment (Environment Code R511-9)

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

P₅c

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AIIC : All components are listed on the inventory, regulatory

obligations/restrictions apply. Please contact your sales representative for more information before import into

Australia

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

Inventories

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

SECTION 16: Other information

Full text of H-Statements

H225 : Highly flammable liquid and vapour. H226 : Flammable liquid and vapour.

H301 : Toxic if swallowed. H302 : Harmful if swallowed. H311 : Toxic in contact with skin.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

Version Revision Date: SDS Number: Date of last issue: 16.05.2023 19.01.2024 400001009416 2.1 Date of first issue: 16.12.2015

Print Date 30.09.2024

H331 : Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H335 : May cause respiratory irritation. H336 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects.

H350 May cause cancer.

H361fd Suspected of damaging fertility. Suspected of damaging the

unborn child.

Full text of other abbreviations

Acute Tox. Acute toxicity Carc. Carcinogenicity Eye Dam. Serious eye damage Eye Irrit. Eve irritation Flam. Liq. Flammable liquids Germ cell mutagenicity Muta. Repr. Reproductive toxicity

Skin Corr. Skin corrosion Skin Irrit. Skin irritation : Skin sensitisation Skin Sens.

STOT SE : Specific target organ toxicity - single exposure

: Europe. Commission Directive 2000/39/EC establishing a first 2000/39/EC

list of indicative occupational exposure limit values

2004/37/EC Europe. Directive 2004/37/EC on the protection of workers

Respiratory sensitisation

from the risks related to exposure to carcinogens or mutagens

at work

FR VLE France. Occupational Exposure Limits

2000/39/EC / TWA Limit Value - eight hours Short term exposure limit 2000/39/EC / STEL 2004/37/EC / STEL Short term exposure limit 2004/37/EC / TWA Long term exposure limit Time Weighted Average FR VLE / VME FR VLE / VLCT (VLE) Short Term Exposure Limit

Further information

Resp. Sens.

Classification of the mixture: Classification procedure:

Flam. Liq. 3	H226	Based on product data or assessment
Eye Dam. 1	H318	Calculation method
Repr. 2	H361fd	Calculation method
STOT SE 3	H336	Calculation method
STOT SE 3	H335	Calculation method

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

according to Regulation (EC) No. 1907/2006



ARADUR® 985 E-1 CH

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.05.2023

 2.1
 19.01.2024
 400001009416
 Date of first issue: 16.12.2015

Print Date 30.09.2024

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.