according to Regulation (EC) No. 1907/2006

ARALDITE® M

1.1 Product identifier Trade name

Unique Formula Identifier

ARALDITE® MY 757						
Version 1.2	Revision Date: 05.12.2023	SDS Number: 400001009508	Date of last issue: 25.01.2023 Date of first issue: 25.06.2018			
			Print Date 03.09.2024			
SECTION 1: Identification of the substance/mixture and of the company/undertaking						

(UFI) 1.2 Relevant identified uses of the substance or mixture and uses advised against Use of the : Component used for the manufacture of electrical insulation Substance/Mixture parts Recommended restrictions : For industrial use only. on use 1.3 Details of the supplier of the safety data sheet : Huntsman Advanced Materials (Europe) BV Company

: ARALDITE® MY 757

: H11H-5086-P006-6R8T

Company	. Thunsman Auvanceu Materials (Europe) DV
Address	: Everslaan 45
	3078 Everberg
	Belgium
Telephone	: +41 61 299 20 41
Telefax	: +41 61 299 20 40
E-mail address of person responsible for the SDS	: Global_Product_EHS_AdMat@huntsman.com

1.4 Emergency telephone number

Emergency telephone number	: Centres Antipoison et de Toxicovigilance: ANGERS: 02 41 48 21 21 BORDEAUX: 05 56 96 40 80 LILLE: 0 825 812 822 LYON: 04 72 11 69 11 MARSEILLE 04 91 75 25 25 NANCY: 03 83 32 36 36 PARIS: 01 40 05 48 48 RENNES: 02 99 59 22 22 STRASBOURG: 03 88 37 37 37 TOULOUSE: 05 61 77 74 47 EUROPE: +32 35 75 1234 France ORFILA: +33(0)145425959 ASIA: +65 6336-6011 China: +86 20 39377888 +86 532 83889090 India: + 91 22 42 87 5333 Australia: 1800 786 152 New Zealand: 0800 767 437 USA: +1 800-424-9300
----------------------------	---



according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757

Version	
1.2	

Revision Date: 05.12.2023

SDS Number: 400001009508



Enriching lives through innovation

Date of last issue: 25.01.2023 Date of first issue: 25.06.2018

Print Date 03.09.2024

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Germ cell mutagenicity, Category 2	H341: Suspected of causing genetic defects.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

:

Hazard pictograms



Signal word

Warning

Hazard statements

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H341 Suspected of causing genetic defects.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

- P201 Obtain special instructions before use.
- P261 Avoid breathing mist or vapours.
- P264 Wash skin thoroughly after handling.
- P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection/ hearing protection.

Response:

P391 Collect spillage.

Hazardous components which must be listed on the label:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane 2,3-epoxypropyl o-tolyl ether

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757

Version	Revision Date:
1.2	05.12.2023

SDS Number: 400001009508

Date of last issue: 25.01.2023 Date of first issue: 25.06.2018

Print Date 03.09.2024

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concent ration (% w/w)
2,2'-[(1-methylethylidene)bis(4,1- phenyleneoxymethylene)]bisoxir ane	1675-54-3 216-823-5 603-073-00-2 01-2119456619-26	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 specific concentration limit Skin Irrit. 2; H315 >= 5 % Eye Irrit. 2; H319 >= 5 %	>= 70 - < 90
2,3-epoxypropyl o-tolyl ether	2210-79-9 218-645-3 603-056-00-X 01-2119966907-18	Skin Irrit. 2; H315 Skin Sens. 1; H317 Muta. 2; H341 Aquatic Chronic 2; H411	>= 25 - < 30

For explanation of abbreviations see section 16.

Both 25068-38-6 and 1675-54-3 can be used to describe the epoxy resin which is produced through the reaction of bisphenol A and epichlorohydrin

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection and use the recommended protective clothing If potential for exposure exists refer to Section 8 for specific personal protective equipment.



according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757



Enriching lives through innovation

Version 1.2	Revision Date: 05.12.2023		S Number: 0001009508	Date of last issue: 25.01.2023 Date of first issue: 25.06.2018	
				Print Date 03.09.202	
			No action shall be suitable training.	ingestion and contact with skin and eyes. e taken involving any personal risk or without ous to the person providing aid to give resuscitation.	
lf inh	aled	:	If inhaled, remove Get medical atter	e to fresh air. ntion if symptoms occur.	
In case of skin contact		:	If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.		
In case of eye contact		:	Remove contact Keep eye wide o	n eye(s) with plenty of water. lenses. pen while rinsing. ersists, consult a specialist.	
If swallowed		 Induce vomiting immediately and call a physician. Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital. 			
			Take victim imme	ediately to hospital.	
l.2 Most i	important symptoms a	nd e			
1.2 Most i Risks		nd e :	ffects, both acute Causes skin irrita May cause an all Causes serious e	e and delayed ation. ergic skin reaction.	
Risks	3	:	ffects, both acute Causes skin irrita May cause an all Causes serious e Suspected of cau	e and delayed ation. ergic skin reaction. eye irritation.	
Risks I.3 Indica	3	:	ffects, both acute Causes skin irrita May cause an all Causes serious e Suspected of cau	e and delayed ation. ergic skin reaction. eye irritation. using genetic defects. d special treatment needed	
Risks . 3 Indica Treat	tion of any immediate	: mec	ffects, both acute Causes skin irrita May cause an all Causes serious e Suspected of cau lical attention and Treat symptomat	e and delayed ation. ergic skin reaction. eye irritation. using genetic defects. d special treatment needed	
Risks 1.3 Indica Treat SECTIOI	ation of any immediate	: mec	ffects, both acute Causes skin irrita May cause an all Causes serious e Suspected of cau lical attention and Treat symptomat	e and delayed ation. ergic skin reaction. eye irritation. using genetic defects. d special treatment needed	
Risks 1.3 Indica Treat SECTIOI 5.1 Exting	ntion of any immediate timent N 5: Firefighting mea	med : sure	ffects, both acute Causes skin irrita May cause an all Causes serious e Suspected of cau lical attention and Treat symptomat	e and delayed ation. ergic skin reaction. eye irritation. using genetic defects. d special treatment needed ically.	
Risks I.3 Indica Treat SECTIOI 5.1 Exting Suita	Stion of any immediate tment N 5: Firefighting mea guishing media ble extinguishing media	: : sure	ffects, both acute Causes skin irrita May cause an all Causes serious e Suspected of cau lical attention and Treat symptomat es Water spray Alcohol-resistant Carbon dioxide (i Dry chemical	e and delayed ation. ergic skin reaction. eye irritation. using genetic defects. d special treatment needed ically. foam CO2) when using a high volume water jet as it may	
Risks 1.3 Indica Treat SECTIOI 5.1 Exting Suita Unsu medi	Stion of any immediate tment N 5: Firefighting mea guishing media ble extinguishing media	: : sure	ffects, both acute Causes skin irrita May cause an all Causes serious e Suspected of cau lical attention and Treat symptomat es Water spray Alcohol-resistant Carbon dioxide (i Dry chemical Exercise caution scatter and sprea	e and delayed ation. ergic skin reaction. aye irritation. Jusing genetic defects. d special treatment needed ically. foam CO2) when using a high volume water jet as it may ad fire	

: Carbon oxides

Hazardous combustion

according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757

Versio 1.2	n Revision Date: 05.12.2023		DS Number: 00001009508	Date of last issue: 25.01.2023 Date of first issue: 25.06.2018
				Print Date 03.09.2024
р	roducts		Halogenated cor	npounds
5.3 Ad	vice for firefighters			
	pecial protective equipr or firefighters	nent :	Wear self-contai necessary.	ned breathing apparatus for firefighting if
	pecific extinguishing nethods	:		g measures that are appropriate to local nd the surrounding environment.
F	urther information	:	must not be disc Fire residues and	nated fire extinguishing water separately. This harged into drains. d contaminated fire extinguishing water must n accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities
		respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8.
	Smoking, eating and drinking should be prohibited in the



according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757



Enriching lives through innovation

Vers 1.2	sion	Revision Date: 05.12.2023		OS Number: 0001009508	Date of last issue: 25.01.2023 Date of first issue: 25.06.2018
					Print Date 03.09.2024
				application area. Dispose of rinse v regulations.	water in accordance with local and national
		on protection against d explosion	:	Normal measures	s for preventive fire protection.
	Hygien	e measures	:		ot eat or drink. When using do not smoke. Ire breaks and at the end of workday.
7.2	Conditi	ons for safe storage,	inc	luding any incom	patibilities
		ements for storage and containers	:	place. Containers resealed and kep	ghtly closed in a dry and well-ventilated which are opened must be carefully t upright to prevent leakage. Observe label p in properly labelled containers.
	Advice	on common storage	:	For incompatible SDS.	materials please refer to Section 10 of this
		r information on e stability	:	Stable under norr	nal conditions.
	Recom temper	imended storage rature	:	2 - 40 °C	
7.3	Specifi	c end use(s)			
	Specifi	c use(s)	:	No data available	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2,2'-[(1- methylethylidene)bis(4,1- phenyleneoxymethyle ne)]bisoxirane	Workers	Inhalation	Long-term systemic effects	4,93 mg/m3
	Workers	Dermal	Long-term systemic effects	0,75 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,87 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,0893 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	0,5 mg/kg bw/day
2,3-epoxypropyl o-	Workers	Inhalation	Long-term systemic	0,46 mg/m3

according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757

Version	
1.2	

Revision Date: 05.12.2023

SDS Number: 400001009508

Date of last issue: 25.01.2023 Date of first issue: 25.06.2018

Print Date 03.09.2024

tolyl ether			effects	
	Workers	Inhalation	Acute systemic effects	40 mg/m3
	Workers	Inhalation	Long-term local effects	0,46 mg/m3
	Workers	Inhalation	Acute local effects	40 mg/m3
	Workers	Dermal	Long-term systemic effects	0,139 mg/kg
	Consumers	Oral	Long-term systemic effects	0,14 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2,2'-[(1-methylethylidene)bis(4,1-	Fresh water	0,006 mg/l
phenyleneoxymethylene)]bisoxira		
ne		
	Marine water	0,001 mg/l
	Fresh water sediment	0,341 mg/kg dry
		weight (d.w.)
	Marine sediment	0,034 mg/kg dry
		weight (d.w.)
	Soil	0,065 mg/kg dry
		weight (d.w.)
	Sewage treatment plant	10 mg/l
	Secondary Poisoning	11 mg/kg
2,3-epoxypropyl o-tolyl ether	Fresh water	2,8 μg/l
	Remarks:Assessment Factors	
	Marine water	0,28 μg/l
	Remarks:Assessment Factors	
	Freshwater - intermittent	28 μg/l
	Remarks:Assessment Factors	
	Sewage treatment plant	10 mg/l
	Remarks:Assessment Factors	
	Fresh water sediment	0,039 mg/kg
	Remarks:Assessment Factors	
	Marine sediment	0,0039 mg/kg
	Soil	0,012 mg/kg
	Remarks: Assessment Factors	

8.2 Exposure controls

Personal protective equip	ment	
Eye/face protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Hand protection Material Break through time	:	butyl-rubber > 8 h
Material	:	Solvent-resistant gloves (butyl-rubber)
Material Break through time		Nitrile rubber 10 - 480 min



Date:

according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757



Enriching lives through innovation

Version 1.2	Revision Date: 05.12.2023	•	DS Number: 00001009508	Date of last issue: 25.01.2023 Date of first issue: 25.06.2018
				Print Date 03.09.2024
Ma	aterial	:	Neoprene gloves	
Re	emarks	:	approved standar chemical products necessary. The s	nt, impervious gloves complying with an of should be worn at all times when handling s if a risk assessment indicates this is uitability for a specific workplace should be e producers of the protective gloves.
Skin a	and body protection	:		ng tection according to the amount and he dangerous substance at the work place.
Respi	ratory protection	:	In the case of vap approved filter.	oour formation use a respirator with an
			ventilation is prov that exposures ar	rotection unless adequate local exhaust ided or exposure assessment demonstrates e within recommended exposure guidelines d conform to EN 14387
Fil	ter type	:	Combined particu	lates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: Clear
Odour	: slight
Odour Threshold	: No data is available on the product itself.
Melting point/freezing point	: No data is available on the product itself.
Boiling point	: > 200 °C
Flammability (solid, gas)	: No data is available on the product itself.
Lower explosion limit / Lower flammability limit	: No data is available on the product itself.
Upper explosion limit / Upper flammability limit	: No data is available on the product itself.
Flash point	: 138 °C Method: Pensky-Martens closed cup

according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757

Version 1.2	Revision Date: 05.12.2023	SDS Number: 400001009508	Date of last issue: 25.01.2023 Date of first issue: 25.06.2018
			Print Date 03.09.2024
Auto	-ignition temperature	: No data is ava	ailable on the product itself.
Deco	mposition temperature	: >200 °C	
рН		: substance/mi	xture is non-soluble (in water)
Visco Vis	osity scosity, dynamic	: 450 - 650 mP	a.s (25 °C)
	oility(ies) ater solubility	: practically ins	oluble (20 °C)
So	olubility in other solvents	: No data is ava	ailable on the product itself.
	tion coefficient: n- nol/water	: No data is ava	ailable on the product itself.
Vapo	our pressure	: 0,01 hPa (20	°C)
Dens	sity	: 1,2 g/cm3 (20) °C)
Relat	tive density	: 1,2 (20 °C)	
Relat	tive vapour density	: No data is ava	ailable on the product itself.
Partie	cle characteristics	: No data is ava	ailable on the product itself.

9.2 Other information

No data is available on the product itself.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid	:	Strong acids

Strong bases

Enriching lives through innovation

9 / 24

according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757

Version	Revision Date:
1.2	05.12.2023

SDS Number: 400001009508



Enriching lives through innovation

Date of last issue: 25.01.2023 Date of first issue: 25.06.2018

Print Date 03.09.2024

Strong oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed. Hazardous decomposition : carbon dioxide products carbon monoxide Halogenated compounds

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:						
Acute oral toxicity :	LD50 (Rat, female): > 2 000 mg/kg Method: OECD Test Guideline 420 Assessment: The substance or mixture has no acute oral toxicity Remarks: No mortality observed at this dose.					
Acute dermal toxicity :	LD50 (Rat, male and female): > 2 000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity					
2,3-epoxypropyl o-tolyl ether:						
Acute oral toxicity :	LD50 (Rat, male and female): > 5 000 mg/kg Method: OECD Test Guideline 401					
Acute inhalation toxicity :	LC50 (Rat, male and female): > 6100 ppb Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403					

Skin corrosion/irritation

Causes skin irritation.

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species	:	Rabbit
Exposure time	:	4 h
Assessment	:	Irritating to skin.
Method	:	OECD Test Guideline 404
Result	:	Irritating to skin.

according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757

Version	
1.2	

Revision Date: 05.12.2023

SDS Number: 400001009508



Enriching lives through innovation

Date of last issue: 25.01.2023 Date of first issue: 25.06.2018

Print Date 03.09.2024

2,3-epoxypropyl o-tolyl ether:

Assessment	:	Irritating to skin.
Result	:	Severe skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species	:	Rabbit
Assessment	:	Irritating to eyes.
Method	:	OECD Test Guideline 405
Result	:	Irritating to eyes.

2,3-epoxypropyl o-tolyl ether:

Species :	Rabbit
Assessment :	No eye irritation
Method :	OECD Test Guideline 405
Result :	Normally reversible injuries

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes :	:	Skin
Species :	:	Mouse
Method	:	OECD Test Guideline 429
Result :	:	The product is a skin sensitiser, sub-category 1B.

2,3-epoxypropyl o-tolyl ether:

Exposure routes	:	Skin
Species	:	Guinea pig
Assessment	:	May cause sensitisation by skin contact.
Method	:	OECD Test Guideline 406
Result	:	May cause sensitisation by skin contact.

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vitro	: Test Type: In
	Test system:

Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: without metabolic activation

according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757



Enriching lives through innovation

Version 1.2	Revision Date: 05.12.2023	SDS Number: 400001009508	Date of last issue: 25.01.2023 Date of first issue: 25.06.2018
			Print Date 03.09.2024
		Result: posit	tive
		Test system Metabolic ad	
Genotoxicity in vivo :		: Test Type: in Species: Mo Cell type: Go Application I Dose: 3333, Result: nega	ouse (male) erm Route: Oral 10000 mg/kg
		Species: Ra Cell type: So Application I Dose: 50,25	omatic Route: Oral 0,500,1000 mg/kg bw/day CD Test Guideline 488
2,3-е	poxypropyl o-tolyl eth	ier:	
Geno	toxicity in vitro		ctivation: with and without metabolic activation CD Test Guideline 471
Geno	toxicity in vivo	: Application I Dose: 2000 Method: OE Result: nega	mg/kg CD Test Guideline 474
		Application I Exposure tir Dose: 500 m Result: nega	ng/kg
		Exposure tir Dose: 1.5 m	CD Test Guideline 478
	i cell mutagenicity- ssment		ults from in vitro mammalian mutagenicity assays, ructure activity relationship to known germ cell

Carcinogenicity

Not classified due to lack of data.

according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757

Version 1.2 Revision Date: 05.12.2023

SDS Number: 400001009508

HUNTSMAN

Enriching lives through innovation

Date of last issue: 25.01.2023 Date of first issue: 25.06.2018

Print Date 03.09.2024

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane: Species : Rat, male Application Route Oral : 24 month(s) Exposure time : : 0, 2, 15, or 100 mg/kg bw/day Dose Frequency of Treatment : 7 davs/week NOAEL 15 mg/kg bw/day Method **OECD** Test Guideline 453 : Result : negative **Target Organs** : **Digestive organs** Species Mouse, male Application Route Dermal : Exposure time 24 month(s) : 0, 0.1, 10, 100 mg/kg bw/day Dose : : Frequency of Treatment 3 days/week NOEL 0,1 mg/kg body weight : : OECD Test Guideline 453 Method Result : negative **Digestive organs** Target Organs : : Species Rat. female Application Route : Dermal : 24 month(s) Exposure time Dose : 0.1, 100, 1000 mg/kg bw/day Frequency of Treatment : 5 davs/week NOEL : 100 mg/kg body weight : **OECD Test Guideline 453** Method Result : negative : Rat, female Species Application Route : Oral 24 month(s) Exposure time : 0, 2, 15, or 100 mg/kg bw/day Dose : Frequency of Treatment : 7 days/week NOAEL : 100 mg/kg bw/day Method **OECD Test Guideline 453** : Result : negative Target Organs : Digestive organs Species : Rat, females Application Route : Oral Exposure time : 24 month(s) : 0, 2, 15, or 100 mg/kg bw/day Dose Frequency of Treatment : 7 days/week : 2 mg/kg bw/day NOEL Method OECD Test Guideline 453 : Result : negative Target Organs : **Digestive organs**

Reproductive toxicity

Not classified due to lack of data.

according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757

Version	Re۱
1.2	05.

evision Date: 0.12.2023 SDS Number: 400001009508

Date of last issue: 25.01.2023 Date of first issue: 25.06.2018

Print Date 03.09.2024

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Effects on fertility	 Test Type: Two-generation study Species: Rat, male and female Application Route: Oral Dose: 0, 50, 180, 540 or 750 milligram per kilogram Duration of Single Treatment: 238 d Frequency of Treatment: 1 daily General Toxicity - Parent: NOEL: 540 mg/kg body weight General Toxicity F1: NOEL: 750 mg/kg body weight Symptoms: No adverse effects Method: OECD Test Guideline 416 Result: No effects on fertility and early embryonic development were detected.
Effects on foetal development	 Species: Rabbit, female Application Route: Dermal Dose: 0, 30, 100 or 300 milligram per kilogram Duration of Single Treatment: 28 d Frequency of Treatment: 1 daily General Toxicity Maternal: NOAEL: 30 mg/kg body weight Developmental Toxicity: NOAEL: 300 mg/kg body weight Method: Other guidelines Result: No teratogenic effects
	Test Type: Pre-natal Species: Rabbit, female Application Route: Oral Dose: 0, 20, 60 or 180 milligram per kilogram Duration of Single Treatment: 13 d Frequency of Treatment: 1 daily General Toxicity Maternal: NOAEL: 60 mg/kg body weight Developmental Toxicity: NOAEL: 180 mg/kg body weight Method: OECD Test Guideline 414 Result: No teratogenic effects
	Test Type: Pre-natal Species: Rat, female Application Route: Oral Dose: 0, 60, 180 and 540 milligram per kilogram Duration of Single Treatment: 10 d Frequency of Treatment: 1 daily General Toxicity Maternal: NOAEL: 180 mg/kg body weight Developmental Toxicity: NOAEL: > 540 mg/kg body weight Method: OECD Test Guideline 414 Result: No teratogenic effects

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.



Enriching lives through innovation

mbor: Da

according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757

Version 1.2 Revision Date: 05.12.2023

Enriching lives through innovation

Date of last issue: 25.01.2023 Date of first issue: 25.06.2018

Print Date 03.09.2024

Repeated dose toxicity

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

	• • •	
Species	:	Rat, male and female
NOAEL	:	50 mg/kg
Application Route	:	oral (gavage)
Exposure time	:	14 Weeks
Number of exposures	:	7 d
Dose	:	0, 50, 250, 1000 mg/kg/day
Method		OECD Test Guideline 408
	-	
Species	:	Rat, male and female
NOAEL	•	>= 10 mg/kg
Application Route	•	Skin contact
Exposure time		13 Weeks
Number of exposures		5 d
Dose	:	0, 10, 100, 1000 mg/kg/day
	:	
Method	•	OECD Test Guideline 411
Species		Mouso malo
Species	:	Mouse, male
NOAEL	•	100 mg/kg
Application Route		Skin contact
Exposure time	:	13 Weeks
Number of exposures	:	3 d
Dose	:	0, 1, 10, 100 mg/kg/day

2,3-epoxypropyl o-tolyl ether:

: Rat, male and female
: 4 ppm
: vapour
: 672 h
: 6 h
: OECD Test Guideline 412

: OECD Test Guideline 411

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Method

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Experience with human exposure

No data available

according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757

Ve	rsion
1.2	

Revision Date: 05.12.2023

SDS Number: 400001009508



Enriching lives through innovation

Date of last issue: 25.01.2023 Date of first issue: 25.06.2018

Print Date 03.09.2024

Toxicology, Metabolism, Distribution
No data available
Neurological effects
No data available
Eurther information

Further information

No data available

SECTION 12: Ecological information

12.1 Toxicity

Components: 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane: : LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Toxicity to fish Exposure time: 96 h Method: OECD Test Guideline 203 Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1,8 mg/l aquatic invertebrates Exposure time: 48 h Test Type: static test Test substance: Fresh water Method: OECD Test Guideline 202 Toxicity to algae/aguatic EC50 : 11 mg/l plants Exposure time: 72 h Test Type: static test Test substance: Fresh water Method: EPA-660/3-75-009 NOEC : 4,2 mg/l Exposure time: 72 h Test Type: static test Test substance: Fresh water Method: EPA-660/3-75-009 Toxicity to microorganisms IC50 (activated sludge): > 100 mg/l 2 Exposure time: 3 h Test Type: static test Test substance: Fresh water Toxicity to daphnia and other : NOEC: 0,3 mg/l aquatic invertebrates Exposure time: 21 d Species: Daphnia magna (Water flea) (Chronic toxicity) Test Type: semi-static test Test substance: Fresh water Method: OECD Test Guideline 211 Ecotoxicology Assessment

Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting effects.
--------------------------	---	--

2,3-epoxypropyl o-tolyl ether:

according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757



ersion 2	Revision Date: 05.12.2023		0S Number: 0001009508	Date of last issue: 25.01.2023 Date of first issue: 25.06.2018
				Print Date 03.09.2024
Toxicit	ty to fish	:	LC50 : 13 mg/l Exposure time: 90 Method: OECD T	6 h est Guideline 203
			LC50 (Oncorhynd Exposure time: 90 Test Type: static Test substance: F Method: OECD T	iest resh water
			LC50 (Brachydan Exposure time: 90 Test Type: static Test substance: F Method: OECD T	iest Fresh water
	ty to daphnia and other c invertebrates	:	EC50 (Daphnia m Exposure time: 44 Test Type: static Test substance: F Method: OECD T	test Fresh water
Toxicit plants	ty to algae/aquatic	:	EC50 (Selenastru Exposure time: 72 Test Type: static Test substance: F Method: OECD T	test Fresh water
Toxicit	ty to microorganisms	:	IC50 : > 100 mg/l Exposure time: 3 Test Type: static Test substance: F Method: OECD T	iest Fresh water
.2 Persis	stence and degradabil	ity		
<u>Comp</u>	onents:	-		
	1-methylethylidene)bis	s(4,	1-phenyleneoxym	ethylene)]bisoxirane:
Biodeç	gradability	:	Concentration: 20 Result: Not readil Biodegradation: Exposure time: 20	ed sludge, non-adapted) mg/l y biodegradable. 5 %
Stabili	ty in water	:	Degradation half pH: 4 Method: OECD T Remarks: Fresh v	
			Degradation half pH: 9 Method: OECD T	ife (DT50): 7,1 d (25 °C) est Guideline 111

according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757



Version 1.2	Revision Date: 05.12.2023	SDS Number: 400001009508	Date of last issue: 25.01.2023 Date of first issue: 25.06.2018
			Print Date 03.09.202
		Remarks: Fresh	n water
		-	lf life (DT50): 3,58 d (25 °C)
		pH: 7 Method: OECD Remarks: Fresh	Test Guideline 111 water
2,3-ej	ooxypropyl o-tolyl et	her:	
-	gradability	: Inoculum: activa	
		Concentration: Result: Not read	dily biodegradable.
		Biodegradation	: 17 %
		Exposure time: Method: OECD	Test Guideline 301B
Stabil	ity in water	: Degradation ha	lf life (DT50): 10,5 hrs (25 °C)
		pH: 4	
		Remarks: Fresh	Test Guideline 111
			lf life (DT50): 9,4 hrs (25 °C)
		pH: 7 Method: OECD	Test Guideline 111
		Remarks: Fresh	
			lf life (DT50): 8,96 hrs (25 °C)
		pH: 9 Method: OECD Remarks: Fresh	Test Guideline 111 water
12.3 Bioa	ccumulative potentia	1	
	oonents:	-	
		bis(4,1-phenyleneoxy	methylene)]bisoxirane:
_	cumulation	: Bioconcentratio	n factor (BCF): 31 not bioaccumulate.
	ion coefficient: n-	: log Pow: 3,242	(25 °C)
octan	ol/water	pH: 7,1 Method: OECD	Test Guideline 117
2,3-ei	ooxypropyl o-tolyl et	her:	
	ion coefficient: n-	: log Pow: 2,5 (2	
octan	ol/water	Method: OECD	Test Guideline 107
12.4 Mobi	lity in soil		
Com	oonents:		
2,2'-[((1-methylethylidene)	bis(4,1-phenyleneoxy	methylene)]bisoxirane:
	oution among	: Koc: 445	
envire	onmental compartmen	15	

according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757

Revision Date: 05.12.2023	SDS Number: 400001009508	Date of last issue: 25.01.2023 Date of first issue: 25.06.2018		
		Print Date 03.09.2024		
ooxypropyl o-tolyl ethe	er:			
Its of PBT and vPvB as	ssessment			
uct:				
ssment	to be either p very persiste	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.		
crine disrupting prope	erties			
<u>uct:</u>				
ssment	considered to to REACH A (EU) 2017/2 ⁻	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher 		
r adverse effects				
uct:				
	unprofession	ental hazard cannot be excluded in the event of al handling or disposal. atic life with long lasting effects.		
	Revision Date: 05.12.2023 Doxypropyl o-tolyl ethe pution among onmental compartments Its of PBT and vPvB as <u>Jct:</u> ssment	Revision Date: SDS Number: 05.12.2023 400001009508 coxypropyl o-tolyl ether: Social Socia		

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 Dispose of contents and container in accordance with all local, regional, national and international regulations. Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 3082
ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082



according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARALDITE® MY 757					Enriching lives through innovation
Vers 1.2	ion	Revision Date: 05.12.2023		0S Number: 0001009508	Date of last issue: 25.01.2023 Date of first issue: 25.06.2018
					Print Date 03.09.2024
	ΙΑΤΑ		:	UN 3082	
14.2	UN pro	oper shipping name			
	ADN		:		ALLY HAZARDOUS SUBSTANCE, LIQUID,
				N.O.S. (BISPHENOL A E ETHER)	POXY RESIN, 1,2-CRESYL GLYCIDYL
	ADR		:		ALLY HAZARDOUS SUBSTANCE, LIQUID,
				N.O.S. (BISPHENOL A E ETHER)	POXY RESIN, 1,2-CRESYL GLYCIDYL
	RID		:		ALLY HAZARDOUS SUBSTANCE, LIQUID,
				N.O.S. (BISPHENOL A E ETHER)	POXY RESIN, 1,2-CRESYL GLYCIDYL
	IMDG		:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID, POXY RESIN, 1,2-CRESYL GLYCIDYL
	ΙΑΤΑ		:	Environmentally h	nazardous substance, liquid, n.o.s. POXY RESIN, 1,2-CRESYL GLYCIDYL
14.3 Transport hazard class(es)					
				Class	Subsidiary risks
	ADN		:	9	
	ADR		:	9	
	RID		:	9	
	IMDG		:	9	
	IATA		:	9	
14.4 Packing group					
	Classif	g group ication Code I Identification Number	:	III M6 90 9	
	Classif Hazaro Labels	g group ication Code d Identification Number restriction code	:	III M6 90 9 (-)	
	Packin Classif	g group ication Code	:	III M6	

Labels

Hazard Identification Number : 90

: 9

according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757



Enriching lives through innovation

Version 1.2	Revision Date: 05.12.2023	SDS Number: 400001009508	Date of last issue: 25.01.2023 Date of first issue: 25.06.2018
			Print Date 03.09.2024
Labe	ing group	: III : 9 : F-A, S-F	
Packi aircra Packi	ing instruction (LQ)	: 964 : Y964 : III : Miscellaneou	us
Pack (pass Pack	(Passenger) ing instruction enger aircraft) ing instruction (LQ) ing group	: 964 : Y964 : III : Miscellaneor	us
14.5 Envi	ronmental hazards		
	onmentally hazardous	: yes	
ADR Envir	onmentally hazardous	: yes	
RID Envir	onmentally hazardous	: yes	
IMDO Marin	a ne pollutant	: yes	
	(Passenger) onmentally hazardous	: yes	
ΙΑΤΑ	(Cargo)		

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
REACH - Candidate List of Substances of Very High	: This product does not con

Concern for Authorisation (Article 59).

: This product does not contain substances of very high concern.

according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757

Enriching lives through innovation

Vers 1.2	ion	Revision Date: 05.12.2023	SDS Number: 400001009508		Date of last issue: 25.01.2023 Date of first issue: 25.06.2018
					Print Date 03.09.2024
	REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)				s, following entries should be considered: Number on list 75, 3
					If you intend to use this product as tattoo ink, please contact your vendor.
	Europe control	o III: Directive 2012/18/ an Parliament and of t of major-accident haza ous substances.	he Council on the	E2	ENVIRONMENTAL HAZARDS
		ational IIInesses (R- France)	: 51		
	protect	tions classified for the ion of the environment nment Code R511-9)	: 4511		

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

DSL	: All components of this product are on the Canadian DSL
AIIC	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory

according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757

Version Revision Date: 1.2 05.12.2023

SDS Number: 400001009508

Date of last issue: 25.01.2023 Date of first issue: 25.06.2018

Print Date 03.09.2024

Inventories

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

SECTION 16: Other information

Full text of H-Statements							
H315 H317 H319 H341 H411	: Causes serious eye irri : Suspected of causing g	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Suspected of causing genetic defects. Toxic to aquatic life with long lasting effects.					
Full text of other abbreviations							
Aquatic Chronic Eye Irrit. Muta. Skin Irrit. Skin Sens.	 Long-term (chronic) aq Eye irritation Germ cell mutagenicity Skin irritation Skin sensitisation 	uatic hazard					
Further information							
Classification of the mixture	e:	Classification procedure:					
Skin Irrit. 2	H315	Calculation method					
Eye Irrit. 2	H319	Calculation method					
Skin Sens. 1	H317	Calculation method					
Muta. 2	H341	Calculation method					
Aquatic Chronic 2	H411	Calculation method					

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.



according to Regulation (EC) No. 1907/2006

ARALDITE® MY 757

Version Revision Date: 1.2 05.12.2023

SDS Number: 400001009508

Date of last issue: 25.01.2023 Date of first issue: 25.06.2018

Print Date 03.09.2024

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.