according to Regulation (EC) No. 1907/2006

# EPIBOND® 1217 B US

Version	Revision Date:
3.0	04.01.2024

Date of last issue: 11.01.2023 Date of first issue: 24.08.2018

Print Date 12.01.2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

SDS Number:

400001008475

1.1 Product identifier	
Trade name	: EPIBOND® 1217 B US
Unique Formula Identifier (UFI)	: N7F5-Q0YJ-800R-MCEG
1.2 Relevant identified uses of the	e substance or mixture and uses advised against
Use of the Substance/Mixture	: Hardener
1.3 Details of the supplier of the s	safety data sheet
Company Address	<ul> <li>Huntsman Advanced Materials (Europe) BV</li> <li>Grijpenlaan 18</li> <li>3300 Tienen</li> <li>Belgium</li> </ul>
Telephone Telefax	: +41 61 299 20 41 : +41 61 299 20 40
E-mail address of person responsible for the SDS	: Global_Product_EHS_AdMat@huntsman.com
1.4 Emergency telephone number	r
Emergency telephone number	<ul> <li>Centres Antipoison et de Toxicovigilance: ANGERS: 02 41 48 21 21 BORDEAUX: 05 56 96 40 80 LILLE: 0 825 812 822 LYON: 04 72 11 69 11 MARSEILLE 04 91 75 25 25 NANCY: 03 83 32 36 36 PARIS: 01 40 05 48 48 RENNES: 02 99 59 22 22 STRASBOURG: 03 88 37 37 37 TOULOUSE: 05 61 77 74 47</li> </ul>

EUROPE: +32 35 75 1234 France ORFILA: +33(0)145425959 ASIA: +65 6336-6011 China: +86 20 39377888 +86 532 83889090 India: + 91 22 42 87 5333 Australia: 1800 786 152 New Zealand: 0800 767 437 USA: +1 800-424-9300



according to Regulation (EC) No. 1907/2006

# EPIBOND® 1217 B US

Version 3.0 Revision Date: 04.01.2024

SDS Number: 400001008475



Enriching lives through innovation

Date of last issue: 11.01.2023 Date of first issue: 24.08.2018

Print Date 12.01.2024

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Sub-category 1C	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.

# 2.2 Label elements

## Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H314 H317 H412	Causes severe skin burns and eye damage. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.
Precautionary statements : P261 P273 P280 Respons		P273	Avoid breathing mist or vapours. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection. 1 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin
		P304 + P34 P305 + P35	with water. 0 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. 1 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

## Hazardous components which must be listed on the label:

Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulfide 2,4,6-tris(dimethylaminomethyl)phenol

according to Regulation (EC) No. 1907/2006

# EPIBOND® 1217 B US

Version	Revision Date:
3.0	04.01.2024

SDS Number: 400001008475 Date of last issue: 11.01.2023 Date of first issue: 24.08.2018

Print Date 12.01.2024

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

# SECTION 3: Composition/information on ingredients

## 3.2 Mixtures

## Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concent ration (% w/w)
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulfide	Not Assigned - 01-2120118957-46	Skin Sens. 1B; H317 Aquatic Chronic 3; H412	>= 70 - < 90
2,4,6- tris(dimethylaminomethyl)phenol	90-72-2 202-013-9 603-069-00-0 01-2119560597-27	Acute Tox. 4; H302 Skin Corr. 1C; H314 Eye Dam. 1; H318	>= 5 - < 10

For explanation of abbreviations see section 16.

# SECTION 4: First aid measures

## 4.1 Description of first aid measures

General advice	<ul> <li>Move out of dangerous area.</li> <li>Consult a physician.</li> <li>Show this safety data sheet to the doctor in attendance.</li> <li>Treat symptomatically.</li> <li>Get medical attention if symptoms occur.</li> </ul>
Protection of first-aiders	<ul> <li>First Aid responders should pay attention to self-protection and use the recommended protective clothing If potential for exposure exists refer to Section 8 for specific personal protective equipment. Avoid inhalation, ingestion and contact with skin and eyes. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.</li> </ul>
If inhaled	: If inhaled, remove to fresh air.



according to Regulation (EC) No. 1907/2006

Revision Date: 04.01.2024

# EPIBOND® 1217 B US

In case of skin contact

Version

3.0

03		
	SDS Number: 400001008475	Date of last issue: 11.01.2023 Date of first issue: 24.08.2018
		Print Date 12.01.2024
	Get medical at	tention if symptoms occur.
	<ul> <li>Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.</li> <li>If on skin, rinse well with water.</li> </ul>	

In case of eye contact Small amounts splashed into eyes can cause irreversible : tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed Keep respiratory tract clear. : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

Take victim immediately to hospital.

If on clothes, remove clothes.

# 4.2 Most important symptoms and effects, both acute and delayed

Risks	:	May cause an allergic skin reaction. Causes serious eye damage. Causes severe burns.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

## **SECTION 5: Firefighting measures**

<b>5.1 Extinguishing media</b> Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	Exercise caution when using a high volume water jet as it may scatter and spread fire
5.2 Special hazards arising from Specific hazards during firefighting	the :	e substance or mixture Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion	:	Carbon oxides

Sulphur oxides

products



according to Regulation (EC) No. 1907/2006

# **EPIBOND® 1217 B US**

Vers 3.0		evision Date: 4.01.2024		0S Number: 0001008475	Date of last issue: 11.01.2023 Date of first issue: 24.08.2018
					Print Date 12.01.2024
5.3 /		r <b>firefighters</b> rotective equipment ters	:	Wear self-contain necessary.	ed breathing apparatus for firefighting if
Specific extinguishing methods		:		measures that are appropriate to local d the surrounding environment.	
	Further inf	formation	:	Collect contamina must not be disch	ted fire extinguishing water separately. This arged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

# **SECTION 6: Accidental release measures**

• •	e equipment and emergency procedures Use personal protective equipment. Refer to protective measures listed in sections 7 and 8.
6.2 Environmental precautions	
Environmental precautions :	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for contai	nment and cleaning up
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	<ul> <li>Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.</li> </ul>
	To avoid spills during handling keep bottle on a metal tray.



according to Regulation (EC) No. 1907/2006

# **EPIBOND® 1217 B US**

Ver 3.0	sion	Revision Date: 04.01.2024	-	OS Number: 0001008475	Date of last issue: 11.01.2023 Date of first issue: 24.08.2018		
					Print Date 12.01.2024		
				Dispose of rinse v regulations.	vater in accordance with local and national		
		on protection against d explosion	:	Normal measures	for preventive fire protection.		
	Hygien	e measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.			
7.2	Conditi	ons for safe storage,	incl	uding any incomp	patibilities		
		ements for storage and containers	:	place. Containers resealed and kep	htly closed in a dry and well-ventilated which are opened must be carefully upright to prevent leakage. Observe label in properly labelled containers.		
	Advice	on common storage	:	: For incompatible materials please refer to Section 1 SDS.			
		r information on e stability	:	Stable under norn	nal conditions.		
	Recom temper	mended storage ature	: 2 - 40 °C				
7.3	Specific	c end use(s)					
	Specifi	c use(s)	:	No data available			

# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

## **Occupational Exposure Limits**

Contains no substances with occupational exposure limit values.

# Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2,4,6- tris(dimethylaminomet hyl)phenol	Workers	Inhalation	Long-term systemic effects	0,53 mg/m3
	Workers	Inhalation	Acute systemic effects	2,1 mg/m3
	Workers	Dermal	Long-term systemic effects	0,150 mg/kg
	Workers	Dermal	Acute systemic effects	0,600 mg/kg
	Consumers	Inhalation	Long-term systemic effects	0,130 mg/m3
	Consumers	Inhalation	Acute systemic effects	0,130 mg/m3

HUNTSMAN

according to Regulation (EC) No. 1907/2006

# **EPIBOND® 1217 B US**

Version 3.0

Revision Date: 04.01.2024

SDS Number: 400001008475

Date of last issue: 11.01.2023 Date of first issue: 24.08.2018

# Print Date 12.01.2024

	Consumers	Dermal	Long-term systemic effects	0,075 mg/kg
	Consumers	Dermal	Acute systemic effects	0,075 mg/kg
	Consumers	Oral	Long-term systemic effects	0,075 mg/kg
Silicon, amorphous	Workers	Inhalation	Long-term systemic effects	4 mg/m3
Reaction products of pentaerythritol, propoxylated and 1- chloro-2,3- epoxypropane with hydrogen sulfide	Workers	Inhalation	Long-term systemic effects	22 mg/m3
	Workers	Dermal	Long-term systemic effects	2,7 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	6,52 mg/m3
	Consumers	Dermal	Long-term systemic effects	1,61 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	1,9 mg/kg bw/day

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value			
2,4,6-	Fresh water	0,046 mg/l			
tris(dimethylaminomethyl)phenol					
	Marine water	0,005 mg/l			
	Remarks:Assessment Factors				
	Sewage treatment plant	0,262 mg/l			
	Remarks:Assessment Factors				
	Freshwater - intermittent	0,46 mg/l			
	Soil	0,025 mg/kg			
Reaction products of	Fresh water	70 μg/l			
pentaerythritol, propoxylated and					
1-chloro-2,3-epoxypropane with					
hydrogen sulfide					
	Remarks:Assessment Factors				
	Marine water	7 μg/l			
	Remarks: Assessment Factors				
	Sewage treatment plant	10 mg/l			
	Remarks:Assessment Factors				
	Fresh water sediment	0,322 mg/kg dry			
		weight (d.w.)			
	Remarks:Equilibrium method				
	Marine sediment	0,032 mg/kg dry			
		weight (d.w.)			
	Remarks:Equilibrium method				
	Soil	0,023 mg/kg dry			
		weight (d.w.)			
	Remarks:Equilibrium method				

## 8.2 Exposure controls

## Personal protective equipment



according to Regulation (EC) No. 1907/2006

# **EPIBOND® 1217 B US**

Version 3.0	Revision Date: 04.01.2024	SDS Number: 400001008475	Date of last issue: 11.01.2023 Date of first issue: 24.08.2018
			Print Date 12.01.2024
Eye/fa	ace protection	Tightly fitting	ottle with pure water safety goggles hield and protective suit for abnormal processing
Ma	protection aterial eak through time	: butyl-rubber : > 8 h	
Ma	aterial	: Solvent-resis	stant gloves (butyl-rubber)
	aterial eak through time	: Nitrile rubbe : 10 - 480 min	
Re	emarks	approved sta chemical pro necessary. 7	sistant, impervious gloves complying with an andard should be worn at all times when handling iducts if a risk assessment indicates this is The suitability for a specific workplace should be ith the producers of the protective gloves.
Skin a	and body protection		lothing y protection according to the amount and n of the dangerous substance at the work place.
Respi	ratory protection	ventilation is that exposur	bry protection unless adequate local exhaust provided or exposure assessment demonstrates es are within recommended exposure guidelines hould conform to EN 143
Fil	ter type	: Particulates	type (P)

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state	: paste
Colour	: amber
Odour	: strong
Odour Threshold	: No data is available on the product itself.
Melting point/freezing point	: No data is available on the product itself.
Boiling point	: > 200 °C
Flammability (solid, gas)	: No data is available on the product itself.



according to Regulation (EC) No. 1907/2006

# **EPIBOND® 1217 B US**

Vers 3.0	sion	Revision Date: 04.01.2024		S Number: 0001008475	Date of last issue: 11.01.2023 Date of first issue: 24.08.2018				
					Print Date 12.01.2024				
		explosion limit / Lower bility limit	:	No data is availa	ble on the product itself.				
		explosion limit / Upper bility limit	:	ole on the product itself.					
	Flash p	oint	:	: > 124 °C Method: Pensky-Martens closed cup, closed cup					
	Auto-igi	nition temperature	:	No data is availa	ble on the product itself.				
	Decom	position temperature	:	> 200 °C					
	рН		:	substance/mixtur	e is non-soluble (in water)				
	Viscosit Visco	ty osity, dynamic	:	90 000 mPa.s (2	5 °C)				
	Solubili Wate	ty(ies) er solubility	:	practically insolul	ble (20 °C)				
	Solul	oility in other solvents	:	No data is availa	ole on the product itself.				
	Partition octanol	n coefficient: n- /water	:	No data is availa	ole on the product itself.				
	Vapour	pressure	:	< 0,099975 hPa	(20 °C)				
	Density		:	No data is availa	ble on the product itself.				
	Relative	e density	:	1,19					
	Relative	e vapour density	:	No data is availa	ole on the product itself.				
	Particle	characteristics	:	No data is availa	ble on the product itself.				

# 9.2 Other information

No data is available on the product itself.

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

HUNTSMAN

according to Regulation (EC) No. 1907/2006

# EPIBOND® 1217 B US

Version 3.0	Revision Date: 04.01.2024	SDS Numbe 4000010084	75 Date of first issue: 24.08.2018
			Print Date 12.01.2024
10.4 Conc	litions to avoid		
Cond	itions to avoid	: None kn	own.
	mpatible materials		
	rials to avoid	: None kn	iown.
	rdous decompositio	-	
No ha	azardous decompositi	on products are l	(nown.
SECTION	N 11: Toxicological	information	
11.1 Infor	mation on hazard cla	sses as define	d in Regulation (EC) No 1272/2008
	e toxicity		
Not c	lassified due to lack o	data.	
Prod	uct:		
Acute	e oral toxicity		kicity estimate: > 2 000 mg/kg Calculation method
		Method.	
Com	ponents:		
	tion products of pen ogen sulfide:	taerythritol, pro	ppoxylated and 1-chloro-2,3-epoxypropane with
Acute	e oral toxicity		at, male and female): 2 600 mg/kg
		Method:	OECD Test Guideline 401
Acute	e inhalation toxicity		at, male and female): > 0,1 mg/l e time: 4 h
		Test atm	osphere: vapour
		Method: GLP: no	OECD Test Guideline 403
		Assessm	ent: The substance or mixture has no acute
		inhalatior	1 toxicity
Acute	e dermal toxicity		abbit, male and female): > 10 200 mg/kg OECD Test Guideline 402
		GLP: no	JECD Test Guideline 402
		Assessm toxicity	ent: The substance or mixture has no acute dermal
		toxicity	
2,4,6-	-tris(dimethylaminon	nethyl)phenol:	
Acute	e oral toxicity		at, male and female): 2 169 mg/kg OECD Test Guideline 401
		Assessm	ent: The component/mixture is low toxic after single
		ingestion	
Acute	e dermal toxicity		at, male): > 1 ml/kg
		Assessm toxicity	ent: The substance or mixture has no acute dermal
		•	



according to Regulation (EC) No. 1907/2006

# EPIBOND® 1217 B US

Version 3.0 Revision Date: 04.01.2024

SDS Number: 400001008475



Enriching lives through innovation

Date of last issue: 11.01.2023 Date of first issue: 24.08.2018

Print Date 12.01.2024

# Skin corrosion/irritation

Causes severe burns.

# Components:

# Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulfide:

Species Assessment Method Result GLP	:	Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes
Species Assessment Method Result	:	reconstructed human epidermis (RhE) No skin irritation OECD Test Guideline 439 No skin irritation
Species Method Result	:	reconstructed human epidermis (RhE) OECD Test Guideline 431 Not corrosive

#### 2,4,6-tris(dimethylaminomethyl)phenol:

Species Method Result		Rabbit OECD Test Guideline 404 Corrosive after 1 to 4 hours of exposure
Species Method Result	:	synthetic macromolecular bio-barrier OECD Test Guideline 435 Corrosive after 1 to 4 hours of exposure

## Serious eye damage/eye irritation

Causes serious eye damage.

# Components:

# Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulfide:

Rabbit
No eye irritation
OECD Test Guideline 405
No eye irritation
no

#### 2,4,6-tris(dimethylaminomethyl)phenol:

Species	:	Rabbit
Assessment	:	Corrosive
Method	:	Other guidelines
Result	:	Corrosive

# Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

according to Regulation (EC) No. 1907/2006

# EPIBOND® 1217 B US

Version 3.0

Revision Date: 04.01.2024

SDS Number: 400001008475



Enriching lives through innovation

Date of last issue: 11.01.2023 Date of first issue: 24.08.2018

Print Date 12.01.2024

# **Respiratory sensitisation**

Not classified due to lack of data.

# Components:

Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulfide:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin
Species	:	Mouse
Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans
Method	:	OECD Test Guideline 429
Result	:	Probability or evidence of low to moderate skin sensitisation rate in humans

#### 2,4,6-tris(dimethylaminomethyl)phenol:

Exposure routes	:	Skin
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

## Germ cell mutagenicity

Not classified due to lack of data.

#### Components:

# Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulfide:

Genotoxicity in vitro :	:	Test Type: reverse mutation assay Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative GLP: yes
		Test Type: Chromosome aberration test in vitro Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative GLP: yes

Test Type: gene mutation test Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative GLP: yes

## 2,4,6-tris(dimethylaminomethyl)phenol:

Genotoxicity in vitro	: Concentration: 5000 ug/plate
	Metabolic activation: with and without metabolic activation
	Method: OECD Test Guideline 471

according to Regulation (EC) No. 1907/2006

# EPIBOND® 1217 B US

Version Revision Date: 3.0 04.01.2024

SDS Number: 400001008475

HUNTSMAN

Enriching lives through innovation

Date of last issue: 11.01.2023 Date of first issue: 24.08.2018

Print Date 12.01.2024

**Result: negative** 

Concentration: 2500 ug/plate Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

#### Carcinogenicity

Not classified due to lack of data.

# Reproductive toxicity

Not classified due to lack of data.

# Components:

#### 2,4,6-tris(dimethylaminomethyl)phenol:

Effects on fertility

Species: Rat, male and female Application Route: Oral Method: OECD Test Guideline 422 Remarks: No significant adverse effects were reported

#### STOT - single exposure

Not classified due to lack of data.

#### STOT - repeated exposure

Not classified due to lack of data.

#### Repeated dose toxicity

#### Components:

# Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulfide:

Species	:	Rat, male and female
NOAEL	:	75 mg/kg
Application Route	:	oral (gavage)
Dose	:	75, 250 and 1000 mg/kg bw/d
Method	:	OECD Test Guideline 408
GLP	:	yes

:

#### 2,4,6-tris(dimethylaminomethyl)phenol:

Species	:	Rat, male and female
NOEL	:	15 mg/kg
Application Route	:	Ingestion
Exposure time	:	1 032 h
Number of exposures	:	7 d
Method	:	Subacute toxicity

## **Aspiration toxicity**

Not classified due to lack of data.

according to Regulation (EC) No. 1907/2006

# EPIBOND® 1217 B US

Version 3.0 Revision Date: 04.01.2024

SDS Number: 400001008475



Enriching lives through innovation

Date of last issue: 11.01.2023 Date of first issue: 24.08.2018

Print Date 12.01.2024

## 11.2 Information on other hazards

#### Endocrine disrupting properties

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Experience with human exposure No data available Toxicology, Metabolism, Distribution No data available Neurological effects No data available Further information

No data available

# **SECTION 12: Ecological information**

## 12.1 Toxicity

## **Components:**

Reaction products of pentaery hydrogen sulfide:	thritol, propoxylated and 1-chloro-2,3-epoxypropane with
Toxicity to fish :	LC50 (Danio rerio (zebra fish)): 87 mg/l End point: mortality Exposure time: 96 h Test substance: Fresh water Method: OECD Test Guideline 203
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna (Water flea)): 12 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Test substance: Fresh water Method: OECD Test Guideline 202
Toxicity to algae/aquatic : plants	EC50 (Desmodesmus subspicatus (green algae)): > 733 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes
Toxicity to microorganisms :	EC50 (activated sludge): > 1 000 mg/l Exposure time: 3 h Test Type: static test Test substance: Fresh water Method: OECD Test Guideline 209 GLP: yes

according to Regulation (EC) No. 1907/2006

# EPIBOND® 1217 B US

Version 3.0	Revision Date: 04.01.2024		0S Number: 0001008475	Date of last issue: 11.01.2023 Date of first issue: 24.08.2018	
				Print Date 12.01.20	)24
aquat	ity to daphnia and other ic invertebrates nic toxicity)	:	Exposure time: 21	i magna (Water flea) Fresh water	
2,4,6-	tris(dimethylaminomet	hyl	)phenol:		
Toxic	ity to fish	:	LC50 (Cyprinus ca Exposure time: 96 Test Type: static t Test substance: F	test	
	ity to daphnia and other ic invertebrates	:	LC50 (Palaeomor End point: mortalit Exposure time: 96 Test Type: static t Analytical monitor Test substance: N	5 h test ring: no	
Toxic plants	ity to algae/aquatic	:	ErC50 (Desmodes Exposure time: 72 Test Type: static t Analytical monitor Test substance: F Method: OECD Te	test ring: yes Fresh water	
			NOEC (Desmodes Exposure time: 72 Test Type: static t Analytical monitor Test substance: F Method: OECD Te	test ring: yes Fresh water	Ί

# 12.2 Persistence and degradability

#### **Components:**

# Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulfide:

Biodegradability Test Type: aerobic : Inoculum: activated sludge Result: Not biodegradable Biodegradation: 5 % Exposure time: 28 d Method: OECD Test Guideline 301B

#### 2,4,6-tris(dimethylaminomethyl)phenol:

Biodegradability	: Test Type: aerobic
	Inoculum: activated sludge, non-adapted
	Concentration: 2 mg/l
	Result: Not biodegradable
	Biodegradation: 4 %



according to Regulation (EC) No. 1907/2006

# EPIBOND® 1217 B US

Version	Revision Date:
3.0	04.01.2024

SDS Number: 400001008475



Enriching lives through innovation

Date of last issue: 11.01.2023 Date of first issue: 24.08.2018

Print Date 12.01.2024

Exposure time: 28 d Method: OECD Test Guideline 301D

# 12.3 Bioaccumulative potential

#### Components:

## 2,4,6-tris(dimethylaminomethyl)phenol:

Partition coefficient: n-	:	Pow: >= 0,219 (21,5 °C)
octanol/water		log Pow: -0,66 (21,5 °C)
		Method: OPPTS 830.7550

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **12.6 Endocrine disrupting properties**

# Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

## 12.7 Other adverse effects

Product:

Additional ecological	:	An environmental hazard cannot be excluded in the event of
information		unprofessional handling or disposal.
		Harmful to aquatic life with long lasting effects.

# **SECTION 13: Disposal considerations**

13.1 Waste treatment methods		
Product	:	Dispose of contents and container in accordance with all local, regional, national and international regulations. Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

according to Regulation (EC) No. 1907/2006

# EPIBOND® 1217 B US

Version	Revision Date:	SDS Number:	Date of last issue: 11.01.2023	
3.0	04.01.2024	400001008475	Date of first issue: 24.08.2018	

# **SECTION 14: Transport information**

# 14.1 UN number or ID number

ADN	:	UN 2735
ADR	:	UN 2735
RID	:	UN 2735
IMDG	:	UN 2735
ΙΑΤΑ	:	UN 2735
14.2 UN proper shipping name		
ADN	:	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (2,4,6-TRIS(DIMETHYL AMINOMETHYL)PHENOL)
ADR	:	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (2,4,6-TRIS(DIMETHYL AMINOMETHYL)PHENOL)
RID	:	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (2,4,6-TRIS(DIMETHYL AMINOMETHYL)PHENOL)
IMDG	:	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (2,4,6-TRIS(DIMETHYL AMINOMETHYL)PHENOL)
ΙΑΤΑ	:	Polyamines, liquid, corrosive, n.o.s.

(2,4,6-TRIS(DIMETHYL AMINOMETHYL)PHENOL)

Subsidiary risks

# 14.3 Transport hazard class(es)

		Class
ADN	:	8
ADR	:	8
RID	:	8
IMDG	:	8
ΙΑΤΑ	:	8

## 14.4 Packing group

ADN Packing group Classification Code Hazard Identification Number Labels	:	III C7 80 8
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code		III C7 80 8 (E)
RID Packing group Classification Code Hazard Identification Number	:	III C7 80



according to Regulation (EC) No. 1907/2006

# EPIBOND® 1217 B US



Enriching lives through innovation

Versio 3.0	n	Revision Date: 04.01.2024		DS Number: 00001008475	Date of last issue: 11.01.2023 Date of first issue: 24.08.2018
					Print Date 12.01.2024
La	abels		:	8	
P: La	<b>NDG</b> Packing abels EmS Co	group ode	:	III 8 F-A, S-B	
Pi ai Pi Pi	acking ircraft) acking	<b>Cargo)</b> 9 instruction (cargo 9 instruction (LQ) 9 group	:	856 Y841 III Corrosive	
Pi (p Pi Pi	acking basser acking	Passenger) g instruction nger aircraft) g instruction (LQ) g group	:	852 Y841 III Corrosive	
14.5 E	Inviro	nmental hazards			
	<b>DN</b> inviron	mentally hazardous	:	no	
	<b>DR</b> Inviron	mentally hazardous	:	no	
	<b>RID</b> Inviron	mentally hazardous	:	no	
	<b>MDG</b> 1arine	pollutant	:	no	

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: This product does not contain substances of very high concern.
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the following entries should be considered: Number on list 75, 3

according to Regulation (EC) No. 1907/2006

# EPIBOND® 1217 B US

Version Revision Date: 3.0 04.01.2024

SDS Number: 400001008475

Date of last issue: 11.01.2023 Date of first issue: 24.08.2018

Not applicable

Print Date 12.01.2024

If you intend to use this product as tattoo ink, please contact your vendor.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Occupational Illnesses (R- : Not applicable 461-3, France)

## Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### The components of this product are reported in the following inventories:

DSL	: All components of this product are on the Canadian DSL
AIIC	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
TCSI	: On the inventory, or in compliance with the inventory
TSCA	: On or in compliance with the active portion of the TSCA inventory

#### Inventories

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))



according to Regulation (EC) No. 1907/2006

# EPIBOND® 1217 B US

Version 3.0 Revision Date: 04.01.2024

SDS Number: 400001008475



Enriching lives through innovation

Date of last issue: 11.01.2023 Date of first issue: 24.08.2018

Print Date 12.01.2024

#### 15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

# **SECTION 16: Other information**

# Full text of H-StatementsH302: Harmful if swallowed.H314: Causes severe skin burns and eye damage.H317: May cause an allergic skin reaction.H318: Causes serious eye damage.H412: Harmful to aquatic life with long lasting effects.Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Skin Corr.	:	Skin corrosion
Skin Sens.	:	Skin sensitisation

# Further information

Classification of the m	ixture:	Classification procedure:		
Skin Corr. 1C	H314	Calculation method		
Eye Dam. 1	H318	Calculation method		
Skin Sens. 1	H317	Calculation method		
Aquatic Chronic 3	H412	Calculation method		

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

according to Regulation (EC) No. 1907/2006

# HUNTSMAN

# **EPIBOND® 1217 B US**

Version Revis 3.0 04.01

Revision Date: 04.01.2024

SDS Number: 400001008475

Date of last issue: 11.01.2023 Date of first issue: 24.08.2018

Print Date 12.01.2024

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.