according to Regulation (EC) No. 1907/2006



# **EPOCAST® 1652 A US**

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.09.2018 400001008248 Date of first issue: 05.09.2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : EPOCAST® 1652 A US

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Epoxy constituents

Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe)BVBA

Address : Everslaan 45

3078 Everberg Belgium

Telephone : +41 61 299 20 41 Telefax : +41 61 299 20 40

E-mail address of person

responsible for the SDS

: Global Product\_EHS\_AdMat@huntsman.com

#### 1.4 Emergency telephone number

Emergency telephone number : Centres Antipoison et de Toxicovigilance:

ANGERS: 02 41 48 21 21 BORDEAUX: 05 56 96 40 80

LILLE: 0 825 812 822 LYON: 04 72 11 69 11 MARSEILLE 04 91 75 25 25 NANCY: 03 83 32 36 36 PARIS: 01 40 05 48 48 RENNES: 02 99 59 22 22 STRASBOURG: 03 88 37 37 37 TOULOUSE: 05 61 77 74 47 EUROPE: +32 35 75 1234

France ORFILA: +33(0)145425959

ACIA: 05 0000 0011

ASIA: +65 6336-6011 China: +86 20 39377888 +86 532 83889090

India: + 91 22 42 87 5333 Australia: 1800 786 152 New Zealand: 0800 767 437 USA: +1/800/424.9300

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

according to Regulation (EC) No. 1907/2006



## **EPOCAST® 1652 A US**

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.09.2018 400001008248 Date of first issue: 05.09.2018

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Chronic aquatic toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word : Warning

Hazard statements : H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:** 

P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face

protection.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P391 Collect spillage.

Hazardous components which must be listed on the label:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane

**Epoxyphenol Novolac Resin** 

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

# **Hazardous components**

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concent ration (% w/w)
2,2'-[(1-methylethylidene)bis(4,1-	1675-54-3	Skin Irrit. 2; H315	>= 30 -

according to Regulation (EC) No. 1907/2006



## **EPOCAST® 1652 A US**

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.09.2018 400001008248 Date of first issue: 05.09.2018

phenyleneoxymethylene)]bisoxir ane	216-823-5 603-073-00-2 01-2119456619-26	Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411	< 60
Phenol, polymer with formaldehyde, glycidyl ether	28064-14-4 Polymer	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 13 - < 30

For explanation of abbreviations see section 16.

Both 25068-38-6 and 1675-54-3 can be used to describe the epoxy resin which is produced through the reaction of Bisphenol A and Epichlorhydrin

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Treat symptomatically.

Get medical attention if symptoms occur.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

None known.

# 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

according to Regulation (EC) No. 1907/2006



## **EPOCAST® 1652 A US**

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.09.2018 400001008248 Date of first issue: 05.09.2018

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

Carbon oxides

5.3 Advice for firefighters

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Specific extinguishing

methods

: No data is available on the product itself.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Fire residues and

contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

# 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours or spray mist.

Avoid exposure - obtain special instructions before use.

according to Regulation (EC) No. 1907/2006



## **EPOCAST® 1652 A US**

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.09.2018 400001008248 Date of first issue: 05.09.2018

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Advice on protection against

fire and explosion

: Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully

resealed and kept upright to prevent leakage. Keep in properly

labelled containers.

Advice on common storage : For incompatible materials please refer to Section 10 of this

SDS.

Further information on

storage stability

: Stable under normal conditions.

7.3 Specific end use(s)

Specific use(s) : No data available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2,2'-[(1- methylethylidene)bis(4, 1- phenyleneoxymethylen e)]bisoxirane	Workers	Dermal	Systemic effects, Short-term exposure	8,33 mg/kg bw/day
	Workers	Inhalation	Systemic effects, Short-term exposure	12,25 mg/m3
	Workers	Dermal	Systemic effects, Long-term exposure	8,33 mg/kg bw/day

according to Regulation (EC) No. 1907/2006



# **EPOCAST® 1652 A US**

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.09.2018 400001008248 Date of first issue: 05.09.2018

Workers	Inhalation	Systemic effects, Long-term exposure	12,25 mg/m3
Consumers	Dermal	Systemic effects, Short-term exposure	3,571 mg/kg bw/day
Consumers	Oral	Systemic effects, Short-term exposure	0,75 mg/kg bw/day
Consumers	Dermal	Systemic effects, Long-term exposure	3,571 mg/kg bw/day
Consumers	Oral	Systemic effects, Long-term exposure	0,75 mg/kg bw/day

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name		Environmental Compartment	Value	
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxira ne		Fresh water	0,006 mg/l	
Remarks:	Assessme	ent Factors		
		Marine water	0,0006 mg/l	
	Assessme	nt Factors		
		Freshwater - intermittent	0,018 mg/l	
	Assessme	nt Factors		
		Fresh water sediment	0,996 mg/kg	
Equilibriur		n method		
		Marine sediment	0,0996 mg/kg	
Equilibriu		n method	•	
		Soil	0,196 mg/kg	
Equilibrium method			•	
		Sewage treatment plant	10 mg/l	
Assessment Factors			•	
	•	Secondary Poisoning	11 mg/kg	

#### 8.2 Exposure controls

Personal protective equipment

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material : butyl-rubber

Break through time : > 8 h

Material : Solvent-resistant gloves (butyl-rubber)

according to Regulation (EC) No. 1907/2006



# **EPOCAST® 1652 A US**

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.09.2018 400001008248 Date of first issue: 05.09.2018

Material : Nitrile rubber Break through time : 10 - 480 min

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : No personal respiratory protective equipment normally

required.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance : paste

Colour : white

Odour : slight

Odour Threshold : No data is available on the product itself.

pH : No data is available on the product itself.

Freezing point : No data is available on the product itself.

Melting point : No data is available on the product itself.

Boiling point : No data is available on the product itself.

Flash point : 143 °C

Method: Pensky-Martens closed cup

Evaporation rate : No data is available on the product itself.

Flammability (solid, gas) : No data is available on the product itself.

Burning rate : No data is available on the product itself.

Upper explosion limit / Upper

flammability limit

: No data is available on the product itself.

Lower explosion limit / Lower

flammability limit

: No data is available on the product itself.

Vapour pressure : < 1 hPa (20 °C)

Relative vapour density : No data is available on the product itself.

Relative density : No data is available on the product itself.

according to Regulation (EC) No. 1907/2006



## **EPOCAST® 1652 A US**

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.09.2018 400001008248 Date of first issue: 05.09.2018

Density : 0,7 g/cm3 (25 °C)

Solubility(ies)

Water solubility : practically insoluble (20 °C)

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-

octanol/water

: No data is available on the product itself.

Auto-ignition temperature : No data is available on the product itself.

Decomposition temperature : > 200 °C

Viscosity : No data is available on the product itself.

Explosive properties : No data is available on the product itself.

Oxidizing properties : No data is available on the product itself.

#### 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

Conditions to avoid : None known.

# 10.5 Incompatible materials

Materials to avoid : None known.

### 10.6 Hazardous decomposition products

Hazardous decomposition : carbon dioxide products : carbon monoxide

according to Regulation (EC) No. 1907/2006



## **EPOCAST® 1652 A US**

Version Revision Date: SDS Number: Date of last issue: -

400001008248 1.0 05.09.2018 Date of first issue: 05.09.2018

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

# **Acute toxicity**

## **Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane: : LD50 (Rat, female): > 2 000 mg/kg Acute oral toxicity Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral

toxicity

Epoxyphenol Novolac Resin:

Acute oral toxicity : LD50 (Rat, female): > 2 000 mg/kg

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral

toxicity

Acute inhalation toxicity : No data available

#### **Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Acute dermal toxicity : LD50 (Rat, male and female): > 2 000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Epoxyphenol Novolac Resin:

: LD50 (Rat, male and female): > 2 000 mg/kg Acute dermal toxicity

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Acute toxicity (other routes of : No data available

administration)

#### Skin corrosion/irritation

### **Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit

Assessment: Mild skin irritant Method: OECD Test Guideline 404

Result: Irritating to skin.

Epoxyphenol Novolac Resin:

Species: Rabbit

according to Regulation (EC) No. 1907/2006



## **EPOCAST® 1652 A US**

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.09.2018 400001008248 Date of first issue: 05.09.2018

Method: OECD Test Guideline 404

Result: Irritating to skin.

### Serious eye damage/eye irritation

#### **Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit

Assessment: Mild eye irritant Method: OECD Test Guideline 405

Result: Irritating to eyes.

Epoxyphenol Novolac Resin:

Species: Rabbit

Method: OECD Test Guideline 405

Result: Irritating to eyes.

### Respiratory or skin sensitisation

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Exposure routes: Skin Species: Mouse

Assessment: May cause sensitisation by skin contact.

Method: OECD Test Guideline 429 Result: Causes sensitisation.

Epoxyphenol Novolac Resin: Exposure routes: Skin

Species: Mouse

Method: OECD Test Guideline 429

Result: May cause sensitisation by skin contact.

Assessment: No data available

#### Germ cell mutagenicity

## **Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: positive

: Concentration: 0 - 5000 ug/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: positive

Epoxyphenol Novolac Resin:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation

Result: positive

according to Regulation (EC) No. 1907/2006



# **EPOCAST® 1652 A US**

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.09.2018 400001008248 Date of first issue: 05.09.2018

: Concentration: 0 - 5000 ug/plate

Metabolic activation: with and without metabolic activation

Result: positive

## **Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vivo : Cell type: Germ

Application Route: Oral

Method: OECD Test Guideline 478

Result: negative

Cell type: Somatic Application Route: Oral Dose: 0 - 5000 mg/kg Method: OPPTS 870.5395

Result: negative

Epoxyphenol Novolac Resin:

Genotoxicity in vivo : Cell type: Germ

Application Route: Oral Result: negative

Cell type: Somatic Application Route: Oral Dose: 0 - 5000 mg/kg Result: negative

## Carcinogenicity

## **Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rat, male and female Application Route: Oral Exposure time: 24 month(s)

Dose: 15 mg/kg

Frequency of Treatment: 7 days/week Method: OECD Test Guideline 453

Result: negative

Species: Mouse, male Application Route: Dermal Exposure time: 24 month(s)

Dose: 0.1 mg/kg

Frequency of Treatment: 3 days/week Method: OECD Test Guideline 453

Result: negative

according to Regulation (EC) No. 1907/2006



## **EPOCAST® 1652 A US**

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.09.2018 400001008248 Date of first issue: 05.09.2018

Species: Rat, female Application Route: Dermal Exposure time: 24 month(s)

Dose: 1 mg/kg

Frequency of Treatment: 5 days/week Method: OECD Test Guideline 453

Result: negative

Epoxyphenol Novolac Resin: Species: Rat, male and female Application Route: Oral Exposure time: 24 month(s)

Dose: 15 mg/kg

Frequency of Treatment: 7 daily Method: OECD Test Guideline 453

Result: negative

Species: Mouse, male Application Route: Dermal Exposure time: 24 month(s)

Dose: .1 mg/kg

Frequency of Treatment: 3 daily Method: OECD Test Guideline 453

Result: negative

Species: Rat, female Application Route: Dermal Exposure time: 24 month(s)

Dose: 1 mg/kg

Frequency of Treatment: 5 daily Method: OECD Test Guideline 453

Result: negative

Carcinogenicity - : No data available

Assessment

#### Reproductive toxicity

# Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane: Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

Dose: >750 milligram per kilogram

General Toxicity - Parent: No-observed-effect level: 540

mg/kg body weight

General Toxicity F1: No-observed-effect level: 540 mg/kg

body weight

Symptoms: No adverse effects Method: OECD Test Guideline 416

Result: No effects on fertility and early embryonic

development were detected.

Epoxyphenol Novolac Resin:

Species: Rat, male and female

according to Regulation (EC) No. 1907/2006



## **EPOCAST® 1652 A US**

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.09.2018 400001008248 Date of first issue: 05.09.2018

Application Route: Oral

Method: OECD Test Guideline 416

Result: No effects on fertility and early embryonic

development were detected.

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Effects on foetal : Species: Rabbit, female development : Application Route: Dermal

General Toxicity Maternal: No observed adverse effect level:

30 mg/kg body weight Method: Other guidelines Result: No teratogenic effects

Species: Rabbit, female Application Route: Oral

General Toxicity Maternal: No observed adverse effect level:

60 mg/kg body weight

Method: OECD Test Guideline 414 Result: No teratogenic effects

Species: Rat, female Application Route: Oral

General Toxicity Maternal: No observed adverse effect level:

180 mg/kg body weight

Method: OECD Test Guideline 414 Result: No teratogenic effects

Epoxyphenol Novolac Resin:

Species: Rabbit, female Application Route: Dermal

General Toxicity Maternal: No observed adverse effect level:

30 mg/kg body weight Result: No teratogenic effects

Species: Rabbit, female Application Route: Oral

General Toxicity Maternal: No observed adverse effect level:

60 mg/kg body weight

Method: OECD Test Guideline 414 Result: No teratogenic effects

Species: Rat, female Application Route: Oral

General Toxicity Maternal: No observed adverse effect level:

180 mg/kg body weight

Method: OECD Test Guideline 414 Result: No teratogenic effects

Reproductive toxicity -

Assessment

: No data available

STOT - single exposure

No data available

according to Regulation (EC) No. 1907/2006



## **EPOCAST® 1652 A US**

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.09.2018 400001008248 Date of first issue: 05.09.2018

## STOT - repeated exposure

No data available

#### Repeated dose toxicity

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rat, male and female

NOAEL: 50 mg/kg

Application Route: Ingestion

Exposure time: 14 WeeksNumber of exposures: 7 d

Method: Subchronic toxicity

Species: Rat, male and female

NOEL: 10 mg/kg

Application Route: Skin contact

Exposure time: 13 WeeksNumber of exposures: 5 d

Method: Subchronic toxicity

Species: Mouse, male NOAEL: 100 mg/kg

Application Route: Skin contact

Exposure time: 13 WeeksNumber of exposures: 3 d

Method: Subchronic toxicity

Epoxyphenol Novolac Resin: Species: Rat, male and female

NOAEL: 50 mg/kg

Application Route: Ingestion

Exposure time: 14 WeeksNumber of exposures: 7 d

Method: Subchronic toxicity

Species: Rat, male and female

NOEL: 10 mg/kg

Application Route: Skin contact

Exposure time: 13 WeeksNumber of exposures: 5 d

Method: Subchronic toxicity

Species: Mouse, male NOAEL: 100 mg/kg

Application Route: Skin contact

Exposure time: 13 WeeksNumber of exposures: 3 d

Method: Subchronic toxicity

Repeated dose toxicity - : No data available

Assessment

## Aspiration toxicity

No data available

#### Experience with human exposure

according to Regulation (EC) No. 1907/2006



## **EPOCAST® 1652 A US**

Version Revision Date: SDS Number: Date of last issue: -

05.09.2018 400001008248 1.0 Date of first issue: 05.09.2018

General Information: No data available

Inhalation: No data available

No data available Skin contact:

Eye contact: No data available

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

**Neurological effects** 

No data available

**Further information** 

Ingestion: No data available

## **SECTION 12: Ecological information**

## 12.1 Toxicity

### **Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

: LC50 (Oncorhynchus mykiss (rainbow trout)): 1,5 mg/l Toxicity to fish

> Exposure time: 96 h Test Type: static test Test substance: Fresh water

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 2,7 mg/l Exposure time: 48 h

Test Type: static test

Test substance: Fresh water

: EC50 (Selenastrum capricornutum (green algae)): 9,4 mg/l Toxicity to algae

> Exposure time: 72 h Test Type: static test

Test substance: Fresh water Method: EPA-660/3-75-009

according to Regulation (EC) No. 1907/2006



# **EPOCAST® 1652 A US**

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.09.2018 400001008248 Date of first issue: 05.09.2018

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l

Exposure time: 3 h Test Type: static test

Test substance: Fresh water

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: NOEC: 0,3 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 211

Epoxyphenol Novolac Resin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,5 mg/l

Exposure time: 96 h Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 1,7 mg/l

Exposure time: 48 h
Test Type: static test
Test substance: Fresh water

Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 2,7 mg/l

Exposure time: 48 h Test Type: static test

Test substance: Fresh water

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 9,4 mg/l

Exposure time: 72 h Test Type: static test

Test substance: Fresh water

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l

Exposure time: 3 h
Test Type: static test

Test substance: Fresh water

Toxicity to fish (Chronic

toxicity)

: GLP: yes

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: NOEC: 0,3 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 211

## 12.2 Persistence and degradability

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

according to Regulation (EC) No. 1907/2006



# **EPOCAST® 1652 A US**

Version Revision Date: SDS Number: Date of last issue: -

400001008248 1.0 05.09.2018 Date of first issue: 05.09.2018

Biodegradability : Inoculum: Sewage (STP effluent)

Concentration: 20 mg/l

Result: Not readily biodegradable.

Biodegradation: 5 % Exposure time: 28 d

Method: OECD Test Guideline 301F

: Degradation half life (DT50): 4,83 d (25 °C) Stability in water

pH: 4

Method: OECD Test Guideline 111

Remarks: Fresh water

Degradation half life (DT50): 7,1 d (25 °C)

pH: 9

Method: OECD Test Guideline 111

Remarks: Fresh water

Degradation half life (DT50): 3,58 d (25 °C)

pH: 7

Method: OECD Test Guideline 111

Remarks: Fresh water

Epoxyphenol Novolac Resin:

Biodegradability : Inoculum: Sewage (STP effluent)

Concentration: 20 mg/l

Result: Not readily biodegradable.

Biodegradation: 5 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Stability in water : Degradation half life (DT50): 4,83 d (25 °C)

pH: 4

Method: OECD Test Guideline 111

Remarks: Fresh water

Degradation half life (DT50): 7,1 d (25 °C)

pH: 9

Method: OECD Test Guideline 111

Remarks: Fresh water

Degradation half life (DT50): 3,58 d (25 °C)

pH: 7

Method: OECD Test Guideline 111

Remarks: Fresh water

: log Pow: 3,242 (25 °C)

#### 12.3 Bioaccumulative potential

## Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane: : Bioconcentration factor (BCF): 31 Bioaccumulation

Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

pH: 7,1

Method: OECD Test Guideline 117

according to Regulation (EC) No. 1907/2006



## **EPOCAST® 1652 A US**

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.09.2018 400001008248 Date of first issue: 05.09.2018

Epoxyphenol Novolac Resin:

Bioaccumulation : Bioconcentration factor (BCF): 31

Remarks: Does not bioaccumulate.

Partition coefficient: n- : log Pow: 3,242 (25 °C)

octanol/water pH: 7,1

Method: OECD Test Guideline 117

### 12.4 Mobility in soil

## **Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Distribution among : Koc: 445

environmental compartments

Epoxyphenol Novolac Resin:

Distribution among : Koc: 445

environmental compartments

#### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

## 12.6 Other adverse effects

#### **Product:**

Additional ecological

information

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Dispose of as hazardous waste in compliance with local and

national regulations.

Dispose of contents/ container to an approved waste disposal

plant.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

according to Regulation (EC) No. 1907/2006



## **EPOCAST® 1652 A US**

Version Revision Date: SDS Number: Date of last issue: -

: 9

: 111

: 964

: 964

05.09.2018 400001008248 1.0 Date of first issue: 05.09.2018

### **SECTION 14: Transport information**

**IATA** 

14.1 UN number : UN 3082

14.2 UN proper shipping

name

: Environmentally hazardous substance, liquid, n.o.s.

(BISPHENOL A EPOXY RESIN, EPOXY PHENOL

**NOVOLAC RESIN)** 

14.3 Transport hazard

class(es)

14.4 Packing group

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passenger aircraft)

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous yes

**IMDG** 

14.1 UN number : UN 3082

14.2 UN proper shipping

name

: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

(BISPHENOL A EPOXY RESIN, EPOXY PHENOL NOVOLAC

RESIN)

: 9

14.3 Transport hazard

class(es)

: 111 14.4 Packing group Labels 9 EmS Code

: F-A, S-F

14.5 Environmental hazards

Marine pollutant : yes

ADR

name

14.1 UN number : UN 3082

14.2 UN proper shipping

: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(BISPHENOL A EPOXY RESIN, EPOXY PHENOL

**NOVOLAC RESIN)** 

14.3 Transport hazard

14.4 Packing group

class(es)

: 111 9

: 9

Labels 14.5 Environmental hazards

Environmentally hazardous : yes

RID

14.1 UN number : UN 3082

according to Regulation (EC) No. 1907/2006



## **EPOCAST® 1652 A US**

Revision Date: Version SDS Number: Date of last issue: -

400001008248 1.0 05.09.2018 Date of first issue: 05.09.2018

14.2 UN proper shipping : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

name N.O.S.

(BISPHENOL A EPOXY RESIN, EPOXY PHENOL

**NOVOLAC RESIN)** 

14.3 Transport hazard : 9

class(es)

14.4 Packing group : 111 Labels : 9

14.5 Environmental hazards

Environmentally hazardous : yes

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High : This product does not contain

Concern for Authorisation (Article 59). substances of very high concern (Regulation (EC) No

1907/2006 (REACH), Article 57).

: Not applicable

: Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

REACH - List of substances subject to authorisation -

: 51

: 4511

Future sunset date

Occupational Illnesses (R-461-3, France)

Installations classified for the

protection of the environment (Environment Code R511-9)

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

**DSL** : All components of this product are on the Canadian DSL

**AICS** : On the inventory, or in compliance with the inventory

**NZIoC** : not determined

**ENCS** : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

according to Regulation (EC) No. 1907/2006



## **EPOCAST® 1652 A US**

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.09.2018 400001008248 Date of first issue: 05.09.2018

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On the inventory, or in compliance with the inventory

#### **Inventories**

AICS (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

#### 15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

#### **SECTION 16: Other information**

### **Full text of H-Statements**

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction. H319 : Causes serious eye irritation.

H411 : Toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Aquatic Chronic : Chronic aquatic toxicity

Eye Irrit. : Eye irritation
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

#### **Further information**

## Classification of the mixture: Classification procedure:

Skin Irrit. 2 H315 Calculation method
Eye Irrit. 2 H319 Calculation method
Skin Sens. 1 H317 Calculation method
Aquatic Chronic 2 H411 Calculation method

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

according to Regulation (EC) No. 1907/2006



## **EPOCAST® 1652 A US**

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.09.2018 400001008248 Date of first issue: 05.09.2018

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.