



# SAFETY DATA SHEET

DOW FRANCE S.A.S.

Safety Data Sheet according to Reg. (EU) 2020/878

**Product name:** DOWSIL™ 732 Adhesive Sealant, White

**Revision Date:** 17.02.2023

**Version:** 3.0

**Date of last issue:** 29.05.2021

**Print Date:** 18.02.2023

DOW FRANCE S.A.S. encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product identifier

**Product name:** DOWSIL™ 732 Adhesive Sealant, White

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** Adhesive, binding agents

### 1.3 Details of the supplier of the safety data sheet

#### COMPANY IDENTIFICATION

DOW FRANCE S.A.S.  
23 AVENUE JULES RIMET  
93210 LA PLAINE SAINT-DENIS  
FRANCE

**Customer Information Number:**

(31) 115 67 2626  
SDSQuestion@dow.com

### 1.4 EMERGENCY TELEPHONE NUMBER

**24-Hour Emergency Contact:** 00 33 388 736 000

**Local Emergency Contact:** 00 33 388 736 000

**ORFILA:** + 33 (0)1 45 42 59 59

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008:

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008:

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

### Precautionary statements

P271 Use only outdoors or in a well-ventilated area.

**Supplemental information**

EUH210 Safety data sheet available on request.

EUH208 Contains: Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane. May produce an allergic reaction.

**2.3 Other hazards**

This product contains dodecamethylcyclotetrasiloxane (D6) that has been identified by the Member State Committee of ECHA as fulfilling the vPvB criteria laid down in Annex XIII to Regulation (EC) No 1907/2006. See Section 12 for additional information.

This product contains decamethylcyclopentasiloxane (D5) that has been identified by the Member State Committee of ECHA as fulfilling the vPvB criteria laid down in Annex XIII to Regulation (EC) No 1907/2006. See Section 12 for additional information.

**Endocrine disrupting properties**

Environment: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Human Health: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

---

**Chemical nature:** Silicone elastomer

**3.2 Mixtures**

This product is a mixture.

| CASRN /<br>EC-No. /<br>Index-No.                             | REACH<br>Registration<br>Number | Concentration         | Component                                                                                                | Classification:<br>REGULATION (EC) No<br>1272/2008                                                                                                                                               |
|--------------------------------------------------------------|---------------------------------|-----------------------|----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CASRN<br>13463-67-7<br>EC-No.<br>236-675-5<br>Index-No.<br>— | 01-2119489379-17                | >= 0,52 - <= 0,88 %   | titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] | Carc. 2; H351<br><br>Acute toxicity estimate<br>Acute oral toxicity:<br>> 10 000 mg/kg<br>Acute inhalation toxicity:<br>> 6,82 mg/l, 4 Hour, dust/mist<br>Acute dermal toxicity:<br>10 000 mg/kg |
| CASRN<br>68928-76-7<br>EC-No.<br>273-028-6                   | 01-2120770324-57                | >= 0,007 - <= 0,034 % | Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane                                                 | Acute Tox. 4; H302<br>Skin Irrit. 2; H315<br>Skin Sens. 1A; H317<br>Aquatic Chronic 3; H412                                                                                                      |

|                                                            |   |                     |                                   |                                                                                                                                                                                                  |
|------------------------------------------------------------|---|---------------------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Index-No.<br>—                                             |   |                     |                                   | Acute toxicity estimate<br>Acute oral toxicity:<br>892 mg/kg<br>Acute dermal toxicity:<br>> 2 000 mg/kg                                                                                          |
| PBT and vPvB substance                                     |   |                     |                                   |                                                                                                                                                                                                  |
| CASRN<br>540-97-6<br>EC-No.<br>208-762-8<br>Index-No.<br>— | — | >= 0,15 - <= 0,27 % | Dodecamethyl<br>cyclohexasiloxane | Not classified<br><br>Acute toxicity estimate<br>Acute oral toxicity:<br>> 2 000 mg/kg<br>Acute dermal toxicity:<br>> 2 000 mg/kg                                                                |
| CASRN<br>541-02-6<br>EC-No.<br>208-764-9<br>Index-No.<br>— | — | >= 0,06 - <= 0,13 % | Decamethylcyclope<br>ntasiloxane  | Not classified<br><br>Acute toxicity estimate<br>Acute oral toxicity:<br>> 24 134 mg/kg<br>Acute inhalation toxicity:<br>8,67 mg/l, 4 Hour, dust/mist<br>Acute dermal toxicity:<br>> 2 000 mg/kg |

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

#### General advice:

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

**Inhalation:** Move person to fresh air and keep comfortable for breathing; consult a physician.

**Skin contact:** Remove material from skin immediately by washing with soap and plenty of water. Remove contaminated clothing and shoes while washing. Seek medical attention if irritation or rash occurs. Wash clothing before reuse. Discard items which cannot be decontaminated, including leather articles such as shoes, belts and watchbands.

**Eye contact:** Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. If effects occur, consult a physician, preferably an ophthalmologist.

**Ingestion:** Rinse mouth with water. No emergency medical treatment necessary.

### 4.2 Most important symptoms and effects, both acute and delayed:

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

### 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to physician:** No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Skin contact may aggravate preexisting dermatitis.

---

## SECTION 5: FIREFIGHTING MEASURES

---

### 5.1 Extinguishing media

**Suitable extinguishing media:** Alcohol-resistant foam. Carbon dioxide (CO<sub>2</sub>). Dry chemical. Water spray.

**Unsuitable extinguishing media:** None known..

### 5.2 Special hazards arising from the substance or mixture

**Hazardous combustion products:** Carbon oxides. Silicon oxides.

**Unusual Fire and Explosion Hazards:** Exposure to combustion products may be a hazard to health..

### 5.3 Advice for firefighters

**Fire Fighting Procedures:** Use water spray to cool unopened containers.. Evacuate area.. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations..

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Remove undamaged containers from fire area if it is safe to do so.

**Special protective equipment for firefighters:** Wear self-contained breathing apparatus for firefighting if necessary.. Use personal protective equipment..

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

---

**6.1 Personal precautions, protective equipment and emergency procedures:** Follow safe handling advice and personal protective equipment recommendations.

**6.2 Environmental precautions:** Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

**6.3 Methods and materials for containment and cleaning up:** Wipe up or scrape up and contain for salvage or disposal. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.

### 6.4 Reference to other sections:

See sections: 7, 8, 11, 12 and 13.

## SECTION 7: HANDLING AND STORAGE

**7.1 Precautions for safe handling:** Take care to prevent spills, waste and minimize release to the environment. Handle in accordance with good industrial hygiene and safety practice. CONTAINERS MAY BE HAZARDOUS WHEN EMPTY. Since emptied containers retain product residue follow all (M)SDS and label warnings even after container is emptied.

Use only with adequate ventilation. See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

**7.2 Conditions for safe storage, including any incompatibilities:** Keep in properly labelled containers. Store in accordance with the particular national regulations.

Do not store with the following product types: Strong oxidizing agents.  
Unsuitable materials for containers: None known.

**7.3 Specific end use(s):** See the technical data sheet on this product for further information.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

If exposure limits exist, they are listed below. If no exposure limits are displayed, then no values are applicable.

| Component                                                | Regulation                                                                                            | Type of listing | Value                       |
|----------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-----------------|-----------------------------|
| Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane | ACGIH                                                                                                 | TWA             | 0,1 mg/m <sup>3</sup> , Tin |
|                                                          | Further information: A4: Not classifiable as a human carcinogen; Skin: Danger of cutaneous absorption |                 |                             |
|                                                          | ACGIH                                                                                                 | STEL            | 0,2 mg/m <sup>3</sup> , Tin |
|                                                          | Further information: A4: Not classifiable as a human carcinogen; Skin: Danger of cutaneous absorption |                 |                             |
|                                                          | FR VLE                                                                                                | VME             | 0,1 mg/m <sup>3</sup> , Tin |
|                                                          | Further information: Indicative exposure limits: Indicative exposure limits                           |                 |                             |
|                                                          | FR VLE                                                                                                | VLCT (VLE)      | 0,2 mg/m <sup>3</sup> , Tin |
|                                                          | Further information: Indicative exposure limits: Indicative exposure limits                           |                 |                             |
| Decamethylcyclopentasiloxane                             | US WEEL                                                                                               | TWA             | 10 ppm                      |

Although some of the components of this product may have exposure guidelines, no exposure would be expected under normal handling conditions due to the physical state of the material.

### Recommended monitoring procedures

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with the Occupational Exposure Limits and the adequacy of exposure controls. For some substances biological monitoring may also be appropriate. Validated exposure measurement methods should be applied by a competent person and samples should be analysed by an accredited laboratory.

Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy); European Standard EN 14042

(Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents); European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents). Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods.

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods.

Health and Safety Executive (HSE), United Kingdom: Methods for the Determination of Hazardous Substances.

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany.

L'Institut National de Recherche et de Sécurité, (INRS), France.

### Derived No Effect Level

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

#### Workers

| Acute systemic effects |            | Acute local effects |            | Long-term systemic effects |            | Long-term local effects |             |
|------------------------|------------|---------------------|------------|----------------------------|------------|-------------------------|-------------|
| Dermal                 | Inhalation | Dermal              | Inhalation | Dermal                     | Inhalation | Dermal                  | Inhalation  |
| n.a.                   | n.a.       | n.a.                | n.a.       | n.a.                       | n.a.       | n.a.                    | 0,170 mg/m3 |

#### Consumers

| Acute systemic effects |            |      | Acute local effects |            | Long-term systemic effects |            |      | Long-term local effects |             |
|------------------------|------------|------|---------------------|------------|----------------------------|------------|------|-------------------------|-------------|
| Dermal                 | Inhalation | Oral | Dermal              | Inhalation | Dermal                     | Inhalation | Oral | Dermal                  | Inhalation  |
| n.a.                   | n.a.       | n.a. | n.a.                | n.a.       | n.a.                       | n.a.       | n.a. | n.a.                    | 0,028 mg/m3 |

Dodecamethyl cyclohexasiloxane

#### Workers

| Acute systemic effects |            | Acute local effects |            | Long-term systemic effects |            | Long-term local effects |            |
|------------------------|------------|---------------------|------------|----------------------------|------------|-------------------------|------------|
| Dermal                 | Inhalation | Dermal              | Inhalation | Dermal                     | Inhalation | Dermal                  | Inhalation |
| n.a.                   | n.a.       | n.a.                | 6,1 mg/m3  | n.a.                       | n.a.       | n.a.                    | 1,22 mg/m3 |

#### Consumers

| Acute systemic effects |            |      | Acute local effects |            | Long-term systemic effects |            |      | Long-term local effects |            |
|------------------------|------------|------|---------------------|------------|----------------------------|------------|------|-------------------------|------------|
| Dermal                 | Inhalation | Oral | Dermal              | Inhalation | Dermal                     | Inhalation | Oral | Dermal                  | Inhalation |
| n.a.                   | n.a.       | n.a. | n.a.                | 1,5 mg/m3  | n.a.                       | n.a.       | n.a. | n.a.                    | 0,3 mg/m3  |

Decamethylcyclopentasiloxane

#### Workers

| Acute systemic effects |            | Acute local effects |            | Long-term systemic effects |            | Long-term local effects |            |
|------------------------|------------|---------------------|------------|----------------------------|------------|-------------------------|------------|
| Dermal                 | Inhalation | Dermal              | Inhalation | Dermal                     | Inhalation | Dermal                  | Inhalation |
| n.a.                   | n.a.       | n.a.                | n.a.       | n.a.                       | 97,3 mg/m3 | n.a.                    | 24,2 mg/m3 |

**Consumers**

| <i>Acute systemic effects</i> |            |      | <i>Acute local effects</i> |            | <i>Long-term systemic effects</i> |                        |                | <i>Long-term local effects</i> |                       |
|-------------------------------|------------|------|----------------------------|------------|-----------------------------------|------------------------|----------------|--------------------------------|-----------------------|
| Dermal                        | Inhalation | Oral | Dermal                     | Inhalation | Dermal                            | Inhalation             | Oral           | Dermal                         | Inhalation            |
| n.a.                          | n.a.       | n.a. | n.a.                       | n.a.       | n.a.                              | 17,3 mg/m <sup>3</sup> | 5 mg/kg bw/day | n.a.                           | 4,3 mg/m <sup>3</sup> |

**Predicted No Effect Concentration**

Dodecamethyl cyclohexasiloxane

| Compartment          | PNEC            |
|----------------------|-----------------|
| Fresh water sediment | 13,5 mg/kg      |
| Marine sediment      | 1,35 mg/kg      |
| Oral                 | 66,7 mg/kg food |

Decamethylcyclopentasiloxane

| Compartment            | PNEC           |
|------------------------|----------------|
| Fresh water            | > 0,0012 mg/l  |
| Marine water           | > 0,00012 mg/l |
| Fresh water sediment   | 11 mg/kg       |
| Marine sediment        | 1,1 mg/kg      |
| Soil                   | 2,54 mg/kg     |
| Sewage treatment plant | 10 mg/l        |
| Oral                   | 16 mg/kg food  |

**8.2 Exposure controls**

**Engineering controls:** Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

**Individual protection measures**

**Eye/face protection:** Use safety glasses (with side shields). Safety glasses (with side shields) should be consistent with EN 166 or equivalent.

**Skin protection**

**Hand protection:** Use chemical resistant gloves classified under Standard EN374: Protective gloves against chemicals and micro-organisms. Examples of preferred glove barrier materials include: Butyl rubber. Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Ethyl vinyl alcohol laminate ("EVAL"). Polyvinyl chloride ("PVC" or "vinyl"). Natural rubber ("latex"). When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN 374) is recommended. Glove thickness alone is not a good indicator of the level of protection a glove provides against a chemical substance as this level of protection is also highly dependent on the specific composition of the material that the glove is fabricated from. The thickness of the glove must, depending on model and type of material, generally be more than 0.35 mm to offer sufficient protection for prolonged and frequent contact with the substance. As an exception to this general rule it is known that multilayer laminate gloves may

offer prolonged protection at thicknesses less than 0.35 mm. Other glove materials with a thickness of less than 0.35 mm may offer sufficient protection when only brief contact is expected. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

**Other protection:** Use protective clothing chemically resistant to this material.

Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

**Respiratory protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions, no respiratory protection should be needed; however, if handling at elevated temperatures without sufficient ventilation, use an approved air-purifying respirator.

Use the following CE approved air-purifying respirator: Organic vapor cartridge, type A (boiling point >65 °C, meeting standard EN 14387).

#### Environmental exposure controls

See SECTION 7: Handling and storage and SECTION 13: Disposal considerations for measures to prevent excessive environmental exposure during use and waste disposal.

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

### 9.1 Information on basic physical and chemical properties

#### Appearance

|                                                          |                                         |
|----------------------------------------------------------|-----------------------------------------|
| Physical state                                           | paste                                   |
| Color                                                    | white                                   |
| Odor                                                     | acetic acid                             |
| Odor Threshold                                           | No data available                       |
| pH                                                       | Not applicable                          |
| Melting point/freezing point                             |                                         |
| Melting point/range                                      | No data available                       |
| Freezing point                                           | not determined                          |
| Boiling point or initial boiling point and boiling range |                                         |
| Boiling point (760 mmHg)                                 | Not applicable                          |
| Flash point                                              | Not applicable                          |
| Flammability (solid, gas)                                | Not classified as a flammability hazard |
| Flammability (liquids)                                   | Not applicable, solid                   |
| Lower explosion limit                                    | No data available                       |
| Upper explosion limit                                    | No data available                       |
| Vapor Pressure                                           | Not applicable                          |
| Relative Vapor Density (air = 1)                         | No data available                       |
| Relative Density (water = 1)                             | 1,04                                    |

|                                        |                                                             |
|----------------------------------------|-------------------------------------------------------------|
| Density                                | 1,04 g/cm <sup>3</sup>                                      |
| Solubility(ies)                        |                                                             |
| Water solubility                       | not determined                                              |
| Partition coefficient: n-octanol/water | not determined                                              |
| Auto-ignition temperature              | No data available                                           |
| Decomposition temperature              | No data available                                           |
| Kinematic Viscosity                    | Not applicable                                              |
| Particle characteristics               |                                                             |
| Particle size                          | No data available                                           |
| <b>9.2 Other information</b>           |                                                             |
| Molecular weight                       | No data available                                           |
| Dynamic Viscosity                      | Not applicable                                              |
| Explosive properties                   | Not explosive                                               |
| Oxidizing properties                   | The substance or mixture is not classified as oxidizing.    |
| Self-heating substances                | The substance or mixture is not classified as self heating. |
| Evaporation Rate (Butyl Acetate = 1)   | Not applicable                                              |

NOTE: The physical data presented above are typical values and should not be construed as a specification.

---

## SECTION 10: STABILITY AND REACTIVITY

---

**10.1 Reactivity:** Not classified as a reactivity hazard.

**10.2 Chemical stability:** Stable under normal conditions.

**10.3 Possibility of hazardous reactions:** Can react with strong oxidizing agents.

**10.4 Conditions to avoid:** None known.

**10.5 Incompatible materials:** Avoid contact with oxidizing materials.

**10.6 Hazardous decomposition products:**

Decomposition products can include and are not limited to: Formaldehyde.

---

## SECTION 11: TOXICOLOGICAL INFORMATION

---

*Toxicological information appears in this section when such data are available.*

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Information on likely routes of exposure**

Eye contact, Skin contact, Ingestion.

**Acute toxicity (represents short term exposures with immediate effects - no chronic/delayed effects known unless otherwise noted)**

**Acute Toxicity Endpoints:**

**Acute oral toxicity**

**Information for the Product:**

Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

As product: Single dose oral LD50 has not been determined.

Based on information for component(s):  
LD50, Rat, > 5 000 mg/kg Estimated.

**Information for components:**

**titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]**

LD50, Rat, > 10 000 mg/kg

**Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane**

LD50, Rat, male and female, 892 mg/kg OECD 401 or equivalent

**Dodecamethyl cyclohexasiloxane**

LD50, Rat, male and female, > 2 000 mg/kg No deaths occurred at this concentration.

**Decamethylcyclopentasiloxane**

LD50, Rat, male and female, > 24 134 mg/kg

**Acute dermal toxicity**

**Information for the Product:**

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

As product: The dermal LD50 has not been determined.

Based on information for component(s):  
LD50, > 2 000 mg/kg Estimated.

**Information for components:**

**titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]**

LD50, Rabbit, 10 000 mg/kg

**Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane**

LD50, Rat, > 2 000 mg/kg

**Dodecamethyl cyclohexasiloxane**

LD50, Rabbit, male and female, > 2 000 mg/kg

**Decamethylcyclopentasiloxane**

LD50, Rabbit, male and female, > 2 000 mg/kg No deaths occurred at this concentration.

**Acute inhalation toxicity**

**Information for the Product:**

Brief exposure (minutes) is not likely to cause adverse effects. Vapor from heated material may cause respiratory irritation.

As product: The LC50 has not been determined.

**Information for components:**

**titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ]**

LC50, Rat, male, 4 Hour, dust/mist, > 6,82 mg/l No deaths occurred at this concentration.

**Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane**

As product: The LC50 has not been determined.

**Dodecamethyl cyclohexasiloxane**

The LC50 has not been determined.

**Decamethylcyclopentasiloxane**

LC50, Rat, male and female, 4 Hour, dust/mist, 8,67 mg/l

**Skin corrosion/irritation**

**Information for the Product:**

Based on information for component(s):  
Prolonged contact is essentially nonirritating to skin.  
May cause drying and flaking of the skin.

**Information for components:**

**titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ]**

Essentially nonirritating to skin.

**Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane**

Brief contact may cause skin irritation with local redness.

**Dodecamethyl cyclohexasiloxane**

Essentially nonirritating to skin.

**Decamethylcyclopentasiloxane**

Prolonged contact is essentially nonirritating to skin.

**Serious eye damage/eye irritation**

**Information for the Product:**

Based on information for component(s):  
May cause slight temporary eye irritation.  
Corneal injury is unlikely.  
May cause mild eye discomfort.

**Information for components:**

**titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ]**

Solid or dust may cause irritation due to mechanical action.

**Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane**

May cause slight eye irritation.  
May cause slight temporary corneal injury.

**Dodecamethyl cyclohexasiloxane**

May cause slight temporary eye irritation.  
Corneal injury is unlikely.

**Decamethylcyclopentasiloxane**

Essentially nonirritating to eyes.

**Sensitization**

**Information for the Product:**

For skin sensitization:  
Contains component(s) which have caused allergic skin sensitization in guinea pigs.

For respiratory sensitization:  
No relevant information found.

**Information for components:**

**titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ]**

Did not demonstrate the potential for contact allergy in mice.  
Did not cause allergic skin reactions when tested in guinea pigs.

For respiratory sensitization:  
No relevant data found.

**Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane**

Has caused allergic skin reactions when tested in guinea pigs.

For respiratory sensitization:

No relevant data found.

**Dodecamethyl cyclohexasiloxane**

Did not cause allergic skin reactions when tested in guinea pigs.

For respiratory sensitization:

No relevant data found.

**Decamethylcyclopentasiloxane**

Did not demonstrate the potential for contact allergy in mice.

For respiratory sensitization:

No relevant data found.

**Specific Target Organ Systemic Toxicity (Single Exposure)****Information for the Product:**

Product test data not available.

**Information for components:****titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ]**

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

**Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane**

Available data are inadequate to determine single exposure specific target organ toxicity.

**Dodecamethyl cyclohexasiloxane**

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

**Decamethylcyclopentasiloxane**

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

**Aspiration Hazard****Information for the Product:**

Based on physical properties, not likely to be an aspiration hazard.

**Information for components:****titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ]**

Based on physical properties, not likely to be an aspiration hazard.

**Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane**

Based on physical properties, not likely to be an aspiration hazard.

**Dodecamethyl cyclohexasiloxane**

Based on physical properties, not likely to be an aspiration hazard.

**Decamethylcyclopentasiloxane**

Based on physical properties, not likely to be an aspiration hazard.

**Chronic toxicity (represents longer term exposures with repeated dose resulting in chronic/delayed effects - no immediate effects known unless otherwise noted)**

**Specific Target Organ Systemic Toxicity (Repeated Exposure)****Information for the Product:**

Product test data not available.

**Information for components:****titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ]**

Repeated excessive inhalation exposures to dusts may cause respiratory effects.

In animals, effects have been reported on the following organs:

Lung.

Due to the physical state of the material, this component is not expected to be bioavailable under normal handling and processing conditions.

**Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane**

In animals, effects have been reported on the following organs:

Blood

Kidney

Liver

Immune system.

**Dodecamethyl cyclohexasiloxane**

Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

**Decamethylcyclopentasiloxane**

Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

**Carcinogenicity****Information for the Product:**

Product test data not available.

**Information for components:**

**titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ]**

Lung fibrosis and tumors have been observed in rats exposed to titanium dioxide in two lifetime inhalation studies. Effects are believed to be due to overloading of the normal respiratory clearance mechanisms caused by the extreme study conditions. Workers exposed to titanium dioxide in the workplace have not shown an unusual incidence of chronic respiratory disease or lung cancer. Titaniumdioxide was not carcinogenic in laboratory animals in lifetime feeding studies. Due to the physical state of the material, this component is not expected to be bioavailable under normal handling and processing conditions.

**Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane**

No relevant data found.

**Dodecamethyl cyclohexasiloxane**

No relevant data found.

**Decamethylcyclopentasiloxane**

Results from a 2 year repeated vapour inhalation exposure study to rats of decamethylcyclopentasiloxane (D5) indicate effects (uterine endometrial tumors) in female animals. This finding occurred at the highest exposure dose (160 ppm) only. Studies to date have not demonstrated if this effect occurs through a pathway that is relevant to humans.

**Teratogenicity****Information for the Product:**

Product test data not available.

**Information for components:****titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ]**

No relevant data found.

**Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane**

No relevant data found.

**Dodecamethyl cyclohexasiloxane**

No relevant data found.

**Decamethylcyclopentasiloxane**

Did not cause birth defects or any other fetal effects in laboratory animals.

**Reproductive toxicity****Information for the Product:**

Product test data not available.

**Information for components:**

**titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]**

No relevant data found.

**Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane**

No relevant data found.

**Dodecamethyl cyclohexasiloxane**

In animal studies, did not interfere with reproduction.

**Decamethylcyclopentasiloxane**

In animal studies, did not interfere with reproduction.

**Mutagenicity****Information for the Product:**

Product test data not available.

**Information for components:****titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]**

In vitro genetic toxicity studies were negative in some cases and positive in other cases.  
Animal genetic toxicity studies were negative.

**Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane**

In vitro genetic toxicity studies were negative in some cases and positive in other cases.  
Animal genetic toxicity studies were negative.

**Dodecamethyl cyclohexasiloxane**

In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

**Decamethylcyclopentasiloxane**

In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

**11.2 Information on other hazards****Endocrine disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**Information for components:****titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]**

The substance is not considered to have endocrine disrupting properties according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

**Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane**

The substance is not considered to have endocrine disrupting properties according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

**Dodecamethyl cyclohexasiloxane**

The substance is not considered to have endocrine disrupting properties according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

**Decamethylcyclopentasiloxane**

The substance is not considered to have endocrine disrupting properties according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

---

**SECTION 12: ECOLOGICAL INFORMATION**

---

*Ecotoxicological information appears in this section when such data are available.*

**12.1 Toxicity****titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ]****Acute toxicity to fish**

Material is not classified as dangerous to aquatic organisms (LC50/EC50/IC50/LL50/EL50 greater than 100 mg/L in most sensitive species).

NOEC, *Leuciscus idus* (Golden orfe), static test, 48 Hour, > 1 000 mg/l

**Acute toxicity to aquatic invertebrates**

EC50, *Daphnia magna* (Water flea), static test, 48 Hour, > 1 000 mg/l

**Acute toxicity to algae/aquatic plants**

EC50, *Pseudokirchneriella subcapitata* (green algae), 72 Hour, > 100 mg/l, OECD Test Guideline 201

**Toxicity to bacteria**

EC50, 3 Hour, > 1 000 mg/l, OECD Test Guideline 209

**Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane****Acute toxicity to fish**

Material is harmful to aquatic organisms (LC50/EC50/IC50 between 10 and 100 mg/L in the most sensitive species).

For similar material(s):

LC50, Zebra fish (*Danio/Brachydanio rerio*), semi-static test, 96 Hour, > 100 mg/l, OECD Test Guideline 203 or Equivalent

**Acute toxicity to aquatic invertebrates**

EC50, *Daphnia magna*, static test, 48 Hour, 39 mg/l, OECD Test Guideline 202 or Equivalent

**Acute toxicity to algae/aquatic plants**

ErC50, Algae (*Scenedesmus subspicatus*), Growth rate, 72 Hour, Growth rate, 7,6 mg/l, OECD Test Guideline 201 or Equivalent

For similar material(s):

NOEC, Algae (Scenedesmus subspicatus), Growth rate, 72 Hour, Growth rate, 1,1 mg/l,  
OECD Test Guideline 201 or Equivalent

**Toxicity to bacteria**

For similar material(s):

EC50, Bacteria, 3 Hour, Respiration rates., 14 mg/l

**Dodecamethyl cyclohexasiloxane**

**Acute toxicity to algae/aquatic plants**

Not expected to be acutely toxic to aquatic organisms.

No toxicity at the limit of solubility

ErC50, Pseudokirchneriella subcapitata (green algae), 72 Hour, > 0,002 mg/l

**Decamethylcyclopentasiloxane**

**Acute toxicity to fish**

Not expected to be acutely toxic to aquatic organisms.

No toxicity at the limit of solubility

LC50, Oncorhynchus mykiss (rainbow trout), 96 Hour, > 16 µg/l, OECD Test Guideline 204 or  
Equivalent

**Acute toxicity to aquatic invertebrates**

No toxicity at the limit of solubility

EC50, Daphnia magna, 48 Hour, > 2,9 mg/l, OECD Test Guideline 202 or Equivalent

**Acute toxicity to algae/aquatic plants**

No toxicity at the limit of solubility

ErC50, Pseudokirchneriella subcapitata (green algae), 96 Hour, Growth rate, > 0,012 mg/l

No toxicity at the limit of solubility

NOEC, Pseudokirchneriella subcapitata (green algae), 96 Hour, Growth rate, 0,012 mg/l

**Chronic toxicity to fish**

No toxicity at the limit of solubility

LC50, Oncorhynchus mykiss (rainbow trout), 14 d, > 16 mg/l

No toxicity at the limit of solubility

NOEC, Oncorhynchus mykiss (rainbow trout), 45 d, >= 0,017 mg/l

No toxicity at the limit of solubility

NOEC, Oncorhynchus mykiss (rainbow trout), 90 d, >= 0,014 mg/l

**Chronic toxicity to aquatic invertebrates**

NOEC, Daphnia magna, 21 d, 0,015 mg/l

**Toxicity to soil-dwelling organisms**

This product does not have any known adverse effect on the soil organisms tested.

NOEC, Eisenia fetida (earthworms), >= 76 mg/kg

**12.2 Persistence and degradability**

**titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic  
diameter ≤ 10 µm]**

**Biodegradability:** Biodegradation is not applicable.

**Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane**

**Biodegradability:** For similar material(s): Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.

For similar material(s): 10-day Window: Fail

**Biodegradation:** 3 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301F or Equivalent

**Dodecamethyl cyclohexasiloxane**

**Biodegradability:** Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.

10-day Window: Fail

**Biodegradation:** 4,5 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301B

**Decamethylcyclopentasiloxane**

**Biodegradability:** Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.

10-day Window: Not applicable

**Biodegradation:** 0,14 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 310

**12.3 Bioaccumulative potential****Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane**

**Bioaccumulation:** No relevant data found.

**Dodecamethyl cyclohexasiloxane**

**Bioaccumulation:** Bioconcentration potential is low (BCF less than 100 or log Pow greater than 7).

**Partition coefficient: n-octanol/water(log Pow):** 8,87

**Decamethylcyclopentasiloxane**

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

**Partition coefficient: n-octanol/water(log Pow):** 5,2 Measured

**Bioconcentration factor (BCF):** 2 010 Fish Estimated.

**12.4 Mobility in soil****Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane**

No relevant data found.

**Dodecamethyl cyclohexasiloxane**

**Partition coefficient (Koc):** > 5000

**Decamethylcyclopentasiloxane**

**Partition coefficient (Koc):** > 5000 Estimated.

**12.5 Results of PBT and vPvB assessment**

**titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]**

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

**Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane**

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

**Dodecamethyl cyclohexasiloxane**

Dodecamethyl cyclohexasiloxane (D6) meets the current REACH Annex XIII criteria for vPvB. However, D6 does not behave similarly to known PBT/vPvB substances. The weight of scientific evidence from field studies shows that D6 is not biomagnifying in aquatic and terrestrial food webs. D6 in air will degrade by reaction with naturally occurring hydroxyl radicals in the atmosphere. Any D6 in air that does not degrade by reaction with hydroxyl radicals is not expected to deposit from the air to water, to land, or to living organisms. This substance is considered to be persistent, bioaccumulating and toxic (PBT). This substance is considered to be very persistent and very bioaccumulating (vPvB).

**Decamethylcyclopentasiloxane**

Decamethylcyclopentasiloxane (D5) meets the current REACH Annex XIII criteria for vPvB. However, D5 does not behave similarly to known PBT/vPvB substances. The weight of scientific evidence from field studies shows that D5 is not biomagnifying in aquatic and terrestrial food webs. D5 in air will degrade by reaction with naturally occurring hydroxyl radicals in the atmosphere. Any D5 in air that does not degrade by reaction with hydroxyl radicals is not expected to deposit from the air to water, to land, or to living organisms. Based on an independent scientific panel of experts, the Canadian Minister of the Environment has concluded that "D5 is not entering the environment in a quantity or concentration or under conditions that have or may have an immediate or long-term harmful effect on the environment or its biological diversity, or that constitute or may constitute a danger to the environment on which life depends".

**12.6 Endocrine disrupting properties** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]**

The substance is not considered to have endocrine disrupting properties according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

**Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane**

The substance is not considered to have endocrine disrupting properties according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

**Dodecamethyl cyclohexasiloxane**

The substance is not considered to have endocrine disrupting properties according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

**Decamethylcyclopentasiloxane**

The substance is not considered to have endocrine disrupting properties according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

## 12.7 Other adverse effects

### titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ ]

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### Dodecamethyl cyclohexasiloxane

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### Decamethylcyclopentasiloxane

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

---

## SECTION 13: DISPOSAL CONSIDERATIONS

---

### 13.1 Waste treatment methods

Do not dump into any sewers, on the ground, or into any body of water. This product, when being disposed of in its unused and uncontaminated state should be treated as a hazardous waste according to EC Directive 2008/98/EC. Any disposal practices must be in compliance with all national and provincial laws and any municipal or local by-laws governing hazardous waste. For used, contaminated and residual materials additional evaluations may be required.

The definitive assignment of this material to the appropriate EWC group and thus its proper EWC code will depend on the use that is made of this material. Contact the authorized waste disposal services.

---

## SECTION 14: TRANSPORT INFORMATION

---

### Classification for ROAD and Rail transport (ADR/RID):

- |                                   |                                                                   |
|-----------------------------------|-------------------------------------------------------------------|
| 14.1 UN number or ID number       | Not applicable                                                    |
| 14.2 UN proper shipping name      | Not regulated for transport                                       |
| 14.3 Transport hazard class(es)   | Not applicable                                                    |
| 14.4 Packing group                | Not applicable                                                    |
| 14.5 Environmental hazards        | Not considered environmentally hazardous based on available data. |
| 14.6 Special precautions for user | No data available.                                                |

### Classification for INLAND waterways (ADNR/ADN):

Consult your Dow contact before transporting by inland waterway

### Classification for SEA transport (IMO-IMDG):

|                                                              |                                                                    |
|--------------------------------------------------------------|--------------------------------------------------------------------|
| 14.1 UN number or ID number                                  | Not applicable                                                     |
| 14.2 UN proper shipping name                                 | Not regulated for transport                                        |
| 14.3 Transport hazard class(es)                              | Not applicable                                                     |
| 14.4 Packing group                                           | Not applicable                                                     |
| 14.5 Environmental hazards                                   | Not considered as marine pollutant based on available data.        |
| 14.6 Special precautions for user                            | No data available.                                                 |
| 14.7 Maritime transport in bulk according to IMO instruments | Consult IMO regulations before transporting ocean bulk instruments |

**Classification for AIR transport (IATA/ICAO):**

|                                   |                             |
|-----------------------------------|-----------------------------|
| 14.1 UN number or ID number       | Not applicable              |
| 14.2 UN proper shipping name      | Not regulated for transport |
| 14.3 Transport hazard class(es)   | Not applicable              |
| 14.4 Packing group                | Not applicable              |
| 14.5 Environmental hazards        | Not applicable              |
| 14.6 Special precautions for user | No data available.          |

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

---

**SECTION 15: REGULATORY INFORMATION**

---

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****REACH Regulation (EC) No 1907/2006**

This product contains only components that have been either registered, are exempt from registration, are regarded as registered or are not subject to registration according to Regulation (EC) No. 1907/2006 (REACH). The aforementioned indications of the REACH registration status are provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. It is the buyer's/user's responsibility to ensure that his/her understanding of the regulatory status of this product is correct.

**REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)**

Conditions of restriction for the following entries should be considered:  
Number on list 75  
Bis[(2-ethyl-2,5-

dimethylhexanoyl)oxy](dimethyl)stannane  
(Number on list 20)  
Decamethylcyclopentasiloxane (Number on  
list 70)

**Authorisation status under REACH:**

The following substance/s contained in this product might be or is/are subject to authorization in accordance with REACH:

|                                                                                                         |                                      |
|---------------------------------------------------------------------------------------------------------|--------------------------------------|
| CAS-No.: 540-97-6                                                                                       | Name: Dodecamethyl cyclohexasiloxane |
| Authorisation status: listed in the Candidate List of Substances of Very High Concern for Authorisation |                                      |
| Authorisation number: Not available                                                                     |                                      |
| Sunset date: Not available                                                                              |                                      |
| Exempted (Categories of) Uses: Not available                                                            |                                      |

|                                                                                                         |                                    |
|---------------------------------------------------------------------------------------------------------|------------------------------------|
| CAS-No.: 541-02-6                                                                                       | Name: Decamethylcyclopentasiloxane |
| Authorisation status: listed in the Candidate List of Substances of Very High Concern for Authorisation |                                    |
| Authorisation number: Not available                                                                     |                                    |
| Sunset date: Not available                                                                              |                                    |
| Exempted (Categories of) Uses: Not available                                                            |                                    |

**Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.**

Listed in Regulation: Not applicable

**Installations classified for the protection of the environment (Environment Code R511-9)**

not determined

**Occupational Illnesses (R-461-3, France):**

(Not applicable)

**15.2 Chemical safety assessment**

No Chemical Safety Assessment has been carried out for this substance/mixture.

---

**SECTION 16: OTHER INFORMATION**

---

**Full text of H-Statements referred to under sections 2 and 3.**

|      |                                                    |
|------|----------------------------------------------------|
| H302 | Harmful if swallowed.                              |
| H315 | Causes skin irritation.                            |
| H317 | May cause an allergic skin reaction.               |
| H351 | Suspected of causing cancer if inhaled.            |
| H412 | Harmful to aquatic life with long lasting effects. |

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008**

This product is not classified as dangerous according to EC criteria.

**Revision**

Identification Number: 6020811 / A560 / Issue Date: 17.02.2023 / Version: 3.0

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

### Legend

|                 |                                                     |
|-----------------|-----------------------------------------------------|
| ACGIH           | USA. ACGIH Threshold Limit Values (TLV)             |
| FR VLE          | France. Occupational Exposure Limits                |
| STEL            | Short-term exposure limit                           |
| TWA             | 8-hour, time-weighted average                       |
| US WEEL         | USA. Workplace Environmental Exposure Levels (WEEL) |
| VLCT (VLE)      | Short Term Exposure Limit                           |
| VME             | Time Weighted Average                               |
| Acute Tox.      | Acute toxicity                                      |
| Aquatic Chronic | Long-term (chronic) aquatic hazard                  |
| Carc.           | Carcinogenicity                                     |
| Skin Irrit.     | Skin irritation                                     |
| Skin Sens.      | Skin sensitisation                                  |

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

DOW FRANCE S.A.S. urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

FR