

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : ARALDITE® AV 138 M-2

Unique Formula Identifier (UFI) : SKXR-Q09J-N00K-12VA

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Adhesives

#### 1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe) BV  
Address : Grijpenlaan 18  
3300 Tienen  
Belgium

Telephone : +41 61 299 20 41  
Telefax : +41 61 299 20 40

E-mail address of person responsible for the SDS : Global\_Product\_EHS\_AdMat@huntsman.com

#### 1.4 Emergency telephone

Emergency telephone : Berlin: 0049 30 19 24 0 & 0049 30 30 68 6 7 11  
Bonn: 0049 228 19 27 0 & 0049 228 28 7 3 32 11  
Erfurt: 0049 361 73 07 30  
Freiburg: 0049 761 16 24 0  
Göttingen: 0049 51 19 24 0 & 0049 551 38 31 80  
Homburg: 0049 6841 19 24 0  
Mainz: 0049 6131 19 24 0 & 0049 6131 23 24 66  
München: 0049 89 19 24 0  
Nürnberg: 0049 911 39 8 2 45 1  
EUROPE: +32 35 75 1234  
France ORFILA: +33(0)145425959  
ASIA: +65 6336-6011  
China: +86 20 39377888  
+86 532 83889090  
India: + 91 22 42 87 5333  
Australia: 1800 786 152  
New Zealand: 0800 767 437  
USA: +1 800-424-9300

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**

Skin irritation, Category 2

H315: Causes skin irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal Word : Warning

Hazard Statements	:	H315	Causes skin irritation.
		H317	May cause an allergic skin reaction.
		H319	Causes serious eye irritation.
		H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements	:	<b>Prevention:</b>
		P261 Avoid breathing mist or vapors. P264 Wash skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection.
		<b>Response:</b>
		P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
		P391 Collect spillage.

#### Hazardous ingredients which must be listed on the label:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane  
Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane  
Phenol, polymer with formaldehyde, glycidyl ether  
1,4-bis[(2,3-epoxypropoxy)methyl]cyclohexane

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Hazardous ingredients

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	1675-54-3 216-823-5 603-073-00-2 01-2119456619-26	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411  specific concentration limit Skin Irrit. 2; H315 >= 5 % Eye Irrit. 2; H319 >= 5 %	>= 25 - < 30
Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane	- - 01-2119454392-40	Skin Irrit. 2; H315 Skin Sens. 1A; H317 Aquatic Chronic 2; H411	>= 2,5 - < 10
Phenol, polymer with formaldehyde, glycidyl ether	28064-14-4 Polymer	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 2,5 - < 10
1,4-bis[(2,3-epoxypropoxy)methyl]cyclohexane	14228-73-0 238-098-4 01-2120068066-56	Acute Tox. 4; H302 Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 1 - < 2,5

For explanation of abbreviations see section 16.

Both 25068-38-6 and 1675-54-3 can be used to describe the epoxy resin which is produced through the reaction of bisphenol A and epichlorohydrin

### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

General advice : Move out of dangerous area.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

Show this material safety data sheet to the doctor in attendance.

Treat symptomatically.

Get medical attention if symptoms occur.

- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.  
Avoid inhalation, ingestion and contact with skin and eyes.  
No action shall be taken involving any personal risk or without suitable training.  
It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : Exercise caution when using a high volume water jet as it may scatter and spread fire

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Sulfur oxides Carbon oxides Phenolics

### 5.3 Advice for firefighters

Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Refer to protective measures listed in sections 7 and 8.
----------------------	---	--

### 6.2 Environmental precautions

Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
---------------------------	---	---

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.
-------------------------	---	---

### 6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling	:	Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this
-------------------------	---	--

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version 1.0      Revision Date: 20.01.2025      SDS Number: 400000015866      Date of last issue: -  
Date of first issue: 20.01.2025

Print Date 19.06.2025

product.  
Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labeled containers.

Advice on common storage : For incompatible materials please refer to Section 10 of this SDS.

Storage class (TRGS 510) : 10

Further information on storage stability : Stable under normal conditions.

Recommended storage temperature : 5 - 25 °C

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
barium sulfate	7727-43-7	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900
	Peak-limit category: 2;(II)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		AGW (Alveolate fraction)	1,25 mg/m3	DE TRGS 900

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version  
1.0

Revision Date:  
20.01.2025

SDS Number:  
400000015866

Date of last issue: -  
Date of first issue: 20.01.2025

Print Date 19.06.2025

	Peak-limit category: 2;(II)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527
		MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK
	Peak-limit category: 8; II			
	Further information: Substances that cause cancer in humans or animals or that are considered to be carcinogenic for humans and for which a MAK value can be derived., Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			
		MAK (inhalable fraction)	4 mg/m3	DE DFG MAK
	Peak-limit category: 8; II			
	Further information: Substances that cause cancer in humans or animals or that are considered to be carcinogenic for humans and for which a MAK value can be derived., Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			
Silicon, amorphous	112945-52-5	AGW (Inhalable fraction)	4 mg/m3 (Silica)	DE TRGS 900
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		MAK (measured as the alveolate fraction)	0,02 mg/m3	DE DFG MAK
	Peak-limit category: 8; II			
	Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	Workers	Inhalation	Long-term systemic effects	4,93 mg/m3
	Workers	Dermal	Long-term systemic effects	0,75 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,87 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,0893 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	0,5 mg/kg bw/day
1,4-bis[(2,3-epoxypropoxy)methyl]cyclohexane	Workers	Inhalation	Long-term systemic effects	3,52 mg/m3
	Workers	Dermal	Long-term systemic effects	1 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,86 mg/m3

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version  
1.0

Revision Date:  
20.01.2025

SDS Number:  
400000015866

Date of last issue: -  
Date of first issue: 20.01.2025

Print Date 19.06.2025

	Consumers	Dermal	Long-term systemic effects	0,5 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	0,5 mg/kg bw/day
Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy)methyl}oxirane	Workers	Dermal	Acute local effects	0,0083 mg/cm <sup>2</sup>
	Workers	Dermal	Long-term systemic effects	104,15 mg/kg
	Workers	Inhalation	Long-term systemic effects	29,39 mg/m <sup>3</sup>
	Consumers	Dermal	Long-term systemic effects	62,5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,7 mg/m <sup>3</sup>
	Consumers	Oral	Long-term systemic effects	6,25 mg/kg bw/day
Silicon, amorphous	Workers	Inhalation	Long-term systemic effects	4 mg/m <sup>3</sup>
barium sulfate	Workers	Inhalation	Long-term systemic effects	10 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	10 mg/m <sup>3</sup>
	Consumer use	Inhalation	Long-term systemic effects	10 mg/m <sup>3</sup>
	Consumer use	Oral	Long-term systemic effects	13000 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	Fresh water	0,006 mg/l
	Sea water	0,001 mg/l
	Fresh water sediment	0,341 mg/kg dry weight (d.w.)
	Sea sediment	0,034 mg/kg dry weight (d.w.)
	Soil	0,065 mg/kg dry weight (d.w.)
	Sewage treatment plant	10 mg/l
	Secondary Poisoning	11 mg/kg
1,4-bis[(2,3-epoxypropoxy)methyl]cyclohexane	Fresh water	0,117 mg/l



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version  
1.0

Revision Date:  
20.01.2025

SDS Number:  
400000015866

Date of last issue: -  
Date of first issue: 20.01.2025

Print Date 19.06.2025

	Remarks:Assessment Factors	
	Sea water	0,012 mg/l
	Remarks:Assessment Factors	
	Sewage treatment plant	0,6 mg/l
	Remarks:Assessment Factors	
	Fresh water sediment	0,47 mg/kg dry weight (d.w.)
	Sea sediment	0,047 mg/kg dry weight (d.w.)
	Soil	0,24 mg/kg dry weight (d.w.)
	Oral	1 mg/kg
Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane	Fresh water	0,003 mg/l
	Remarks:Assessment Factors	
	Sea water	0 mg/l
	Remarks:Assessment Factors	
	Intermittent use/release	0,0254 mg/l
	Remarks:Assessment Factors	
	Fresh water sediment	0,294 mg/kg dry weight (d.w.)
	Remarks:Equilibrium method	
	Sea sediment	0,0294 mg/kg dry weight (d.w.)
	Remarks:Equilibrium method	
	Soil	0,237 mg/kg dry weight (d.w.)
	Remarks:Equilibrium method	
	Sewage treatment plant	10 mg/l
	Remarks:Assessment Factors	
barium sulfate	Fresh water	115 µg/l
	Sewage treatment plant	62,2 mg/l
	Remarks:Assessment Factors	
	Fresh water sediment	600,4 mg/kg
	Remarks:Assessment Factors	
	Soil	207,7 mg/kg
	Remarks:Assessment Factors	

### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

#### Hand protection

Material : butyl-rubber  
Break through time : > 8 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

Material : Nitrile rubber  
Break through time : 10 - 480 min

Material : Ethyl Vinyl Alcohol Laminate (EVAL)  
Break through time : > 8 h

Remarks : Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines  
Equipment should conform to EN 14387

Filter type : Combined particulates and organic vapor type (A-P)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : viscous liquid

Color : beige

Odor : epoxy-like

Odor Threshold : No data is available on the product itself.

Melting point/freezing point : No data is available on the product itself.

Boiling point : No data is available on the product itself.

Flammability : No data is available on the product itself.

Lower explosion limit / Lower flammability limit : No data is available on the product itself.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

Upper explosion limit / Upper flammability limit	: No data is available on the product itself.
Flash point	: 156 °C Method: estimated
Autoignition temperature	: No data is available on the product itself.
Decomposition temperature	: No data is available on the product itself.
pH	: substance/mixture is non-soluble (in water)
Viscosity	
Viscosity, dynamic	: 62 Pas (25 °C)
Solubility(ies)	
Water solubility	: insoluble
Solubility in other solvents	: No data is available on the product itself.
Partition coefficient: n-octanol/water	: No data is available on the product itself.
Vapor pressure	: No data is available on the product itself.
Density	: 1,84 g/cm <sup>3</sup> Method: Calculation method
Relative density	: No data is available on the product itself.
Relative vapor density	: No data is available on the product itself.
Particle characteristics	: No data is available on the product itself.

### 9.2 Other information

No data is available on the product itself.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

### 10.5 Incompatible materials

Materials to avoid : None known.

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2 000 mg/kg  
Method: Calculation method

#### Components:

##### **2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Acute oral toxicity : LD50 (Rat, female): > 2 000 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rat, male and female): > 2 000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane:

Acute oral toxicity : LD50 (Rat, male and female): > 5 000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 2 000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

##### **Phenol, polymer with formaldehyde, glycidyl ether:**

Acute oral toxicity : LD50 (Rat, female): > 2 000 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2 000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

toxicity

### 1,4-bis[(2,3-epoxypropoxy)methyl]cyclohexane:

Acute oral toxicity	: LD50 (Rat, female): 1 098 mg/kg Method: OECD Test Guideline 425 GLP: yes Assessment: The component/mixture is moderately toxic after single ingestion.
Acute inhalation toxicity	: LC50 (Rat, male and female): Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rabbit, females): > 2 000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Causes skin irritation.

### Components:

#### 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species	: Rabbit
Exposure time	: 4 h
Assessment	: Irritating to skin.
Method	: OECD Test Guideline 404
Result	: Irritating to skin.

Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Irritating to skin.

### Phenol, polymer with formaldehyde, glycidyl ether:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Irritating to skin.

### 1,4-bis[(2,3-epoxypropoxy)methyl]cyclohexane:

Species	: reconstructed human epidermis (RhE)
Assessment	: Irritating to skin.
Method	: OECD Test Guideline 439
Result	: Skin irritation
GLP	: yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Components:

##### 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species	: Rabbit
Assessment	: Irritating to eyes.
Method	: OECD Test Guideline 405
Result	: Irritating to eyes.

Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation

##### Phenol, polymer with formaldehyde, glycidyl ether:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irritating to eyes.

##### 1,4-bis[(2,3-epoxypropoxy)methyl]cyclohexane:

Species	: Bovine cornea
Assessment	: No eye irritation
Method	: OECD Test Guideline 437
Result	: No eye irritation
GLP	: yes

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified due to lack of data.

#### Components:

##### 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: The product is a skin sensitizer, sub-category 1B.

Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin
Species	: Mouse

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

Method : OECD Test Guideline 429  
Result : The product is a skin sensitiser, sub-category 1A.

### Phenol, polymer with formaldehyde, glycidyl ether:

Exposure routes : Skin  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : May cause sensitisation by skin contact.

### 1,4-bis[(2,3-epoxypropoxy)methyl]cyclohexane:

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Assessment : May cause sensitisation by skin contact.  
Method : OECD Test Guideline 429  
Result : May cause sensitisation by skin contact.  
GLP : yes

### Germ cell mutagenicity

Not classified due to lack of data.

### Components:

#### 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: without metabolic activation  
Result: positive

Test Type: reverse mutation assay  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
Result: negative

Genotoxicity in vivo : Test Type: in vivo assay  
Species: Mouse (male)  
Cell type: Germ  
Application Route: Oral  
Dose: 3333, 10000 mg/kg  
Result: negative

Test Type: gene mutation test  
Species: Rat (male)  
Cell type: Somatic  
Application Route: Oral  
Dose: 50,250,500,1000 mg/kg bw/day  
Method: OECD Test Guideline 488  
Result: negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: positive

Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: positive

Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: positive

Genotoxicity in vivo : Cell type: Somatic  
Application Route: Oral  
Exposure time: 48 h  
Dose: 2000 mg/kg  
Method: OECD Test Guideline 474  
Result: negative

Cell type: Somatic  
Application Route: Oral  
Dose: 2000 mg/kg  
Method: OECD Test Guideline 486  
Result: negative

### Phenol, polymer with formaldehyde, glycidyl ether:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation  
Result: positive

Concentration: 0 - 5000 ug/plate  
Metabolic activation: with and without metabolic activation  
Result: positive

Genotoxicity in vivo : Cell type: Germ  
Application Route: Oral  
Result: negative

Cell type: Somatic  
Application Route: Oral  
Dose: 0 - 5000 mg/kg  
Result: negative

### 1,4-bis[(2,3-epoxypropoxy)methyl]cyclohexane:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: positive  
GLP: yes



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

Test Type: unscheduled DNA synthesis assay  
Test system: rat hepatocytes  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 482  
Result: negative  
GLP: yes

Test Type: reverse mutation assay  
Test system: Salmonella tryphimurium and E. coli  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: positive  
GLP: yes

Test Type: gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: positive  
GLP: yes

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse (male)  
Application Route: Oral  
Dose: 0/375/750/1500 mg/kg bw/day  
Method: OECD Test Guideline 474  
Result: negative  
GLP: yes

Test Type: In vivo micronucleus test  
Species: Rat (male)  
Cell type: Bone marrow  
Application Route: Oral  
Dose: 187.5/375/750 mg/kg bw/day  
Method: OECD Test Guideline 474  
Result: negative  
GLP: yes

Test Type: comet assay  
Species: Rat (male)  
Cell type: Liver cells  
Application Route: Oral  
Dose: 150/300/600 mg/kg bw/day  
Result: negative  
GLP: yes

### Carcinogenicity

Not classified due to lack of data.

### Components:

#### 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species	: Rat, male
Application Route	: Oral
Exposure time	: 24 month(s)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

Dose : 0, 2, 15, or 100 mg/kg bw/day  
Frequency of Treatment : 7 days/week  
NOAEL : 15 mg/kg bw/day  
Method : OECD Test Guideline 453  
Result : negative  
Target Organs : Digestive organs

Species : Mouse, male  
Application Route : Dermal  
Exposure time : 24 month(s)  
Dose : 0, 0.1, 10, 100 mg/kg bw/day  
Frequency of Treatment : 3 days/week  
NOEL : 0,1 mg/kg body weight  
Method : OECD Test Guideline 453  
Result : negative  
Target Organs : Digestive organs

Species : Rat, female  
Application Route : Dermal  
Exposure time : 24 month(s)  
Dose : 0.1, 100, 1000 mg/kg bw/day  
Frequency of Treatment : 5 days/week  
NOEL : 100 mg/kg body weight  
Method : OECD Test Guideline 453  
Result : negative

Species : Rat, female  
Application Route : Oral  
Exposure time : 24 month(s)  
Dose : 0, 2, 15, or 100 mg/kg bw/day  
Frequency of Treatment : 7 days/week  
NOAEL : 100 mg/kg bw/day  
Method : OECD Test Guideline 453  
Result : negative  
Target Organs : Digestive organs

Species : Rat, females  
Application Route : Oral  
Exposure time : 24 month(s)  
Dose : 0, 2, 15, or 100 mg/kg bw/day  
Frequency of Treatment : 7 days/week  
NOEL : 2 mg/kg bw/day  
Method : OECD Test Guideline 453  
Result : negative  
Target Organs : Digestive organs

### Phenol, polymer with formaldehyde, glycidyl ether:

Species : Rat, male and female  
Application Route : Oral  
Exposure time : 24 month(s)  
Dose : 15 mg/kg  
Frequency of Treatment : 7 daily  
Method : OECD Test Guideline 453  
Result : negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

Species : Mouse, male  
Application Route : Dermal  
Exposure time : 24 month(s)  
Dose : .1 mg/kg  
Frequency of Treatment : 3 daily  
Method : OECD Test Guideline 453  
Result : negative

Species : Rat, female  
Application Route : Dermal  
Exposure time : 24 month(s)  
Dose : 1 mg/kg  
Frequency of Treatment : 5 daily  
Method : OECD Test Guideline 453  
Result : negative

### Reproductive toxicity

Not classified due to lack of data.

### Components:

#### 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Oral  
Dose: 0, 50, 180, 540 or 750 milligram per kilogram  
Duration of Single Treatment: 238 d  
Frequency of Treatment: 1 daily  
General Toxicity Parent: NOEL: 540 mg/kg body weight  
General Toxicity F1: NOEL: 750 mg/kg body weight  
Symptoms: No adverse effects  
Method: OECD Test Guideline 416  
Result: No effects on fertility and early embryonic development were detected.

Effects on fetal development : Species: Rabbit, female  
Application Route: Dermal  
Dose: 0, 30, 100 or 300 milligram per kilogram  
Duration of Single Treatment: 28 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: NOAEL: 30 mg/kg body weight  
Developmental Toxicity: NOAEL: 300 mg/kg body weight  
Method: Other guidelines  
Result: No teratogenic effects

Test Type: Pre-natal  
Species: Rabbit, female  
Application Route: Oral  
Dose: 0, 20, 60 or 180 milligram per kilogram  
Duration of Single Treatment: 13 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: NOAEL: 60 mg/kg body weight  
Developmental Toxicity: NOAEL: 180 mg/kg body weight  
Method: OECD Test Guideline 414

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

Result: No teratogenic effects

Test Type: Pre-natal  
Species: Rat, female  
Application Route: Oral  
Dose: 0, 60, 180 and 540 milligram per kilogram  
Duration of Single Treatment: 10 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: NOAEL: 180 mg/kg body weight  
Developmental Toxicity: NOAEL: > 540 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane:

Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Oral  
Dose: 0, 50, 180, 540 or 750 mg/kg/  
Duration of Single Treatment: 238 d  
General Toxicity Parent: NOEL: 750  
General Toxicity F1: NOEL: 750 mg/kg body weight  
General Toxicity F2: NOAEL: 750 mg/kg body weight  
Method: OECD Test Guideline 416  
Result: No effects on fertility and early embryonic development were detected.  
GLP: yes  
Remarks: Information given is based on data obtained from similar substances.

### Phenol, polymer with formaldehyde, glycidyl ether:

Effects on fertility : Species: Rat, male and female  
Application Route: Oral  
Method: OECD Test Guideline 416  
Result: No effects on fertility and early embryonic development were detected.

Effects on fetal development : Species: Rabbit, female  
Application Route: Dermal  
General Toxicity Maternal: NOAEL: 30 mg/kg body weight  
Result: No teratogenic effects

Species: Rabbit, female  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 60 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Species: Rat, female  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 180 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

### 1,4-bis[(2,3-epoxypropoxy)methyl]cyclohexane:

Effects on fertility : Test Type: Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test  
Species: Rat, male and female  
Application Route: Oral  
Dose: 10/60/300 mg/kg bw/day  
Frequency of Treatment: 7 days/week  
General Toxicity Parent: NOAEL: 300 mg/kg body weight  
General Toxicity F1: NOEL: 300 mg/kg body weight  
Method: OECD Test Guideline 422  
Result: negative  
GLP: yes

### STOT-single exposure

Not classified due to lack of data.

### STOT-repeated exposure

Not classified due to lack of data.

### Repeated dose toxicity

#### Components:

#### 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species : Rat, male and female  
NOAEL : 50 mg/kg  
Application Route : oral (gavage)  
Exposure time : 14 Weeks  
Number of exposures : 7 d  
Dose : 0, 50, 250, 1000 mg/kg/day  
Method : OECD Test Guideline 408

Species : Rat, male and female  
NOAEL :  $\geq 10$  mg/kg  
Application Route : Skin contact  
Exposure time : 13 Weeks  
Number of exposures : 5 d  
Dose : 0, 10, 100, 1000 mg/kg/day  
Method : OECD Test Guideline 411

Species : Mouse, male  
NOAEL : 100 mg/kg  
Application Route : Skin contact  
Exposure time : 13 Weeks  
Number of exposures : 3 d  
Dose : 0, 1, 10, 100 mg/kg/day  
Method : OECD Test Guideline 411

Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane:

Species : Rat, male and female  
NOAEL : 250 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

Application Route : Ingestion  
Exposure time : 13 Weeks  
Number of exposures : 7 d  
Method : Subchronic toxicity

### Phenol, polymer with formaldehyde, glycidyl ether:

Species : Rat, male and female  
NOAEL : 50 mg/kg  
Application Route : Ingestion  
Exposure time : 14 Weeks  
Number of exposures : 7 d  
Method : Subchronic toxicity

Species : Rat, male and female  
NOEL : 10 mg/kg  
Application Route : Skin contact  
Exposure time : 13 Weeks  
Number of exposures : 5 d  
Method : Subchronic toxicity

Species : Mouse, male  
NOAEL : 100 mg/kg  
Application Route : Skin contact  
Exposure time : 13 Weeks  
Number of exposures : 3 d  
Method : Subchronic toxicity

### 1,4-bis[(2,3-epoxypropoxy)methyl]cyclohexane:

Species : Rat, male and female  
NOAEL : 300 mg/kg  
Application Route : Oral  
Number of exposures : daily  
Dose : 10/60/300 mg/kg bw/day  
Method : OECD Test Guideline 422  
GLP : yes

### Aspiration toxicity

Not classified due to lack of data.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

### Experience with human exposure

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

### Toxicology, Metabolism, Distribution

No data available

### Neurological effects

No data available

### Further information

No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### **2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1,8 mg/l  
aquatic invertebrates  
Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 : 11 mg/l  
plants  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: EPA-660/3-75-009

NOEC : 4,2 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: EPA-660/3-75-009

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Test Type: static test  
Test substance: Fresh water

Toxicity to daphnia and other : NOEC: 0,3 mg/l  
aquatic invertebrates  
(Chronic toxicity)  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Test substance: Fresh water  
Method: OECD Test Guideline 211

### Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane:

Toxicity to fish	:	LC50 (Fish): 2,54 mg/l Exposure time: 96 h Test substance: Fresh water Method: Calculation method
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 2,55 mg/l Exposure time: 48 h Method: Calculation method
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): > 1,8 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes Test substance: Fresh water Method: OECD Test Guideline 201 GLP: no
Toxicity to microorganisms	:	IC50 (activated sludge): > 100 mg/l Exposure time: 3 h Test Type: static test Analytical monitoring: no Test substance: Fresh water GLP: no
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,3 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Analytical monitoring: no Test substance: Fresh water Method: OECD Test Guideline 211 GLP: yes Remarks: Information given is based on data obtained from similar substances.

### Phenol, polymer with formaldehyde, glycidyl ether:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 1,5 mg/l Exposure time: 96 h Test Type: static test Test substance: Fresh water Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,7 mg/l Exposure time: 48 h Test Type: static test Test substance: Fresh water Method: OECD Test Guideline 202  EC50 (Daphnia magna (Water flea)): 2,7 mg/l Exposure time: 48 h Test Type: static test



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

Test substance: Fresh water

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 9,4 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Test Type: static test  
Test substance: Fresh water

Toxicity to fish (Chronic toxicity) : GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,3 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Test substance: Fresh water  
Method: OECD Test Guideline 211

### 1,4-bis[(2,3-epoxypropoxy)methyl]cyclohexane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 10,1 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 16,3 mg/l  
End point: Immobilization  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 36,6 mg/l  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 201  
GLP: yes

NOEC (Pseudokirchneriella subcapitata (green algae)): 25 mg/l  
Exposure time: 72 h  
Test Type: static test

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to microorganisms : EC50 (*Pseudomonas putida*): 10 264 mg/l  
Exposure time: 18 h  
Test Type: static test  
Test substance: Fresh water  
Method: DIN 38 412 Part 8  
GLP: no

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Lowest Observed Effect Concentration: > 11,7 mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)  
Test Type: semi-static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 211  
GLP: yes

### Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

## 12.2 Persistence and degradability

### Components:

#### **2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge, non-adapted  
Concentration: 20 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

Stability in water : Degradation half life (DT50): 4,83 d (25 °C)  
pH: 4  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life (DT50): 7,1 d (25 °C)  
pH: 9  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life (DT50): 3,58 d (25 °C)  
pH: 7  
Method: OECD Test Guideline 111  
Remarks: Fresh water

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane:

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Concentration: 3 mg/l  
Result: Not biodegradable  
Biodegradation: ca. 0 %  
Exposure time: 28 d  
Method: Directive 67/548/EEC Annex V, C.4.E.

### Phenol, polymer with formaldehyde, glycidyl ether:

Biodegradability : Inoculum: Sewage (STP effluent)  
Concentration: 20 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

Stability in water : Degradation half life (DT50): 4,83 d (25 °C)  
pH: 4  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life (DT50): 7,1 d (25 °C)  
pH: 9  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life (DT50): 3,58 d (25 °C)  
pH: 7  
Method: OECD Test Guideline 111  
Remarks: Fresh water

### 1,4-bis[(2,3-epoxypropoxy)methyl]cyclohexane:

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge, non-adapted  
Concentration: 111 mg/l  
Result: Partially biodegradable.  
Biodegradation: 16,6 %  
Related to: Dissolved organic carbon (DOC)  
Exposure time: 34 d  
Method: OECD Test Guideline 301F  
GLP: yes

## 12.3 Bioaccumulative potential

### Components:

#### 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Bioaccumulation : Bioconcentration factor (BCF): 31  
Remarks: Does not bioaccumulate.

Partition coefficient: n- : log Pow: 3,242 (25 °C)

according to Regulation (EC) No. 1907/2006, as amended



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

---

Print Date 19.06.2025

octanol/water                  pH: 7,1  
Method: OECD Test Guideline 117

Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-((2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy)methyl)oxirane:

Bioaccumulation	:	Species: Fish Bioconcentration factor (BCF): 150 Remarks: Does not bioaccumulate.
-----------------	---	---

Partition coefficient: n-octanol/water : log Pow: 2,7 - 3,6  
Method: OECD Test Guideline 117  
GLP: yes

**Phenol, polymer with formaldehyde, glycidyl ether:**

Bioaccumulation	: Bioconcentration factor (BCF): 31 Remarks: Does not bioaccumulate.
-----------------	---

Partition coefficient: n-octanol/water : log Pow: 3,242 (25 °C)  
pH: 7,1  
Method: OECD Test Guideline 117

**1,4-bis[(2,3-epoxypropoxy)methyl]cyclohexane:**

Partition coefficient: n-octanol/water : log Pow: ca. 2,29 (30 °C)  
Method: OECD Test Guideline 117  
GLP: yes

## 12.4 Mobility in soil

### Components:

**2,2'-(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Distribution among environmental compartments : Koc: 445

Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-((2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy)methyl)oxirane:

Distribution among environmental compartments : Koc: 4460  
Method: OECD Test Guideline 121

**Phenol, polymer with formaldehyde, glycidyl ether:**

Distribution among environmental compartments : Koc: 445

## 12.5 Results of PBT and vPvB assessment

**Product:**

**Assessment** : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

### 12.7 Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of contents and container in accordance with all local, regional, national and international regulations.  
Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

### 14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL A EPOXY RESIN, BISPHENOL F EPOXY RESIN)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL A EPOXY RESIN, BISPHENOL F EPOXY

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

RESIN)

**RID** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BISPHENOL A EPOXY RESIN, BISPHENOL F EPOXY RESIN)

**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BISPHENOL A EPOXY RESIN, BISPHENOL F EPOXY RESIN)

**IATA** : Environmentally hazardous substance, liquid, n.o.s.  
(BISPHENOL A EPOXY RESIN, BISPHENOL F EPOXY RESIN)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	: 9	
<b>ADR</b>	: 9	
<b>RID</b>	: 9	
<b>IMDG</b>	: 9	
<b>IATA</b>	: 9	

### 14.4 Packing group

**ADN**

Packing group : III

Classification Code : M6

Hazard Identification Number : 90

Labels : 9

**ADR**

Packing group : III

Classification Code : M6

Hazard Identification Number : 90

Labels : 9

Tunnel restriction code : (-)

**RID**

Packing group : III

Classification Code : M6

Hazard Identification Number : 90

Labels : 9

**IMDG**

Packing group : III

Labels : 9

EmS Code : F-A, S-F

**IATA (Cargo)**

Packing instruction (cargo aircraft) : 964

Packing instruction (LQ) : Y964

Packing group : III

Labels : Miscellaneous

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

### IATA (Passenger)

Packing instruction (passenger aircraft)	:	964
Packing instruction (LQ)	:	Y964
Packing group	:	III
Labels	:	Miscellaneous

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : yes

#### ADR

Environmentally hazardous : no

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	:	This product does not contain substances of very high concern.
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

Seveso III: Directive 2012/18/EU of the  
European Parliament and of the Council on the  
control of major-accident hazards involving

E2 ENVIRONMENTAL HAZARDS

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

dangerous substances.

Water hazard class : WGK 2 obviously hazardous to water  
(Germany) Classification according to AwSV, Annex 1 (5.2)

### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The ingredients of this product are reported in the following inventories:

DSL	: All components of this product are on the Canadian DSL
AIIC	: On the inventory, or in compliance with the inventory
ENCS	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory

### Inventories

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

## 15.2 Chemical Safety Assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

## SECTION 16: Other information

### Full text of H-Statements

H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

H319	: Causes serious eye irritation.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
DE DFG MAK	: Germany. MAK BAT Annex IIa
DE TRGS 527	: Germany. TRGS 527 - Activities with nanomaterials
DE TRGS 900	: Germany. TRGS 900 - Occupational exposure limit values.
DE DFG MAK / MAK	: MAK value
DE TRGS 527 / BM	: Assessment scale
DE TRGS 900 / AGW	: Time Weighted Average

### Further information

#### Classification of the mixture:

Skin Irrit. 2	H315
Eye Irrit. 2	H319
Skin Sens. 1	H317
Aquatic Chronic 2	H411

#### Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AV 138 M-2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.01.2025	400000015866	Date of first issue: 20.01.2025

Print Date 19.06.2025

PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.