

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AW 134

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2018  |
| 1.3     | 06.05.2022     | 400001009735 | Date of first issue: 17.05.2018 |

Print Date 23.04.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : ARALDITE® AW 134

Unique Formula Identifier (UFI) : GYM9-G0WD-200H-45WY

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Epoxy constituents

#### 1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe)BVBA

Address : Everslaan 45  
3078 Everberg  
Belgium

Telephone : +41 61 299 20 41

Telefax : +41 61 299 20 40

E-mail address of person responsible for the SDS : Global\_Product\_EHS\_AdMat@huntsman.com

#### 1.4 Emergency telephone number

Emergency telephone number : Centres Antipoison et de Toxicovigilance:

ANGERS: 02 41 48 21 21

BORDEAUX: 05 56 96 40 80

LILLE: 0 825 812 822

LYON: 04 72 11 69 11

MARSEILLE 04 91 75 25 25

NANCY: 03 83 32 36 36

PARIS: 01 40 05 48 48

RENNES: 02 99 59 22 22

STRASBOURG: 03 88 37 37 37

TOULOUSE: 05 61 77 74 47

EUROPE: +32 35 75 1234

France ORFILA: +33(0)145425959

ASIA: +65 6336-6011

China: +86 20 39377888  
+86 532 83889090

India: + 91 22 42 87 5333

Australia: 1800 786 152

New Zealand: 0800 767 437

USA: +1/800/424.9300

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AW 134

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2018  |
| 1.3     | 06.05.2022     | 400001009735 | Date of first issue: 17.05.2018 |

Print Date 23.04.2024

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

|                                      |                                                        |
|--------------------------------------|--------------------------------------------------------|
| Skin irritation, Category 2          | H315: Causes skin irritation.                          |
| Eye irritation, Category 2           | H319: Causes serious eye irritation.                   |
| Skin sensitisation, Category 1       | H317: May cause an allergic skin reaction.             |
| Chronic aquatic toxicity, Category 2 | H411: Toxic to aquatic life with long lasting effects. |

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

:



Signal word

: Warning

Hazard statements

|      |                                                  |
|------|--------------------------------------------------|
| H315 | Causes skin irritation.                          |
| H317 | May cause an allergic skin reaction.             |
| H319 | Causes serious eye irritation.                   |
| H411 | Toxic to aquatic life with long lasting effects. |

Precautionary statements

|                    |                                                                   |
|--------------------|-------------------------------------------------------------------|
| <b>Prevention:</b> |                                                                   |
| P261               | Avoid breathing mist or vapours.                                  |
| P264               | Wash skin thoroughly after handling.                              |
| P273               | Avoid release to the environment.                                 |
| P280               | Wear protective gloves/ eye protection/ face protection.          |
| <b>Response:</b>   |                                                                   |
| P333 + P313        | If skin irritation or rash occurs: Get medical advice/ attention. |
| P391               | Collect spillage.                                                 |

Hazardous components which must be listed on the label:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AW 134

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2018  |
| 1.3     | 06.05.2022     | 400001009735 | Date of first issue: 17.05.2018 |

Print Date 23.04.2024

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous components

| Chemical name                                                       | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number      | Classification                                                                                                                                                                                  | Concentration<br>(% w/w) |
|---------------------------------------------------------------------|------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane | 1675-54-3<br>216-823-5<br>603-073-00-2<br>01-2119456619-26 | Skin Irrit. 2; H315<br>Eye Irrit. 2; H319<br>Skin Sens. 1; H317<br>Aquatic Chronic 2; H411<br><br>specific concentration limit<br>Skin Irrit. 2; H315<br>>= 5 %<br>Eye Irrit. 2; H319<br>>= 5 % | >= 50 -<br>< 70          |

For explanation of abbreviations see section 16.

Both 25068-38-6 and 1675-54-3 can be used to describe the epoxy resin which is produced through the reaction of bisphenol A and epichlorohydrin

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Treat symptomatically.  
Get medical attention if symptoms occur.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.  
Avoid inhalation, ingestion and contact with skin and eyes.  
No action shall be taken involving any personal risk or without suitable training.  
It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : If skin irritation persists, call a physician.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AW 134

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2018  |
| 1.3     | 06.05.2022     | 400001009735 | Date of first issue: 17.05.2018 |

Print Date 23.04.2024

If on skin, rinse well with water.

If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : Exercise caution when using a high volume water jet as it may scatter and spread fire

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon oxides  
Halogenated compounds

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AW 134

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2018  |
| 1.3     | 06.05.2022     | 400001009735 | Date of first issue: 17.05.2018 |

Print Date 23.04.2024

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons.  
Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AW 134

Version 1.3      Revision Date: 06.05.2022      SDS Number: 400001009735      Date of last issue: 28.09.2018  
Date of first issue: 17.05.2018

Print Date 23.04.2024

Advice on common storage : For incompatible materials please refer to Section 10 of this SDS.

Recommended storage temperature : 2 - 40 °C

Further information on storage stability : Stable under normal conditions.

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name                                                      | End Use      | Exposure routes | Potential health effects   | Value               |
|---------------------------------------------------------------------|--------------|-----------------|----------------------------|---------------------|
| 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane | Workers      | Inhalation      | Long-term systemic effects | 4,93 mg/m3          |
|                                                                     | Workers      | Dermal          | Long-term systemic effects | 0,75 mg/kg bw/day   |
|                                                                     | Consumers    | Inhalation      | Long-term systemic effects | 0,87 mg/m3          |
|                                                                     | Consumers    | Dermal          | Long-term systemic effects | 0,0893 mg/kg bw/day |
| barium sulfate                                                      | Consumers    | Oral            | Long-term systemic effects | 0,5 mg/kg bw/day    |
|                                                                     | Workers      | Inhalation      | Long-term systemic effects | 10 mg/m3            |
|                                                                     | Workers      | Inhalation      | Long-term local effects    | 10 mg/m3            |
|                                                                     | Consumer use | Inhalation      | Long-term systemic effects | 10 mg/m3            |
|                                                                     | Consumer use | Oral            | Long-term systemic effects | 13000 mg/kg         |

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name                                                      | Environmental Compartment | Value                         |
|---------------------------------------------------------------------|---------------------------|-------------------------------|
| 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane | Fresh water               | 0,006 mg/l                    |
|                                                                     | Marine water              | 0,001 mg/l                    |
|                                                                     | Fresh water sediment      | 0,341 mg/kg dry weight (d.w.) |
|                                                                     | Marine sediment           | 0,034 mg/kg dry               |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AW 134

Version 1.3      Revision Date: 06.05.2022      SDS Number: 400001009735      Date of last issue: 28.09.2018  
Date of first issue: 17.05.2018

Print Date 23.04.2024

|                |                            |                               |
|----------------|----------------------------|-------------------------------|
|                |                            | weight (d.w.)                 |
|                | Soil                       | 0,065 mg/kg dry weight (d.w.) |
|                | Sewage treatment plant     | 10 mg/l                       |
|                | Secondary Poisoning        | 11 mg/kg                      |
| barium sulfate | Fresh water                | 115 µg/l                      |
|                | Sewage treatment plant     | 62,2 mg/l                     |
|                | Remarks:Assessment Factors |                               |
|                | Fresh water sediment       | 600,4 mg/kg                   |
|                | Remarks:Assessment Factors |                               |
|                | Soil                       | 207,7 mg/kg                   |
|                | Remarks:Assessment Factors |                               |

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Hand protection  
Material : butyl-rubber  
Break through time : > 8 h

Material : Nitrile rubber  
Break through time : 10 - 480 min

Material : Neoprene gloves  
Break through time : 10 - 480 min

Remarks : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines  
Equipment should conform to EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AW 134

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2018  |
| 1.3     | 06.05.2022     | 400001009735 | Date of first issue: 17.05.2018 |

Print Date 23.04.2024

|                                                  |                                                 |
|--------------------------------------------------|-------------------------------------------------|
| Colour                                           | : white                                         |
| Odour                                            | : slight                                        |
| Odour Threshold                                  | : No data is available on the product itself.   |
| pH                                               | : ca. 6 (25 °C)<br>Concentration: 500 g/l       |
| Melting point/freezing point                     | : No data is available on the product itself.   |
| Boiling point                                    | : > 200 °C                                      |
| Flash point                                      | : > 149 °C<br>Method: Pensky-Martens closed cup |
| Flammability (solid, gas)                        | : No data is available on the product itself.   |
| Upper explosion limit / Upper flammability limit | : No data is available on the product itself.   |
| Lower explosion limit / Lower flammability limit | : No data is available on the product itself.   |
| Vapour pressure                                  | : No data is available on the product itself.   |
| Relative vapour density                          | : No data is available on the product itself.   |
| Relative density                                 | : 1,4                                           |
| Density                                          | : No data is available on the product itself.   |
| Solubility(ies)<br>Water solubility              | : practically insoluble (20 °C)                 |
| Solubility in other solvents                     | : No data is available on the product itself.   |
| Partition coefficient: n-octanol/water           | : No data is available on the product itself.   |
| Auto-ignition temperature                        | : No data is available on the product itself.   |
| Decomposition temperature                        | : > 200 °C                                      |
| Viscosity<br>Viscosity, dynamic                  | : 20 - 40 Pas (25 °C)                           |

### 9.2 Other information

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AW 134

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2018  |
| 1.3     | 06.05.2022     | 400001009735 | Date of first issue: 17.05.2018 |

Print Date 23.04.2024

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

Conditions to avoid : None known.

#### 10.5 Incompatible materials

Materials to avoid : None known.

#### 10.6 Hazardous decomposition products

Hazardous decomposition products : carbon dioxide  
carbon monoxide  
Halogenated compounds

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

##### Components:

##### 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Acute oral toxicity : LD50 (Rat, female): > 2 000 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rat, male and female): > 2 000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

##### Skin corrosion/irritation

##### Components:

##### 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species : Rabbit  
Exposure time : 4 h  
Assessment : Irritating to skin.  
Method : OECD Test Guideline 404  
Result : Irritating to skin.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AW 134

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2018  |
| 1.3     | 06.05.2022     | 400001009735 | Date of first issue: 17.05.2018 |

Print Date 23.04.2024

### Serious eye damage/eye irritation

#### Components:

##### **2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

|            |                           |
|------------|---------------------------|
| Species    | : Rabbit                  |
| Assessment | : Irritating to eyes.     |
| Method     | : OECD Test Guideline 405 |
| Result     | : Irritating to eyes.     |

### Respiratory or skin sensitisation

#### Components:

##### **2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

|                 |                                                      |
|-----------------|------------------------------------------------------|
| Test Type       | : Local lymph node assay (LLNA)                      |
| Exposure routes | : Skin                                               |
| Species         | : Mouse                                              |
| Method          | : OECD Test Guideline 429                            |
| Result          | : The product is a skin sensitiser, sub-category 1B. |

### Germ cell mutagenicity

#### Components:

##### **2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

|                       |                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro | :<br>Test Type: In vitro mammalian cell gene mutation test<br>Test system: mouse lymphoma cells<br>Metabolic activation: without metabolic activation<br>Result: positive<br><br>Test Type: reverse mutation assay<br>Test system: Salmonella typhimurium<br>Metabolic activation: with and without metabolic activation<br>Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)<br>Result: negative |
| Genotoxicity in vivo  | :<br>Test Type: in vivo assay<br>Species: Mouse (male)<br>Cell type: Germ<br>Application Route: Oral<br>Dose: 3333, 10000 mg/kg<br>Result: negative<br><br>Test Type: gene mutation test<br>Species: Rat (male)<br>Cell type: Somatic<br>Application Route: Oral<br>Dose: 50,250,500,1000 mg/kg bw/day<br>Method: OECD Test Guideline 488<br>Result: negative                                                          |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AW 134

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2018  |
| 1.3     | 06.05.2022     | 400001009735 | Date of first issue: 17.05.2018 |

Print Date 23.04.2024

### Carcinogenicity

#### Components:

##### **2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

|                        |                                 |
|------------------------|---------------------------------|
| Species                | : Rat, male                     |
| Application Route      | : Oral                          |
| Exposure time          | : 24 month(s)                   |
| Dose                   | : 0, 2, 15, or 100 mg/kg bw/day |
| Frequency of Treatment | : 7 days/week                   |
| NOAEL                  | : 15 mg/kg bw/day               |
| Method                 | : OECD Test Guideline 453       |
| Result                 | : negative                      |
| Target Organs          | : Digestive organs              |

|                        |                                |
|------------------------|--------------------------------|
| Species                | : Mouse, male                  |
| Application Route      | : Dermal                       |
| Exposure time          | : 24 month(s)                  |
| Dose                   | : 0, 0.1, 10, 100 mg/kg bw/day |
| Frequency of Treatment | : 3 days/week                  |
| NOEL                   | : 0,1 mg/kg body weight        |
| Method                 | : OECD Test Guideline 453      |
| Result                 | : negative                     |
| Target Organs          | : Digestive organs             |

|                        |                               |
|------------------------|-------------------------------|
| Species                | : Rat, female                 |
| Application Route      | : Dermal                      |
| Exposure time          | : 24 month(s)                 |
| Dose                   | : 0.1, 100, 1000 mg/kg bw/day |
| Frequency of Treatment | : 5 days/week                 |
| NOEL                   | : 100 mg/kg body weight       |
| Method                 | : OECD Test Guideline 453     |
| Result                 | : negative                    |

|                        |                                 |
|------------------------|---------------------------------|
| Species                | : Rat, female                   |
| Application Route      | : Oral                          |
| Exposure time          | : 24 month(s)                   |
| Dose                   | : 0, 2, 15, or 100 mg/kg bw/day |
| Frequency of Treatment | : 7 days/week                   |
| NOAEL                  | : 100 mg/kg bw/day              |
| Method                 | : OECD Test Guideline 453       |
| Result                 | : negative                      |
| Target Organs          | : Digestive organs              |

|                        |                                 |
|------------------------|---------------------------------|
| Species                | : Rat, females                  |
| Application Route      | : Oral                          |
| Exposure time          | : 24 month(s)                   |
| Dose                   | : 0, 2, 15, or 100 mg/kg bw/day |
| Frequency of Treatment | : 7 days/week                   |
| NOEL                   | : 2 mg/kg bw/day                |
| Method                 | : OECD Test Guideline 453       |
| Result                 | : negative                      |
| Target Organs          | : Digestive organs              |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AW 134

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2018  |
| 1.3     | 06.05.2022     | 400001009735 | Date of first issue: 17.05.2018 |

Print Date 23.04.2024

### Reproductive toxicity

#### Components:

#### **2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Oral  
Dose: 0, 50, 180, 540 or 750 milligram per kilogram  
Duration of Single Treatment: 238 d  
Frequency of Treatment: 1 daily  
General Toxicity - Parent: NOEL: 540 mg/kg body weight  
General Toxicity F1: NOEL: 750 mg/kg body weight  
Symptoms: No adverse effects  
Method: OECD Test Guideline 416  
Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development : Species: Rabbit, female  
Application Route: Dermal  
Dose: 0, 30, 100 or 300 milligram per kilogram  
Duration of Single Treatment: 28 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: NOAEL: 30 mg/kg body weight  
Developmental Toxicity: NOAEL: 300 mg/kg body weight  
Method: Other guidelines  
Result: No teratogenic effects

Test Type: Pre-natal  
Species: Rabbit, female  
Application Route: Oral  
Dose: 0, 20, 60 or 180 milligram per kilogram  
Duration of Single Treatment: 13 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: NOAEL: 60 mg/kg body weight  
Developmental Toxicity: NOAEL: 180 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Test Type: Pre-natal  
Species: Rat, female  
Application Route: Oral  
Dose: 0, 60, 180 and 540 milligram per kilogram  
Duration of Single Treatment: 10 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: NOAEL: 180 mg/kg body weight  
Developmental Toxicity: NOAEL: > 540 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

#### **STOT - single exposure**

No data available

#### **STOT - repeated exposure**

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AW 134

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2018  |
| 1.3     | 06.05.2022     | 400001009735 | Date of first issue: 17.05.2018 |

Print Date 23.04.2024

### Repeated dose toxicity

#### Components:

##### **2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

|                     |                              |
|---------------------|------------------------------|
| Species             | : Rat, male and female       |
| NOAEL               | : 50 mg/kg                   |
| Application Route   | : oral (gavage)              |
| Exposure time       | : 14 Weeks                   |
| Number of exposures | : 7 d                        |
| Dose                | : 0, 50, 250, 1000 mg/kg/day |
| Method              | : OECD Test Guideline 408    |

|                     |                              |
|---------------------|------------------------------|
| Species             | : Rat, male and female       |
| NOAEL               | : >= 10 mg/kg                |
| Application Route   | : Skin contact               |
| Exposure time       | : 13 Weeks                   |
| Number of exposures | : 5 d                        |
| Dose                | : 0, 10, 100, 1000 mg/kg/day |
| Method              | : OECD Test Guideline 411    |

|                     |                           |
|---------------------|---------------------------|
| Species             | : Mouse, male             |
| NOAEL               | : 100 mg/kg               |
| Application Route   | : Skin contact            |
| Exposure time       | : 13 Weeks                |
| Number of exposures | : 3 d                     |
| Dose                | : 0, 1, 10, 100 mg/kg/day |
| Method              | : OECD Test Guideline 411 |

### Aspiration toxicity

No data available

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

|            |                                                                                                                                                                                                                                                              |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Assessment | : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### Experience with human exposure

No data available

### Toxicology, Metabolism, Distribution

No data available

### Neurological effects

No data available

### Further information

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AW 134

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2018  |
| 1.3     | 06.05.2022     | 400001009735 | Date of first issue: 17.05.2018 |

Print Date 23.04.2024

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Components:

##### **2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,8 mg/l  
Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 : 11 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: EPA-660/3-75-009

NOEC : 4,2 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: EPA-660/3-75-009

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Test Type: static test  
Test substance: Fresh water

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,3 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Test substance: Fresh water  
Method: OECD Test Guideline 211

##### **Ecotoxicology Assessment**

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

#### 12.2 Persistence and degradability

##### Components:

##### **2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge, non-adapted  
Concentration: 20 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 5 %

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AW 134

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue:             |
| 1.3     | 06.05.2022     | 400001009735 | 28.09.2018                      |
|         |                |              | Date of first issue: 17.05.2018 |

Print Date 23.04.2024

Exposure time: 28 d  
Method: OECD Test Guideline 301F

Stability in water : Degradation half life (DT50): 4,83 d (25 °C)  
pH: 4  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life (DT50): 7,1 d (25 °C)  
pH: 9  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life (DT50): 3,58 d (25 °C)  
pH: 7  
Method: OECD Test Guideline 111  
Remarks: Fresh water

### 12.3 Bioaccumulative potential

#### Components:

#### **2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Bioaccumulation : Bioconcentration factor (BCF): 31  
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3,242 (25 °C)  
pH: 7,1  
Method: OECD Test Guideline 117

### 12.4 Mobility in soil

#### Components:

#### **2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Distribution among environmental compartments : Koc: 445

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AW 134

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2018  |
| 1.3     | 06.05.2022     | 400001009735 | Date of first issue: 17.05.2018 |

Print Date 23.04.2024

### 12.7 Other adverse effects

**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of contents and container in accordance with all local, regional, national and international regulations.  
Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN : UN 3082  
ADR : UN 3082  
RID : UN 3082  
IMDG : UN 3082  
IATA : UN 3082

### 14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BISPHENOL A EPOXY RESIN)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BISPHENOL A EPOXY RESIN)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BISPHENOL A EPOXY RESIN)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BISPHENOL A EPOXY RESIN)

IATA : Environmentally hazardous substance, liquid, n.o.s.  
(BISPHENOL A EPOXY RESIN)

### 14.3 Transport hazard class(es)

ADN : 9

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AW 134

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2018  |
| 1.3     | 06.05.2022     | 400001009735 | Date of first issue: 17.05.2018 |

Print Date 23.04.2024

|             |   |   |
|-------------|---|---|
| <b>ADR</b>  | : | 9 |
| <b>RID</b>  | : | 9 |
| <b>IMDG</b> | : | 9 |
| <b>IATA</b> | : | 9 |

### 14.4 Packing group

#### ADN

|                              |   |     |
|------------------------------|---|-----|
| Packing group                | : | III |
| Classification Code          | : | M6  |
| Hazard Identification Number | : | 90  |
| Labels                       | : | 9   |

#### ADR

|                              |   |     |
|------------------------------|---|-----|
| Packing group                | : | III |
| Classification Code          | : | M6  |
| Hazard Identification Number | : | 90  |
| Labels                       | : | 9   |
| Tunnel restriction code      | : | (-) |

#### RID

|                              |   |     |
|------------------------------|---|-----|
| Packing group                | : | III |
| Classification Code          | : | M6  |
| Hazard Identification Number | : | 90  |
| Labels                       | : | 9   |

#### IMDG

|               |   |          |
|---------------|---|----------|
| Packing group | : | III      |
| Labels        | : | 9        |
| EmS Code      | : | F-A, S-F |

#### IATA (Cargo)

|                                      |   |               |
|--------------------------------------|---|---------------|
| Packing instruction (cargo aircraft) | : | 964           |
| Packing instruction (LQ)             | : | Y964          |
| Packing group                        | : | III           |
| Labels                               | : | Miscellaneous |

#### IATA (Passenger)

|                                          |   |               |
|------------------------------------------|---|---------------|
| Packing instruction (passenger aircraft) | : | 964           |
| Packing instruction (LQ)                 | : | Y964          |
| Packing group                            | : | III           |
| Labels                                   | : | Miscellaneous |

### 14.5 Environmental hazards

#### ADN

|                           |   |     |
|---------------------------|---|-----|
| Environmentally hazardous | : | yes |
|---------------------------|---|-----|

#### ADR

|                           |   |     |
|---------------------------|---|-----|
| Environmentally hazardous | : | yes |
|---------------------------|---|-----|

#### RID

|                           |   |     |
|---------------------------|---|-----|
| Environmentally hazardous | : | yes |
|---------------------------|---|-----|

#### IMDG

|                  |   |     |
|------------------|---|-----|
| Marine pollutant | : | yes |
|------------------|---|-----|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AW 134

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2018  |
| 1.3     | 06.05.2022     | 400001009735 | Date of first issue: 17.05.2018 |

Print Date 23.04.2024

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation : Not applicable  
(Annex XIV)

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E2 ENVIRONMENTAL  
HAZARDS

Occupational Illnesses (R- : 51  
461-3, France)

Installations classified for the : 4511  
protection of the environment  
(Environment Code R511-9)

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

DSL : This product contains one or several components listed in the Canadian NDSL.

AIIC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AW 134

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2018  |
| 1.3     | 06.05.2022     | 400001009735 | Date of first issue: 17.05.2018 |

Print Date 23.04.2024

|       |                                                                                                                                                  |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| ENCS  | : On the inventory, or in compliance with the inventory                                                                                          |
| KECI  | : Not in compliance with the inventory                                                                                                           |
| PICCS | : Not in compliance with the inventory                                                                                                           |
| IECSC | : Notified. Allowed to be imported / manufactured only by the notifiers. Please contact your Huntsman sales representative for more information. |
| TCSI  | : On the inventory, or in compliance with the inventory                                                                                          |
| TSCA  | : All substances listed as active on the TSCA inventory                                                                                          |

### Inventories

AICS (Australia), AIIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOIC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

### 15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

## SECTION 16: Other information

### Full text of H-Statements

|      |                                                    |
|------|----------------------------------------------------|
| H315 | : Causes skin irritation.                          |
| H317 | : May cause an allergic skin reaction.             |
| H319 | : Causes serious eye irritation.                   |
| H411 | : Toxic to aquatic life with long lasting effects. |

### Full text of other abbreviations

|                 |                            |
|-----------------|----------------------------|
| Aquatic Chronic | : Chronic aquatic toxicity |
| Eye Irrit.      | : Eye irritation           |
| Skin Irrit.     | : Skin irritation          |
| Skin Sens.      | : Skin sensitisation       |

### Further information

#### Classification of the mixture:

|                   |      |
|-------------------|------|
| Skin Irrit. 2     | H315 |
| Eye Irrit. 2      | H319 |
| Skin Sens. 1      | H317 |
| Aquatic Chronic 2 | H411 |

#### Classification procedure:

|                    |
|--------------------|
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AW 134

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2018  |
| 1.3     | 06.05.2022     | 400001009735 | Date of first issue: 17.05.2018 |

Print Date 23.04.2024

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.