



The Public Health and Safety Organization

## NSF Product and Service Listings

These NSF Official Listings are current as of **Tuesday, April 14, 2015** at 12:15 a.m. Eastern Time. Please [contact NSF International](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information: <http://info.nsf.org/Certified/food/Listings.asp?Standard=051&Company=13900&>

---

### NSF/ANSI 51 Food Equipment Materials

---

#### Dow Corning Corporation

2200 West Salzburg Road

P.O. Box 994

Mail No. C03101

Midland, MI 48686-0994

United States

989-496-4000

[Visit this company's website](#)

(<http://www.dowcorning.com>)

**Facility :** Elizabethtown, KY

Trade Designation	Color	Type of Food	Maximum Temperature of Use in °F
<b>Color Masterbatches for RTV Sealant for Food Zone[1] [2]</b>			
Xiameter® PGM-4570 Pigment	Almond	All food contact types	350°
Xiameter® PGM-4530 Pigment	Aluminum	All food contact types	350°
Xiameter® PGM-4500 Pigment	Black	All food contact types	350°
Xiameter® PGM-4520 Pigment	Blue	All food contact types	350°
Xiameter® PGM-4540 Pigment	Bronze	All food contact types	350°
Xiameter® PGM-4560 Pigment	Gray	All food contact types	350°
Xiameter® PGM-4561 Pigment	Light Gray	All food contact types	350°
Xiameter® PGM-4550 Pigment	Red	All food contact types	350°
Xiameter® PGM-4510 Pigment	White	All food contact types	350°

[1] To be blended at a ratio of 2% masterbatch with 98% approved Clear RTV Sealant.

[2] This material is only acceptable for repeated use.

**Facility : Greensboro, NC**

Trade Designation	Color	Type of Food	Maximum Temperature of Use in °F
<b>100% Silicone Sealant for Food Zone</b>			
Dow Corning® 4 Elect. Insul. Compound[1]	Natural	All food contact types	400°
Dow Corning® 7 Release Compound[1]	Natural	All food contact types	400°
Dow Corning® 732 Multi Purpose Sealant[1]	Aluminum	All food contact types	350°
Dow Corning® 732 Multi Purpose Sealant[1]	Black	All food contact types	350°
Dow Corning® 732 Multi Purpose Sealant[1]	Clear	All food contact types	350°
Dow Corning® 732 Multi Purpose Sealant[1]	White	All food contact types	350°
Dow Corning® 734 Flowable Sealant[1]	Clear	All food contact types	350°
Dow Corning® 734 Flowable Sealant[1]	White	All food contact types	350°
Dow Corning® 736 Series Heat Resistant Sealant[1]	Red	All food contact types	350°
Dow Corning® 748 Non-Corrosive Sealant[1]	White	All food contact types	350°
Dow Corning® HM-2500 Assembly Sealant	Clear	Alcohol greater than 8% Alcohol less than or equal to 8% Aqueous acidic Aqueous non-acidic Bakery products with no free fats or oils on surface Dry solids	120°
Dow Corning® HM-2510 Assembly Sealant	Clear	Alcohol greater than 8% Alcohol less than or equal to 8% Aqueous acidic Aqueous non-acidic Bakery products with no free fats or oils on surface Dry solids	120°
Dow Corning® HM-2515 Assembly Sealant	Clear	Alcohol greater than 8% Alcohol less than or equal to 8% Aqueous acidic Aqueous non-acidic Bakery products with no free fats or oils on surface Dry solids	120°

Dow Corning® HM-2520 Assembly Sealant	Clear	Alcohol greater than 8% Alcohol less than or equal to 8% Aqueous acidic Aqueous non-acidic Bakery products with no free fats or oils on surface Dry solids	120°
---------------------------------------	-------	---	------

[1] This material is only acceptable for repeated use and for use as a sealant.

#### Silicone Sealant for Food Zone

Molykote® 111 Compound[1]	Natural	All food contact types	400°
---------------------------	---------	------------------------	------

[1] This material is only acceptable for repeated use and for use as a sealant.

#### Facility : Shanghai, China

Trade Designation	Color	Type of Food	Maximum Temperature of Use in °F
<b>100% Silicone Sealant[1]</b>			
Dow Corning® 4 Elect. Insul. Compound	Natural	All food contact types	400°
Dow Corning® 7 Release Compound	Natural	All food contact types	400°

[1] This material is only acceptable for repeated use and for use as a sealant.

#### Silicone Sealant[1]

Molykote® 111 Compound	Natural	All food contact types	400°
------------------------	---------	------------------------	------

[1] This material is only acceptable for repeated use and for use as a sealant.

#### Facility : Wiesbaden, Germany

Trade Designation	Color	Type of Food	Maximum Temperature of Use in °F
<b>Silicone Sealant for Food Zone</b>			
Molykote® 111 Compound[1]	Natural	All food contact types	400°

[1] This material is only acceptable for repeated use and for use as a sealant.

---

Number of matching Manufacturers is 1

Number of matching Products is 86

Processing time was 0 seconds