

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 1571 BD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 21.03.2018  |
| 1.1     | 27.09.2018     | 400001009806 | Date of first issue: 21.03.2018 |

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : ARADUR® 1571 BD

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Hardener  
Substance/Mixture

#### 1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe)BVBA  
Address : Everslaan 45  
3078 Everberg  
Belgium  
Telephone : +41 61 299 20 41  
Telefax : +41 61 299 20 40

E-mail address of person : Global\_Product\_EHS\_AdMat@huntsman.com  
responsible for the SDS

#### 1.4 Emergency telephone number

Emergency telephone number : EUROPE: +32 35 75 1234  
France ORFILA: +33(0)145425959  
ASIA: +65 6336-6011  
China: +86 20 39377888  
+86 532 83889090  
India: + 91 22 42 87 5333  
Australia: 1800 786 152  
New Zealand: 0800 767 437  
USA: +1/800/424.9300

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

|                                                |                                                        |
|------------------------------------------------|--------------------------------------------------------|
| Skin irritation, Category 2                    | H315: Causes skin irritation.                          |
| Eye irritation, Category 2                     | H319: Causes serious eye irritation.                   |
| Skin sensitisation, Category 1                 | H317: May cause an allergic skin reaction.             |
| Long-term (chronic) aquatic hazard, Category 2 | H411: Toxic to aquatic life with long lasting effects. |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 1571 BD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 21.03.2018  |
| 1.1     | 27.09.2018     | 400001009806 | Date of first issue: 21.03.2018 |

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

:



Signal word

: Warning

Hazard statements

|      |                                                  |
|------|--------------------------------------------------|
| H315 | Causes skin irritation.                          |
| H317 | May cause an allergic skin reaction.             |
| H319 | Causes serious eye irritation.                   |
| H411 | Toxic to aquatic life with long lasting effects. |

Precautionary statements

|                    |                                                                   |
|--------------------|-------------------------------------------------------------------|
| <b>Prevention:</b> |                                                                   |
| P261               | Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.            |
| P264               | Wash skin thoroughly after handling.                              |
| P273               | Avoid release to the environment.                                 |
| P280               | Wear protective gloves/ eye protection/ face protection.          |
| <b>Response:</b>   |                                                                   |
| P333 + P313        | If skin irritation or rash occurs: Get medical advice/ attention. |
| P391               | Collect spillage.                                                 |

Hazardous components which must be listed on the label:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous components

| Chemical name                                                       | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number      | Classification                                                                                | Concentration<br>(% w/w) |
|---------------------------------------------------------------------|------------------------------------------------------------|-----------------------------------------------------------------------------------------------|--------------------------|
| 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane | 1675-54-3<br>216-823-5<br>603-073-00-2<br>01-2119456619-26 | Skin Irrit. 2; H315<br>Eye Irrit. 2; H319<br>Skin Sens. 1; H317<br>Aquatic Chronic 2;<br>H411 | >= 60 -<br>< 100         |

For explanation of abbreviations see section 16.

## ARADUR® 1571 BD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 21.03.2018  |
| 1.1     | 27.09.2018     | 400001009806 | Date of first issue: 21.03.2018 |

Both 25068-38-6 and 1675-54-3 can be used to describe the epoxy resin which is produced through the reaction of Bisphenol A and Epichlorohydrin

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- |                         |                                                                                                                                                                      |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice          | : Move out of dangerous area.<br>Show this safety data sheet to the doctor in attendance.<br>Treat symptomatically.<br>Get medical attention if symptoms occur.      |
| If inhaled              | : If inhaled, remove to fresh air.<br>Get medical attention if symptoms occur.                                                                                       |
| In case of skin contact | : If skin irritation persists, call a physician.<br>If on skin, rinse well with water.<br>If on clothes, remove clothes.                                             |
| In case of eye contact  | : Immediately flush eye(s) with plenty of water.<br>Remove contact lenses.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist. |
| If swallowed            | : Keep respiratory tract clear.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.                                  |

#### 4.2 Most important symptoms and effects, both acute and delayed

None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- |                                |                                                                                                           |
|--------------------------------|-----------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media   | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media | : High volume water jet                                                                                   |

#### 5.2 Special hazards arising from the substance or mixture

- |                                      |                                                                             |
|--------------------------------------|-----------------------------------------------------------------------------|
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products        | : Carbon oxides<br>Halogenated compounds                                    |

## ARADUR® 1571 BD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 21.03.2018  |
| 1.1     | 27.09.2018     | 400001009806 | Date of first issue: 21.03.2018 |

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Specific extinguishing methods : No data is available on the product itself.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.  
Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information.,  
For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

## ARADUR® 1571 BD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 21.03.2018  |
| 1.1     | 27.09.2018     | 400001009806 | Date of first issue: 21.03.2018 |

used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers.

Advice on common storage : For incompatible materials please refer to Section 10 of this SDS.

Recommended storage temperature : 2 - 8 °C

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name                                                      | End Use   | Exposure routes | Potential health effects              | Value              |
|---------------------------------------------------------------------|-----------|-----------------|---------------------------------------|--------------------|
| 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane | Workers   | Dermal          | Systemic effects, Short-term exposure | 8.33 mg/kg bw/day  |
|                                                                     | Workers   | Inhalation      | Systemic effects, Short-term exposure | 12.25 mg/m3        |
|                                                                     | Workers   | Dermal          | Systemic effects, Long-term exposure  | 8.33 mg/kg bw/day  |
|                                                                     | Workers   | Inhalation      | Systemic effects, Long-term exposure  | 12.25 mg/m3        |
|                                                                     | Consumers | Dermal          | Systemic effects, Short-term exposure | 3.571 mg/kg bw/day |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 1571 BD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 21.03.2018  |
| 1.1     | 27.09.2018     | 400001009806 | Date of first issue: 21.03.2018 |

|  |           |        |                                          |                       |
|--|-----------|--------|------------------------------------------|-----------------------|
|  | Consumers | Oral   | Systemic effects,<br>Short-term exposure | 0.75 mg/kg<br>bw/day  |
|  | Consumers | Dermal | Systemic effects,<br>Long-term exposure  | 3.571 mg/kg<br>bw/day |
|  | Consumers | Oral   | Systemic effects,<br>Long-term exposure  | 0.75 mg/kg<br>bw/day  |

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name                                                      | Environmental Compartment | Value        |
|---------------------------------------------------------------------|---------------------------|--------------|
| 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane | Fresh water               | 0.006 mg/l   |
| Remarks:                                                            | Assessment Factors        |              |
|                                                                     | Marine water              | 0.0006 mg/l  |
|                                                                     | Assessment Factors        |              |
|                                                                     | Freshwater - intermittent | 0.018 mg/l   |
|                                                                     | Assessment Factors        |              |
|                                                                     | Fresh water sediment      | 0.996 mg/kg  |
|                                                                     | Equilibrium method        |              |
|                                                                     | Marine sediment           | 0.0996 mg/kg |
|                                                                     | Equilibrium method        |              |
|                                                                     | Soil                      | 0.196 mg/kg  |
|                                                                     | Equilibrium method        |              |
|                                                                     | Sewage treatment plant    | 10 mg/l      |
|                                                                     | Assessment Factors        |              |
|                                                                     | Secondary Poisoning       | 11 mg/kg     |

## 8.2 Exposure controls

### Personal protective equipment

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Hand protection  
Material : butyl-rubber  
Break through time : > 8 h

Material : Nitrile rubber  
Break through time : 10 - 480 min

Material : Ethyl Vinyl Alcohol Laminate (EVAL)  
Break through time : > 8 h

## ARADUR® 1571 BD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 21.03.2018  |
| 1.1     | 27.09.2018     | 400001009806 | Date of first issue: 21.03.2018 |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Remarks                  | : The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The suitability for a specific workplace should be discussed with the producers of the protective gloves. |
| Skin and body protection | : Impervious clothing<br>Choose body protection according to the amount and concentration of the dangerous substance at the work place.                                                                                                                                                                                                                                                                                                                                                                                                         |
| Respiratory protection   | : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.                                                                                                                                                                                                                                                                                                                                                               |
| Filter type              | : Combined particulates and organic vapour type (A-P)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                           |                                                 |
|---------------------------|-------------------------------------------------|
| Appearance                | : paste                                         |
| Colour                    | : white                                         |
| Odour                     | : slight                                        |
| Odour Threshold           | : No data is available on the product itself.   |
| pH                        | : No data is available on the product itself.   |
| Freezing point            | : No data is available on the product itself.   |
| Melting point             | : No data is available on the product itself.   |
| Boiling point             | : No data is available on the product itself.   |
| Flash point               | : > 120 °C<br>Method: Pensky-Martens closed cup |
| Evaporation rate          | : No data is available on the product itself.   |
| Flammability (solid, gas) | : No data is available on the product itself.   |
| Burning rate              | : No data is available on the product itself.   |

## ARADUR® 1571 BD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 21.03.2018  |
| 1.1     | 27.09.2018     | 400001009806 | Date of first issue: 21.03.2018 |

|                                                  |                                                                                                        |
|--------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| Upper explosion limit / Upper flammability limit | : No data is available on the product itself.                                                          |
| Lower explosion limit / Lower flammability limit | : No data is available on the product itself.                                                          |
| Vapour pressure                                  | : < 0.0001 hPa (20 °C)<br>Method: Information given is based on data obtained from similar substances. |
| Relative vapour density                          | : No data is available on the product itself.                                                          |
| Relative density                                 | : No data is available on the product itself.                                                          |
| Density                                          | : 1.2 - 1.3 g/cm <sup>3</sup> (25 °C)<br>Method: DIN 55990                                             |
| Solubility(ies)<br>Water solubility              | : practically insoluble (20 °C)<br>Method: Measured                                                    |
| Solubility in other solvents                     | : No data is available on the product itself.                                                          |
| Partition coefficient: n-octanol/water           | : No data is available on the product itself.                                                          |
| Auto-ignition temperature                        | : No data is available on the product itself.                                                          |
| Decomposition temperature                        | : No data is available on the product itself.                                                          |
| Viscosity<br>Viscosity, dynamic                  | : 28,000 - 40,000 mPa.s (25 °C)                                                                        |
| Explosive properties                             | : No data is available on the product itself.                                                          |
| Oxidizing properties                             | : No data is available on the product itself.                                                          |

### 9.2 Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 1571 BD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 21.03.2018  |
| 1.1     | 27.09.2018     | 400001009806 | Date of first issue: 21.03.2018 |

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials

Materials to avoid : Strong acids and strong bases  
Strong oxidizing agents

### 10.6 Hazardous decomposition products

Hazardous decomposition products : carbon dioxide  
carbon monoxide  
Halogenated compounds

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : No data available

##### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

Acute toxicity (other routes of administration) : No data available

#### Skin corrosion/irritation

##### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit

Assessment: Mild skin irritant

Method: OECD Test Guideline 404

Result: Irritating to skin.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 1571 BD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 21.03.2018  |
| 1.1     | 27.09.2018     | 400001009806 | Date of first issue: 21.03.2018 |

### Serious eye damage/eye irritation

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit

Assessment: Mild eye irritant

Method: OECD Test Guideline 405

Result: Irritating to eyes.

### Respiratory or skin sensitisation

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Exposure routes: Skin

Species: Mouse

Assessment: May cause sensitisation by skin contact.

Method: OECD Test Guideline 429

Result: Causes sensitisation.

Assessment: No data available

### Germ cell mutagenicity

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: positive

: Concentration: 0 - 5000 ug/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: positive

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vivo : Cell type: Germ

Application Route: Oral

Method: OECD Test Guideline 478

Result: negative

Cell type: Somatic

Application Route: Oral

Dose: 0 - 5000 mg/kg

Method: OPPTS 870.5395

Result: negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 1571 BD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 21.03.2018  |
| 1.1     | 27.09.2018     | 400001009806 | Date of first issue: 21.03.2018 |

### Carcinogenicity

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rat, male and female

Application Route: Oral

Exposure time: 24 month(s)

Dose: 15 mg/kg

Frequency of Treatment: 7 days/week

Method: OECD Test Guideline 453

Result: negative

Species: Mouse, male

Application Route: Dermal

Exposure time: 24 month(s)

Dose: 0.1 mg/kg

Frequency of Treatment: 3 days/week

Method: OECD Test Guideline 453

Result: negative

Species: Rat, female

Application Route: Dermal

Exposure time: 24 month(s)

Dose: 1 mg/kg

Frequency of Treatment: 5 days/week

Method: OECD Test Guideline 453

Result: negative

Carcinogenicity - Assessment : No data available

### Reproductive toxicity

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

Dose: >750 milligram per kilogram

General Toxicity - Parent: No-observed-effect level: 540 mg/kg body weight

General Toxicity F1: No-observed-effect level: 540 mg/kg body weight

Symptoms: No adverse effects

Method: OECD Test Guideline 416

Result: No effects on fertility and early embryonic development were detected.

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Effects on foetal development : Species: Rabbit, female

Application Route: Dermal

General Toxicity Maternal: No observed adverse effect level:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 1571 BD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 21.03.2018  |
| 1.1     | 27.09.2018     | 400001009806 | Date of first issue: 21.03.2018 |

30 mg/kg body weight  
Method: Other guidelines  
Result: No teratogenic effects

Species: Rabbit, female  
Application Route: Oral  
General Toxicity Maternal: No observed adverse effect level:  
60 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Species: Rat, female  
Application Route: Oral  
General Toxicity Maternal: No observed adverse effect level:  
180 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Reproductive toxicity - Assessment : No data available

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

### Repeated dose toxicity

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rat, male and female

NOAEL: 50 mg/kg

Application Route: Ingestion

Exposure time: 14 WeeksNumber of exposures: 7 d

Method: Subchronic toxicity

Species: Rat, male and female

NOEL: 10 mg/kg

Application Route: Skin contact

Exposure time: 13 WeeksNumber of exposures: 5 d

Method: Subchronic toxicity

Species: Mouse, male

NOAEL: 100 mg/kg

Application Route: Skin contact

Exposure time: 13 WeeksNumber of exposures: 3 d

Method: Subchronic toxicity

Repeated dose toxicity - Assessment : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 1571 BD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 21.03.2018  |
| 1.1     | 27.09.2018     | 400001009806 | Date of first issue: 21.03.2018 |

### Aspiration toxicity

No data available

### Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

### Toxicology, Metabolism, Distribution

No data available

### Neurological effects

No data available

### Further information

Ingestion: No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.5 mg/l  
Exposure time: 96 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 2.7 mg/l  
aquatic invertebrates  
Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 1571 BD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 21.03.2018  |
| 1.1     | 27.09.2018     | 400001009806 | Date of first issue: 21.03.2018 |

|                                                                        |                                                                                                                                                                                 |
|------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to algae                                                      | : EC50 (Selenastrum capricornutum (green algae)): 9.4 mg/l<br>Exposure time: 72 h<br>Test Type: static test<br>Test substance: Fresh water<br>Method: EPA-660/3-75-009          |
| Toxicity to microorganisms                                             | : IC50 (activated sludge): > 100 mg/l<br>Exposure time: 3 h<br>Test Type: static test<br>Test substance: Fresh water                                                            |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC: 0.3 mg/l<br>Exposure time: 21 d<br>Species: Daphnia magna (Water flea)<br>Test Type: semi-static test<br>Test substance: Fresh water<br>Method: OECD Test Guideline 211 |

### 12.2 Persistence and degradability

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

|                  |                                                                                                                                                                                     |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Biodegradability | : Inoculum: Sewage (STP effluent)<br>Concentration: 20 mg/l<br>Result: Not readily biodegradable.<br>Biodegradation: 5 %<br>Exposure time: 28 d<br>Method: OECD Test Guideline 301F |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                    |                                                                                                                    |
|--------------------|--------------------------------------------------------------------------------------------------------------------|
| Stability in water | : Degradation half life (DT50): 4.83 d (25 °C)<br>pH: 4<br>Method: OECD Test Guideline 111<br>Remarks: Fresh water |
|--------------------|--------------------------------------------------------------------------------------------------------------------|

Degradation half life (DT50): 7.1 d (25 °C)  
pH: 9  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life (DT50): 3.58 d (25 °C)  
pH: 7  
Method: OECD Test Guideline 111  
Remarks: Fresh water

### 12.3 Bioaccumulative potential

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

|                 |                                                                         |
|-----------------|-------------------------------------------------------------------------|
| Bioaccumulation | : Bioconcentration factor (BCF): 31<br>Remarks: Does not bioaccumulate. |
|-----------------|-------------------------------------------------------------------------|

|                           |                          |
|---------------------------|--------------------------|
| Partition coefficient: n- | : log Pow: 3.242 (25 °C) |
|---------------------------|--------------------------|

## ARADUR® 1571 BD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 21.03.2018  |
| 1.1     | 27.09.2018     | 400001009806 | Date of first issue: 21.03.2018 |

octanol/water

pH: 7.1

Method: OECD Test Guideline 117

### 12.4 Mobility in soil

**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Distribution among : Koc: 445  
environmental compartments

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Other adverse effects

**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

|                        |                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product                | : The product should not be allowed to enter drains, water courses or the soil.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>Send to a licensed waste management company.<br>Dispose of as hazardous waste in compliance with local and national regulations.<br>Dispose of contents/ container to an approved waste disposal plant. |
| Contaminated packaging | : Empty remaining contents.<br>Dispose of as unused product.<br>Do not re-use empty containers.                                                                                                                                                                                                                                                                               |

## SECTION 14: Transport information

**IATA**

**14.1 UN number** : UN 3082

**14.2 UN proper shipping name** : Environmentally hazardous substance, liquid, n.o.s.  
(BISPHENOL A EPOXY RESIN)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 1571 BD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 21.03.2018  |
| 1.1     | 27.09.2018     | 400001009806 | Date of first issue: 21.03.2018 |

**14.3 Transport hazard class(es)** : 9  
**14.4 Packing group** : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964

**IATA (Passenger)**  
Environmentally hazardous : yes

**IATA (Cargo)**  
Environmentally hazardous : yes

### IMDG

**14.1 UN number** : UN 3082  
**14.2 UN proper shipping name** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BISPHENOL A EPOXY RESIN)  
**14.3 Transport hazard class(es)** : 9  
**14.4 Packing group** : III  
Labels : 9  
EmS Code : F-A, S-F  
**14.5 Environmental hazards**  
Marine pollutant : yes

### ADR

**14.1 UN number** : UN 3082  
**14.2 UN proper shipping name** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BISPHENOL A EPOXY RESIN)  
**14.3 Transport hazard class(es)** : 9  
**14.4 Packing group** : III  
Labels : 9  
**14.5 Environmental hazards**  
Environmentally hazardous : yes

### RID

**14.1 UN number** : UN 3082  
**14.2 UN proper shipping name** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BISPHENOL A EPOXY RESIN)  
**14.3 Transport hazard class(es)** : 9  
**14.4 Packing group** : III  
Labels : 9  
**14.5 Environmental hazards**  
Environmentally hazardous : yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 1571 BD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 21.03.2018  |
| 1.1     | 27.09.2018     | 400001009806 | Date of first issue: 21.03.2018 |

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

|                                                                                           |                                                                                                                     |
|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). | : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57). |
| REACH - List of substances subject to authorisation (Annex XIV)                           | : Not applicable                                                                                                    |
| REACH - List of substances subject to authorisation - Future sunset date                  | : Not applicable                                                                                                    |

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### The components of this product are reported in the following inventories:

|       |                                                          |
|-------|----------------------------------------------------------|
| DSL   | : All components of this product are on the Canadian DSL |
| AICS  | : On the inventory, or in compliance with the inventory  |
| NZIoC | : not determined                                         |
| ENCS  | : On the inventory, or in compliance with the inventory  |
| KECI  | : On the inventory, or in compliance with the inventory  |
| PICCS | : On the inventory, or in compliance with the inventory  |
| IECSC | : On the inventory, or in compliance with the inventory  |
| TCSI  | : On the inventory, or in compliance with the inventory  |
| TSCA  | : On the inventory, or in compliance with the inventory  |

#### Inventories

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 1571 BD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 21.03.2018  |
| 1.1     | 27.09.2018     | 400001009806 | Date of first issue: 21.03.2018 |

AICS (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

### 15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

## SECTION 16: Other information

### Full text of H-Statements

|      |                                                    |
|------|----------------------------------------------------|
| H315 | : Causes skin irritation.                          |
| H317 | : May cause an allergic skin reaction.             |
| H319 | : Causes serious eye irritation.                   |
| H411 | : Toxic to aquatic life with long lasting effects. |

### Full text of other abbreviations

|                 |                                      |
|-----------------|--------------------------------------|
| Aquatic Chronic | : Long-term (chronic) aquatic hazard |
| Eye Irrit.      | : Eye irritation                     |
| Skin Irrit.     | : Skin irritation                    |
| Skin Sens.      | : Skin sensitisation                 |

### Further information

#### Classification of the mixture:

|                   |      |
|-------------------|------|
| Skin Irrit. 2     | H315 |
| Eye Irrit. 2      | H319 |
| Skin Sens. 1      | H317 |
| Aquatic Chronic 2 | H411 |

#### Classification procedure:

|                    |
|--------------------|
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 1571 BD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 21.03.2018  |
| 1.1     | 27.09.2018     | 400001009806 | Date of first issue: 21.03.2018 |

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.