

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2020
3.0	29.11.2022	400001008624	Date of first issue: 20.11.2018

Print Date 11.12.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ARADUR® HY 1300 CH

Unique Formula Identifier (UFI) : WPT0-F0WT-5009-MK3M

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Component used for the manufacture of electrical insulation parts

1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe)BVBA

Address : Everslaan 45
3078 Everberg
Belgium

Telephone : +41 61 299 20 41

Telefax : +41 61 299 20 40

E-mail address of person responsible for the SDS : Global_Product_EHS_AdMat@huntsman.com

1.4 Emergency telephone number

Emergency telephone number : Centres Antipoison et de Toxicovigilance:

ANGERS: 02 41 48 21 21

BORDEAUX: 05 56 96 40 80

LILLE: 0 825 812 822

LYON: 04 72 11 69 11

MARSEILLE 04 91 75 25 25

NANCY: 03 83 32 36 36

PARIS: 01 40 05 48 48

RENNES: 02 99 59 22 22

STRASBOURG: 03 88 37 37 37

TOULOUSE: 05 61 77 74 47

EUROPE: +32 35 75 1234

France ORFILA: +33(0)145425959

ASIA: +65 6336-6011

China: +86 20 39377888
+86 532 83889090

India: + 91 22 42 87 5333

Australia: 1800 786 152

New Zealand: 0800 767 437

USA: +1 800-424-9300

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	29.11.2022	400001008624	06.05.2020
			Date of first issue: 20.11.2018

Print Date 11.12.2023

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 4	H312: Harmful in contact with skin.
Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 2	H361d: Suspected of damaging the unborn child.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H302 + H312 Harmful if swallowed or in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H361d Suspected of damaging the unborn child.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P391 Collect spillage.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	29.11.2022	400001008624	06.05.2020
			Date of first issue: 20.11.2018

Print Date 11.12.2023

Hazardous components which must be listed on the label:

Propylidynetrimethanol, propoxylated, reaction products with ammonia
Amines, polyethylenepoly-, triethylenetetramine fraction
salicylic acid

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Polyamines

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Propylidynetrimethanol, propoxylated, reaction products with ammonia	39423-51-3 500-105-6 01-2119556886-20	Acute Tox. 4; H302 Acute Tox. 4; H312 Eye Dam. 1; H318 Aquatic Chronic 2; H411 Acute toxicity estimate Acute oral toxicity: 550 mg/kg Acute dermal toxicity: 1 000,1 mg/kg	>= 70 - < 90
Amines, polyethylenepoly-, triethylenetetramine fraction	90640-67-8 292-588-2 01-2119487919-13	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 10 - < 20
salicylic acid	69-72-7 200-712-3 607-732-00-5 01-2119486984-17	Acute Tox. 4; H302 Eye Dam. 1; H318 Repr. 2; H361d	>= 3 - < 10

For explanation of abbreviations see section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	29.11.2022	400001008624	06.05.2020
			Date of first issue: 20.11.2018

Print Date 11.12.2023

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | |
|----------------------------|---|
| General advice | : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Treat symptomatically.
Get medical attention if symptoms occur. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection and use the recommended protective clothing
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Avoid inhalation, ingestion and contact with skin and eyes.
No action shall be taken involving any personal risk or without suitable training.
It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |
| If inhaled | : If inhaled, remove to fresh air.
Get medical attention if symptoms occur. |
| In case of skin contact | : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
If on skin, rinse well with water.
If on clothes, remove clothes. |
| In case of eye contact | : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital. |

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|-----------|--------------------------|
| Treatment | : Treat symptomatically. |
|-----------|--------------------------|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	29.11.2022	400001008624	06.05.2020
			Date of first issue: 20.11.2018

Print Date 11.12.2023

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : Exercise caution when using a high volume water jet as it may scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Ammonia
Carbon oxides
Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralise with acid.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	29.11.2022	400001008624	06.05.2020
			Date of first issue: 20.11.2018

Print Date 11.12.2023

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.
Do not breathe vapours or spray mist.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : When using do not eat or drink. When using do not smoke.
Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Keep in properly labelled containers.
- Advice on common storage : Do not store near acids.
- Further information on storage stability : Stable under normal conditions.
- Recommended storage temperature : 2 - 40 °C

7.3 Specific end use(s)

- Specific use(s) : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version
3.0

Revision Date:
29.11.2022

SDS Number:
400001008624

Date of last issue: 06.05.2020
Date of first issue: 20.11.2018

Print Date 11.12.2023

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Propylidynetrimethanol, propoxylated, reaction products with ammonia	Workers	Inhalation	Long-term systemic effects	14,1 mg/m ³
	Workers	Dermal	Long-term systemic effects	1,6 mg/kg bw/day
salicylic acid	Workers	Inhalation	Long-term systemic effects	5 mg/m ³
	Workers	Inhalation	Long-term local effects	5 mg/m ³
	Workers	Dermal	Long-term systemic effects	2,3 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	4 mg/m ³
	Consumers	Dermal	Long-term systemic effects	1 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	1 mg/kg bw/day
	Consumers	Oral	Acute effects, Short-term exposure	4 mg/kg bw/day
Amines, polyethylenepoly-, triethylenetetramine fraction	Workers	Inhalation	Long-term systemic effects	0,54 mg/m ³
	Consumers	Inhalation	Long-term systemic effects	0,096 mg/m ³
	Consumers	Oral	Long-term systemic effects	14 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Propylidynetrimethanol, propoxylated, reaction products with ammonia	Fresh water	0,004 mg/l
	Intermittent use/release	0,044 mg/l
	Marine water	0 mg/l
	Fresh water sediment	0,022 mg/kg dry weight (d.w.)
	Marine sediment	0,002 mg/kg dry weight (d.w.)
	Sewage treatment plant	10 mg/l
	Soil	0,002 mg/kg dry weight (d.w.)
salicylic acid	Marine water	0,02 mg/l
	Sewage treatment plant	162 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version
3.0

Revision Date:
29.11.2022

SDS Number:
400001008624

Date of last issue: 06.05.2020
Date of first issue: 20.11.2018

Print Date 11.12.2023

	Fresh water sediment	1,42 mg/kg dry weight (d.w.)
	Marine sediment	0,142 mg/kg dry weight (d.w.)
	Soil	0,166 mg/kg dry weight (d.w.)
	Secondary Poisoning	
Amines, polyethylenepoly-, triethylenetetramine fraction	Fresh water	0,027 mg/l
	Marine water	0,003 mg/l
	Sewage treatment plant	0,13 mg/l
	Fresh water sediment	8,572 mg/kg dry weight (d.w.)
	Marine sediment	0,857 mg/kg dry weight (d.w.)
	Soil	1,25 mg/kg dry weight (d.w.)

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Hand protection

Material : butyl-rubber
Break through time : > 8 h

Material : Nitrile rubber
Break through time : 10 - 480 min

Material : Ethyl Vinyl Alcohol Laminate (EVAL)
Break through time : > 8 h

Remarks : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).
Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	29.11.2022	400001008624	06.05.2020
			Date of first issue: 20.11.2018

Print Date 11.12.2023

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines
Equipment should conform to EN 14387

Filter type : Combined particulates and ammonia/amines type (K-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : light brown

Odour : amine-like

Odour Threshold : No data is available on the product itself.

pH : 11 (20 °C)
Concentration: 500 g/l

Melting point/freezing point : No data is available on the product itself.

Boiling point : > 200 °C

Flash point : > 150 °C
Method: Pensky-Martens closed cup

Flammability (solid, gas) : No data is available on the product itself.

Upper explosion limit / Upper flammability limit : No data is available on the product itself.

Lower explosion limit / Lower flammability limit : No data is available on the product itself.

Vapour pressure : < 1 hPa (20 °C)

Relative vapour density : No data is available on the product itself.

Relative density : 1 (25 °C)

Density : 1 g/cm³ (25 °C)

Solubility(ies)
Water solubility : partly miscible (20 °C)

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-octanol/water : No data is available on the product itself.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	29.11.2022	400001008624	06.05.2020
			Date of first issue: 20.11.2018

Print Date 11.12.2023

Auto-ignition temperature : No data is available on the product itself.

Decomposition temperature : > 200 °C

Viscosity
Viscosity, dynamic : 160 - 200 mPa.s (25 °C)

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Strong acids
Strong bases
Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products : ammonia, anhydrous
Aldehydes
Nitrogen oxides (NO_x)
carbon monoxide
carbon dioxide
Ketones

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: 624,28 mg/kg
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 1 213 mg/kg
Method: Calculation method

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	29.11.2022	400001008624	06.05.2020
			Date of first issue: 20.11.2018

Print Date 11.12.2023

Components:

Propylidynetrimethanol, propoxylated, reaction products with ammonia:

Acute oral toxicity : LD50 (Rat, female): 550 mg/kg
Method: OECD Test Guideline 425

Acute toxicity estimate: 550 mg/kg
Method: Calculation method

Acute dermal toxicity : LD50 (Rat, male and female): > 1 000 mg/kg
Method: OECD Test Guideline 402

Acute toxicity estimate: 1 000,1 mg/kg
Method: Calculation method

Amines, polyethylenepoly-, triethylenetetramine fraction:

Acute oral toxicity : LD50 (Rat, male and female): 1 716,2 mg/kg
Method: OECD Test Guideline 401
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute dermal toxicity : LD50 (Rabbit, male and female): 1 465,4 mg/kg
Method: OECD Test Guideline 402
Assessment: The component/mixture is moderately toxic after single contact with skin.

salicylic acid:

Acute oral toxicity : LD50 (Rat, male): 891 mg/kg
Method: OECD Test Guideline 401
GLP: no
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat, male): > 0,9 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2 000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Components:

Propylidynetrimethanol, propoxylated, reaction products with ammonia:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Mild skin irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	29.11.2022	400001008624	06.05.2020
			Date of first issue: 20.11.2018

Print Date 11.12.2023

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 431
Result : No skin irritation

Amines, polyethylenepoly-, triethylenetetramine fraction:

Species : reconstructed human epidermis (RhE)
Assessment : Causes burns.
Method : OECD Test Guideline 435
Result : Corrosive after 3 minutes to 1 hour of exposure

Species : Rabbit
Assessment : Causes burns.
Method : OECD Test Guideline 404
Result : Corrosive after 3 minutes to 1 hour of exposure

salicylic acid:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

Serious eye damage/eye irritation

Components:

Propylidynetrimethanol, propoxylated, reaction products with ammonia:

Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

Amines, polyethylenepoly-, triethylenetetramine fraction:

Species : Rabbit
Assessment : Risk of serious damage to eyes.
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

salicylic acid:

Species : Rabbit
Assessment : Risk of serious damage to eyes.
Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Components:

Propylidynetrimethanol, propoxylated, reaction products with ammonia:

Exposure routes : Skin
Species : Guinea pig
Assessment : Did not cause sensitisation on laboratory animals.
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2020
3.0	29.11.2022	400001008624	Date of first issue: 20.11.2018

Print Date 11.12.2023

Amines, polyethylenepoly-, triethylenetetramine fraction:

Exposure routes	: Skin
Species	: Guinea pig
Assessment	: Probability or evidence of skin sensitisation in humans
Method	: OECD Test Guideline 406
Result	: Probability or evidence of skin sensitisation in humans

salicylic acid:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitisation.

Germ cell mutagenicity

Components:

Propylidynetrimethanol, propoxylated, reaction products with ammonia:

Genotoxicity in vitro	: Test Type: reverse mutation assay Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
-----------------------	--

	: Test Type: unscheduled DNA synthesis assay Test system: rat hepatocytes Metabolic activation: Metabolic activation Method: OECD Test Guideline 482 Result: negative
--	---

	: Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative
--	---

Genotoxicity in vivo	: Test Type: In vivo micronucleus test Species: Mouse (male and female) Cell type: Bone marrow Application Route: Intraperitoneal injection Dose: 2.5 mg/kg Method: OECD Test Guideline 474 Result: negative
----------------------	--

Amines, polyethylenepoly-, triethylenetetramine fraction:

Genotoxicity in vitro	: Test Type: reverse mutation assay Test system: Salmonella typhimurium and E. coli Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: positive GLP: yes
-----------------------	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	29.11.2022	400001008624	06.05.2020
			Date of first issue: 20.11.2018

Print Date 11.12.2023

Test Type: Micronucleus test
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 487
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Cell type: Bone marrow
Application Route: Intraperitoneal injection
Dose: 0 - 600 mg/kg
Method: OECD Test Guideline 474
Result: negative

salicylic acid:

Genotoxicity in vitro : Test Type: reverse mutation assay
Test system: Salmonella tryphimurium and E. coli
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: sister chromatid exchange assay
Species: Mouse (male)
Cell type: Bone marrow
Application Route: Oral
Dose: 350 mg/kg
Method: OPPTS 870.5915
Result: negative

Test Type: sister chromatid exchange assay
Species: Mouse (male)
Cell type: Bone marrow
Application Route: Intraperitoneal injection
Dose: 20/50/100 mg/kg
Method: OPPTS 870.5915
Result: negative

Species: Mouse (male)
Cell type: Bone marrow
Application Route: Intraperitoneal injection

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	29.11.2022	400001008624	06.05.2020
			Date of first issue: 20.11.2018

Print Date 11.12.2023

Dose: 50/100/200 mg/kg
Method: OECD Test Guideline 475
Result: negative

Species: Mouse (male)
Cell type: Bone marrow
Application Route: Oral
Dose: 350 mg/kg
Method: OECD Test Guideline 475
Result: negative

Carcinogenicity

Components:

Amines, polyethylenepoly-, triethylenetetramine fraction:

Species : Mouse, male
Application Route : Dermal
NOAEL : ≥ 50 mg/kg bw/day
Method : OECD Test Guideline 451
Result : negative

Species : Mouse, male
Application Route : Dermal
Exposure time : 104 weeks
NOAEL : ≥ 20 mg/kg bw/day
Method : OECD Test Guideline 451
Result : negative

salicylic acid:

Species : Rat, male and female
Application Route : Oral
Exposure time : 24 month(s)
Dose : 0,50,250,500,1000 mg/kg
Frequency of Treatment : 7 daily
NOAEL : 500 mg/kg bw/day
Result : negative
Remarks : Information given is based on data obtained from similar substances.

Reproductive toxicity

Components:

Propylidynetrimethanol, propoxylated, reaction products with ammonia:

Effects on fertility : Test Type: Reproduction / Developmental Toxicity Screening Test
Species: Rat, male and female
Application Route: Dermal
Dose: 0, 10, 50, 100 mg/kg
General Toxicity - Parent: NOAEL: > 100 mg/kg body weight
General Toxicity F1: NOAEL: > 100 mg/kg body weight
Method: OECD Test Guideline 421
Result: No effects on fertility and early embryonic development were detected.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	29.11.2022	400001008624	06.05.2020
			Date of first issue: 20.11.2018

Print Date 11.12.2023

Effects on foetal development : Test Type: Pre-natal
Species: Rat, female
Application Route: Oral
Dose: 0/10/100/125/200 milligram per kilogram
Duration of Single Treatment: 16 d
General Toxicity Maternal: NOEL: 125 mg/kg body weight
Developmental Toxicity: NOEL: 125 mg/kg body weight
Method: OECD Test Guideline 414

Amines, polyethylenepoly-, triethylenetetramine fraction:

Effects on foetal development : Test Type: Pre-natal
Species: Rat
Application Route: Oral
Dose: 75/325/750 mg/kg bw/day
Duration of Single Treatment: 10 d
General Toxicity Maternal: NOAEL: $\geq$ 750 mg/kg body weight
Developmental Toxicity: NOAEL: $\geq$ 750 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects

Test Type: Pre-natal
Species: Rabbit
Application Route: Dermal
Dose: 5/50/125 mg/kg bw/day
Duration of Single Treatment: 13 d
General Toxicity Maternal: NOAEL: 50 mg/kg body weight
Developmental Toxicity: NOAEL: $\geq$ 125 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects

Reproductive toxicity - Assessment : The reprotoxic effects of Triethylenetetramine (TETA) are under further evaluation as part of the EU REACH program due in part to the aminoethyl ethanolamine (AEEA) content.

salicylic acid:

Effects on foetal development : Species: Rabbit, female
Application Route: Oral
Duration of Single Treatment: 3 - 13 d
General Toxicity Maternal: NOAEL: 125 mg/kg body weight
Developmental Toxicity: NOAEL: 250 mg/kg body weight
Method: OECD Test Guideline 414
Remarks: Information given is based on data obtained from similar substances.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

No data available

STOT - repeated exposure

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	29.11.2022	400001008624	06.05.2020
			Date of first issue: 20.11.2018

Print Date 11.12.2023

Repeated dose toxicity

Components:

Propylidynetrimethanol, propoxylated, reaction products with ammonia:

Species	: Rat, male and female
NOAEL	: ≥ 100 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Dose	: 0, 10, 75, 100, 150, 200 mg/kg
Method	: OECD Test Guideline 408

Species	: Rat, male and female
NOAEL	: > 160 mg/kg
Application Route	: Dermal
Exposure time	: 90 d 6 h
Number of exposures	: 5 days/week
Dose	: 0/16/50/160 mg/kg bw7day
Method	: OECD Test Guideline 411

Amines, polyethylenepoly-, triethylenetetramine fraction:

Species	: Rat, male and female
NOAEL	: 350 mg/kg
Application Route	: Oral
Exposure time	: 28 d
Number of exposures	: 7 d
Dose	: 100/350/1000 mg/kg bw/day
Method	: OECD Test Guideline 407
Target Organs	: Lungs
Remarks	: Information given is based on data obtained from similar substances.

Species	: Dog, male and female
NOAEL	: 125 mg/kg
Application Route	: Oral
Target Organs	: Lungs
Remarks	: Information given is based on data obtained from similar substances.

Species	: Dog, male and female
NOAEL	: 50 mg/kg
Application Route	: Oral
Method	: Subchronic toxicity
Remarks	: Information given is based on data obtained from similar substances.

Species	: Rat, male and female
NOAEL	: 50 mg/kg
Application Route	: Oral
Exposure time	: 26 weeks
Dose	: 50/175/600 mg/kg bw/day
Method	: OECD Test Guideline 408
Target Organs	: Lungs
Remarks	: Information given is based on data obtained from similar substances.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	29.11.2022	400001008624	06.05.2020
			Date of first issue: 20.11.2018

Print Date 11.12.2023

Species : Mouse, male and female
NOAEL : 92 mg/kg, 600 ppm
Application Route : Oral
Exposure time : 120/600/3000 ppm
Method : OECD Test Guideline 408
Remarks : Information given is based on data obtained from similar substances.

salicylic acid:

Species : Rat, male and female
NOAEL : 50 mg/kg
Application Route : oral (feed)
Exposure time : 2 yr
Number of exposures : 7 d
Dose : 0, 50, 250, 500, 1000 mg/kg bw
Method : Chronic toxicity
Remarks : Information given is based on data obtained from similar substances.

Species : Rat, female
NOEC : 700 mg/m³
Application Route : inhalation (vapour)
Exposure time : 7 h 4 Weeks
Number of exposures : 5 days/week
Dose : 635 mg/m³
Method : OECD Test Guideline 412
GLP : no
Remarks : Information given is based on data obtained from similar substances.

Aspiration toxicity

No data available

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	29.11.2022	400001008624	06.05.2020
			Date of first issue: 20.11.2018

Print Date 11.12.2023

Further information

No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

Propylidynetrimethanol, propoxylated, reaction products with ammonia:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 203
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 13 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 202
GLP: yes
- Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): 4,4 mg/l
Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 201
GLP: yes
- NOEC (Selenastrum capricornutum (green algae)): 1 mg/l
Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 201
GLP: yes
- Toxicity to microorganisms : EC50 (activated sludge): ca. 1 000 mg/l
Exposure time: 0,5 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 209
GLP: yes

Amines, polyethylenepoly-, triethylenetetramine fraction:

- Toxicity to fish : LC50 (Poecilia reticulata (guppy)): 570 mg/l
Exposure time: 96 h
Test Type: semi-static test
Test substance: Fresh water
Method: Directive 67/548/EEC, Annex V, C.1.
- LC50 (Leuciscus idus (Golden orfe)): 200 - 500 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	29.11.2022	400001008624	06.05.2020
			Date of first issue: 20.11.2018

Print Date 11.12.2023

- LC50 (Pimephales promelas (fathead minnow)): 330 mg/l
End point: mortality
Exposure time: 96 h
Test Type: static test
Test substance: Fresh water
Method: Fish Acute Toxicity Test
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 31,1 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: Directive 67/548/EEC, Annex V, C.2.
- Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): 20 mg/l
Exposure time: 72 h
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 201
- EC10 (Selenastrum capricornutum (green algae)): 1,34 mg/l
Exposure time: 72 h
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 201
- Toxicity to microorganisms : NOEC (Bacteria): ≥ 100 mg/l
Exposure time: 28 d
Method: OECD Test Guideline 216
- EC50 (Bacteria): > 100 mg/l
Exposure time: 28 h
Method: OECD Test Guideline 216
- EC50 (Bacteria): 15,7 mg/l
Exposure time: 2 h
Test Type: static test
Test substance: Fresh water
- NOEC (Bacteria): 1,3 mg/l
Exposure time: 2 h
Test Type: static test
Test substance: Fresh water
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 1,9 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 202
- Toxicity to soil dwelling organisms : NOEC: ca. 62,5 mg/kg
Exposure time: 56 d
Species: Eisenia fetida (earthworms)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	29.11.2022	400001008624	06.05.2020
			Date of first issue: 20.11.2018

Print Date 11.12.2023

Method: OECD Test Guideline 222

EC50: > 1 000 mg/kg

Exposure time: 56 d

Species: Eisenia fetida (earthworms)

Method: OECD Test Guideline 222

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

salicylic acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1 370 mg/l
Exposure time: 96 h
Test Type: flow-through test
Analytical monitoring: yes
Test substance: Fresh water
Method: OECD Test Guideline 203
GLP: no
Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 870 mg/l
Exposure time: 48 h
Test Type: static test
Analytical monitoring: yes
Test substance: Fresh water
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC (Pseudomonas putida): 162 mg/l
Exposure time: 16 h
Test Type: static test
Test substance: Fresh water
Method: ISO Method, other
Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 10 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 202

12.2 Persistence and degradability

Components:

Propylidynetrimethanol, propoxylated, reaction products with ammonia:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Result: Not readily biodegradable.
Biodegradation: < 5 %

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	29.11.2022	400001008624	06.05.2020
			Date of first issue: 20.11.2018

Print Date 11.12.2023

Exposure time: 28 d
Method: OECD Test Guideline 301F

Stability in water : Degradation half life (DT50): > 1 yr (25 °C)
pH: 7,5
Method: OECD Test Guideline 111
Remarks: Fresh water

Amines, polyethylenepoly-, triethylenetetramine fraction:

Biodegradability : Inoculum: activated sludge
Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 162 d
Method: OECD Test Guideline 301D
Test substance: Fresh water

Test Type: aerobic
Inoculum: activated sludge
Result: Not inherently biodegradable.
Biodegradation: 20 %
Related to: Dissolved organic carbon (DOC)
Exposure time: 84 d
Method: OECD Test Guideline 302A
Test substance: Fresh water

salicylic acid:

Biodegradability : Test Type: aerobic
Inoculum: Mixture
Concentration: 100 mg/l
Result: Readily biodegradable.
Biodegradation: 88,1 %
Related to: Biochemical oxygen demand
Exposure time: 14 d
Method: OECD Test Guideline 301C
GLP: No information available.

Test Type: aerobic
Inoculum: activated sludge, non-adapted
Result: Inherently biodegradable.
Biodegradation: > 90 %
Related to: Dissolved organic carbon (DOC)
Exposure time: 4 d
Method: Directive 67/548/EEC, Annex V, C.9
GLP: no

12.3 Bioaccumulative potential

Components:

Propylidynetrimethanol, propoxylated, reaction products with ammonia:

Partition coefficient: n-octanol/water : log Pow: -1,13 (20 - 25 °C)
pH: 12,7
Method: Partition coefficient

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	29.11.2022	400001008624	06.05.2020
			Date of first issue: 20.11.2018

Print Date 11.12.2023

Amines, polyethylenepoly-, triethylenetetramine fraction:

Partition coefficient: n-octanol/water : log Pow: -2,08 - 2,90 (20 °C)
Method: QSAR

salicylic acid:

Partition coefficient: n-octanol/water : log Pow: 2,25 (25 °C)
Method: OECD Test Guideline 117

12.4 Mobility in soil

Components:

Amines, polyethylenepoly-, triethylenetetramine fraction:

Distribution among environmental compartments : Koc: 3162,28, log Koc: 3,5
Method: OECD Test Guideline 106

salicylic acid:

Distribution among environmental compartments : Koc: 35
Method: OECD Test Guideline 121

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of contents and container in accordance with all local, regional, national and international regulations.
Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	29.11.2022	400001008624	06.05.2020
			Date of first issue: 20.11.2018

Print Date 11.12.2023

chemical or used container.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 2735
ADR	: UN 2735
RID	: UN 2735
IMDG	: UN 2735
IATA	: UN 2735

14.2 UN proper shipping name

ADN	: POLYAMINES, LIQUID, CORROSIVE, N.O.S. (TRIETHYLENETETRAMINE)
ADR	: POLYAMINES, LIQUID, CORROSIVE, N.O.S. (TRIETHYLENETETRAMINE)
RID	: POLYAMINES, LIQUID, CORROSIVE, N.O.S. (TRIETHYLENETETRAMINE)
IMDG	: POLYAMINES, LIQUID, CORROSIVE, N.O.S. (TRIETHYLENETETRAMINE)
IATA	: Polyamines, liquid, corrosive, n.o.s. (TRIETHYLENETETRAMINE)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 8	
ADR	: 8	
RID	: 8	
IMDG	: 8	
IATA	: 8	

14.4 Packing group

ADN	
Packing group	: II
Classification Code	: C7
Hazard Identification Number	: 80
Labels	: 8
ADR	
Packing group	: II
Classification Code	: C7
Hazard Identification Number	: 80

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2020
3.0	29.11.2022	400001008624	Date of first issue: 20.11.2018

Print Date 11.12.2023

Labels : 8
Tunnel restriction code : (E)

RID

Packing group : II
Classification Code : C7
Hazard Identification Number : 80
Labels : 8

IMDG

Packing group : II
Labels : 8
EmS Code : F-A, S-B

IATA (Cargo)

Packing instruction (cargo aircraft) : 855
Packing instruction (LQ) : Y840
Packing group : II
Labels : Corrosive

IATA (Passenger)

Packing instruction (passenger aircraft) : 851
Packing instruction (LQ) : Y840
Packing group : II
Labels : Corrosive

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes (TRIMETHYLOLPROPANE POLYOXYPROPYLENE TRIAMINE)

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation : Not applicable
(Annex XIV)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	29.11.2022	400001008624	06.05.2020
			Date of first issue: 20.11.2018

Print Date 11.12.2023

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

: This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Conditions of restriction for the following entries should be considered:
Number on list 3

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E2

ENVIRONMENTAL HAZARDS

Occupational Illnesses (R-461-3, France) : Not applicable

Installations classified for the protection of the environment (Environment Code R511-9) : 4511

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AIIC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2020
3.0	29.11.2022	400001008624	Date of first issue: 20.11.2018

Print Date 11.12.2023

Inventories

AICS (Australia), AIIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H312	: Harmful in contact with skin.
H314	: Causes severe skin burns and eye damage.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H361d	: Suspected of damaging the unborn child.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Repr.	: Reproductive toxicity
Skin Corr.	: Skin corrosion
Skin Sens.	: Skin sensitisation

Further information

Classification of the mixture:

Acute Tox. 4	H302
Acute Tox. 4	H312
Skin Corr. 1B	H314
Eye Dam. 1	H318
Skin Sens. 1	H317
Repr. 2	H361d
Aquatic Chronic 2	H411

Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARADUR® HY 1300 CH

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2020
3.0	29.11.2022	400001008624	Date of first issue: 20.11.2018

Print Date 11.12.2023

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.