

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.01.2023  |
| 1.2     | 05.12.2023     | 400001009508 | Date of first issue: 25.06.2018 |

Print Date 03.09.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : ARALDITE® MY 757

Unique Formula Identifier (UFI) : H11H-5086-P006-6R8T

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Component used for the manufacture of electrical insulation parts

Recommended restrictions on use : For industrial use only.

#### 1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe) BV

Address : Everslaan 45  
3078 Everberg  
Belgium

Telephone : +41 61 299 20 41

Telefax : +41 61 299 20 40

E-mail address of person responsible for the SDS : Global\_Product\_EHS\_AdMat@huntsman.com

#### 1.4 Emergency telephone number

Emergency telephone number : Centres Antipoison et de Toxicovigilance:

ANGERS: 02 41 48 21 21

BORDEAUX: 05 56 96 40 80

LILLE: 0 825 812 822

LYON: 04 72 11 69 11

MARSEILLE 04 91 75 25 25

NANCY: 03 83 32 36 36

PARIS: 01 40 05 48 48

RENNES: 02 99 59 22 22

STRASBOURG: 03 88 37 37 37

TOULOUSE: 05 61 77 74 47

EUROPE: +32 35 75 1234

France ORFILA: +33(0)145425959

ASIA: +65 6336-6011

China: +86 20 39377888

+86 532 83889090

India: + 91 22 42 87 5333

Australia: 1800 786 152

New Zealand: 0800 767 437

USA: +1 800-424-9300

**ARALDITE® MY 757**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.01.2023  |
| 1.2     | 05.12.2023     | 400001009508 | Date of first issue: 25.06.2018 |

Print Date 03.09.2024

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

|                                                |                                                        |
|------------------------------------------------|--------------------------------------------------------|
| Skin irritation, Category 2                    | H315: Causes skin irritation.                          |
| Eye irritation, Category 2                     | H319: Causes serious eye irritation.                   |
| Skin sensitisation, Category 1                 | H317: May cause an allergic skin reaction.             |
| Germ cell mutagenicity, Category 2             | H341: Suspected of causing genetic defects.            |
| Long-term (chronic) aquatic hazard, Category 2 | H411: Toxic to aquatic life with long lasting effects. |

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements :

|      |                                                  |
|------|--------------------------------------------------|
| H315 | Causes skin irritation.                          |
| H317 | May cause an allergic skin reaction.             |
| H319 | Causes serious eye irritation.                   |
| H341 | Suspected of causing genetic defects.            |
| H411 | Toxic to aquatic life with long lasting effects. |

Precautionary statements :

**Prevention:**

|      |                                                                                                   |
|------|---------------------------------------------------------------------------------------------------|
| P201 | Obtain special instructions before use.                                                           |
| P261 | Avoid breathing mist or vapours.                                                                  |
| P264 | Wash skin thoroughly after handling.                                                              |
| P273 | Avoid release to the environment.                                                                 |
| P280 | Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection. |

**Response:**

P391 Collect spillage.

#### Hazardous components which must be listed on the label:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane  
2,3-epoxypropyl o-tolyl ether

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

Version 1.2      Revision Date: 05.12.2023      SDS Number: 400001009508      Date of last issue: 25.01.2023  
Date of first issue: 25.06.2018

Print Date 03.09.2024

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Hazardous components

| Chemical name                                                       | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number      | Classification                                                                                                                                                                                | Concentration<br>(% w/w) |
|---------------------------------------------------------------------|------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane | 1675-54-3<br>216-823-5<br>603-073-00-2<br>01-2119456619-26 | Skin Irrit. 2; H315<br>Eye Irrit. 2; H319<br>Skin Sens. 1; H317<br>Aquatic Chronic 2; H411<br><br>specific concentration limit<br>Skin Irrit. 2; H315<br>≥ 5 %<br>Eye Irrit. 2; H319<br>≥ 5 % | ≥ 70 -<br>< 90           |
| 2,3-epoxypropyl o-tolyl ether                                       | 2210-79-9<br>218-645-3<br>603-056-00-X<br>01-2119966907-18 | Skin Irrit. 2; H315<br>Skin Sens. 1; H317<br>Muta. 2; H341<br>Aquatic Chronic 2; H411                                                                                                         | ≥ 25 -<br>< 30           |

For explanation of abbreviations see section 16.

Both 25068-38-6 and 1675-54-3 can be used to describe the epoxy resin which is produced through the reaction of bisphenol A and epichlorohydrin

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Treat symptomatically.  
Get medical attention if symptoms occur.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.01.2023  |
| 1.2     | 05.12.2023     | 400001009508 | Date of first issue: 25.06.2018 |

Print Date 03.09.2024

Avoid inhalation, ingestion and contact with skin and eyes.  
No action shall be taken involving any personal risk or without suitable training.  
It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

|                         |   |                                                                                                                                                                                                                                |
|-------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| If inhaled              | : | If inhaled, remove to fresh air.<br>Get medical attention if symptoms occur.                                                                                                                                                   |
| In case of skin contact | : | If skin irritation persists, call a physician.<br>If on skin, rinse well with water.<br>If on clothes, remove clothes.                                                                                                         |
| In case of eye contact  | : | Immediately flush eye(s) with plenty of water.<br>Remove contact lenses.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.                                                             |
| If swallowed            | : | Induce vomiting immediately and call a physician.<br>Keep respiratory tract clear.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>Take victim immediately to hospital. |

### 4.2 Most important symptoms and effects, both acute and delayed

|       |   |                                                                                                                                            |
|-------|---|--------------------------------------------------------------------------------------------------------------------------------------------|
| Risks | : | Causes skin irritation.<br>May cause an allergic skin reaction.<br>Causes serious eye irritation.<br>Suspected of causing genetic defects. |
|-------|---|--------------------------------------------------------------------------------------------------------------------------------------------|

### 4.3 Indication of any immediate medical attention and special treatment needed

|           |   |                        |
|-----------|---|------------------------|
| Treatment | : | Treat symptomatically. |
|-----------|---|------------------------|

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

|                                |   |                                                                                            |
|--------------------------------|---|--------------------------------------------------------------------------------------------|
| Suitable extinguishing media   | : | Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical |
| Unsuitable extinguishing media | : | Exercise caution when using a high volume water jet as it may scatter and spread fire      |

### 5.2 Special hazards arising from the substance or mixture

|                                      |   |                                                                           |
|--------------------------------------|---|---------------------------------------------------------------------------|
| Specific hazards during firefighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion                 | : | Carbon oxides                                                             |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.01.2023  |
| 1.2     | 05.12.2023     | 400001009508 | Date of first issue: 25.06.2018 |

Print Date 03.09.2024

products

Halogenated compounds

### 5.3 Advice for firefighters

- |                                               |   |                                                                                                                                                                                                                         |
|-----------------------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Special protective equipment for firefighters | : | Wear self-contained breathing apparatus for firefighting if necessary.                                                                                                                                                  |
| Specific extinguishing methods                | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                                                                                                 |
| Further information                           | : | Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- |                      |   |                                                                                                |
|----------------------|---|------------------------------------------------------------------------------------------------|
| Personal precautions | : | Use personal protective equipment.<br>Refer to protective measures listed in sections 7 and 8. |
|----------------------|---|------------------------------------------------------------------------------------------------|

### 6.2 Environmental precautions

- |                           |   |                                                                                                                                                                                         |
|---------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Environmental precautions | : | Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains inform respective authorities. |
|---------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### 6.3 Methods and material for containment and cleaning up

- |                         |   |                                                                                                                                                             |
|-------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Methods for cleaning up | : | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).<br>Keep in suitable, closed containers for disposal. |
|-------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------|

### 6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- |                         |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Advice on safe handling | : | Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons.<br>Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.<br>Do not breathe vapours/dust.<br>Avoid exposure - obtain special instructions before use.<br>Avoid contact with skin and eyes.<br>For personal protection see section 8.<br>Smoking, eating and drinking should be prohibited in the |
|-------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

Version 1.2      Revision Date: 05.12.2023      SDS Number: 400001009508      Date of last issue: 25.01.2023  
Date of first issue: 25.06.2018

Print Date 03.09.2024

application area.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Keep in properly labelled containers.

Advice on common storage : For incompatible materials please refer to Section 10 of this SDS.

Further information on storage stability : Stable under normal conditions.

Recommended storage temperature : 2 - 40 °C

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:**

| Substance name                                                      | End Use   | Exposure routes | Potential health effects   | Value               |
|---------------------------------------------------------------------|-----------|-----------------|----------------------------|---------------------|
| 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane | Workers   | Inhalation      | Long-term systemic effects | 4,93 mg/m3          |
|                                                                     | Workers   | Dermal          | Long-term systemic effects | 0,75 mg/kg bw/day   |
|                                                                     | Consumers | Inhalation      | Long-term systemic effects | 0,87 mg/m3          |
|                                                                     | Consumers | Dermal          | Long-term systemic effects | 0,0893 mg/kg bw/day |
|                                                                     | Consumers | Oral            | Long-term systemic effects | 0,5 mg/kg bw/day    |
| 2,3-epoxypropyl o-                                                  | Workers   | Inhalation      | Long-term systemic         | 0,46 mg/m3          |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

Version  
1.2

Revision Date:  
05.12.2023

SDS Number:  
400001009508

Date of last issue: 25.01.2023  
Date of first issue: 25.06.2018

Print Date 03.09.2024

|             |           |            |                            |             |
|-------------|-----------|------------|----------------------------|-------------|
| tolyl ether |           |            | effects                    |             |
|             | Workers   | Inhalation | Acute systemic effects     | 40 mg/m3    |
|             | Workers   | Inhalation | Long-term local effects    | 0,46 mg/m3  |
|             | Workers   | Inhalation | Acute local effects        | 40 mg/m3    |
|             | Workers   | Dermal     | Long-term systemic effects | 0,139 mg/kg |
|             | Consumers | Oral       | Long-term systemic effects | 0,14 mg/kg  |

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name                                                      | Environmental Compartment  | Value                         |
|---------------------------------------------------------------------|----------------------------|-------------------------------|
| 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane | Fresh water                | 0,006 mg/l                    |
|                                                                     | Marine water               | 0,001 mg/l                    |
|                                                                     | Fresh water sediment       | 0,341 mg/kg dry weight (d.w.) |
|                                                                     | Marine sediment            | 0,034 mg/kg dry weight (d.w.) |
|                                                                     | Soil                       | 0,065 mg/kg dry weight (d.w.) |
|                                                                     | Sewage treatment plant     | 10 mg/l                       |
|                                                                     | Secondary Poisoning        | 11 mg/kg                      |
| 2,3-epoxypropyl o-tolyl ether                                       | Fresh water                | 2,8 µg/l                      |
|                                                                     | Remarks:Assessment Factors |                               |
|                                                                     | Marine water               | 0,28 µg/l                     |
|                                                                     | Remarks:Assessment Factors |                               |
|                                                                     | Freshwater - intermittent  | 28 µg/l                       |
|                                                                     | Remarks:Assessment Factors |                               |
|                                                                     | Sewage treatment plant     | 10 mg/l                       |
|                                                                     | Remarks:Assessment Factors |                               |
|                                                                     | Fresh water sediment       | 0,039 mg/kg                   |
|                                                                     | Remarks:Assessment Factors |                               |
|                                                                     | Marine sediment            | 0,0039 mg/kg                  |
|                                                                     | Soil                       | 0,012 mg/kg                   |
|                                                                     | Remarks:Assessment Factors |                               |

## 8.2 Exposure controls

### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

### Hand protection

Material : butyl-rubber  
Break through time : > 8 h

Material : Solvent-resistant gloves (butyl-rubber)

Material : Nitrile rubber  
Break through time : 10 - 480 min

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue:             |
| 1.2     | 05.12.2023     | 400001009508 | 25.01.2023                      |
|         |                |              | Date of first issue: 25.06.2018 |

Print Date 03.09.2024

Material : Neoprene gloves

Remarks : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.  
  
Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines  
Equipment should conform to EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : Clear

Odour : slight

Odour Threshold : No data is available on the product itself.

Melting point/freezing point : No data is available on the product itself.

Boiling point : > 200 °C

Flammability (solid, gas) : No data is available on the product itself.

Lower explosion limit / Lower flammability limit : No data is available on the product itself.

Upper explosion limit / Upper flammability limit : No data is available on the product itself.

Flash point : 138 °C  
Method: Pensky-Martens closed cup

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.01.2023  |
| 1.2     | 05.12.2023     | 400001009508 | Date of first issue: 25.06.2018 |

Print Date 03.09.2024

Auto-ignition temperature : No data is available on the product itself.

Decomposition temperature : > 200 °C

pH : substance/mixture is non-soluble (in water)

Viscosity  
Viscosity, dynamic : 450 - 650 mPa.s (25 °C)

Solubility(ies)  
Water solubility : practically insoluble (20 °C)

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-octanol/water : No data is available on the product itself.

Vapour pressure : 0,01 hPa (20 °C)

Density : 1,2 g/cm<sup>3</sup> (20 °C)

Relative density : 1,2 (20 °C)

Relative vapour density : No data is available on the product itself.

Particle characteristics : No data is available on the product itself.

### 9.2 Other information

No data is available on the product itself.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials

Materials to avoid : Strong acids  
Strong bases

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.01.2023  |
| 1.2     | 05.12.2023     | 400001009508 | Date of first issue: 25.06.2018 |

Print Date 03.09.2024

Strong oxidizing agents

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

Hazardous decomposition products : carbon dioxide  
carbon monoxide  
Halogenated compounds

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### Components:

##### 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Acute oral toxicity : LD50 (Rat, female): > 2 000 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rat, male and female): > 2 000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

##### 2,3-epoxypropyl o-tolyl ether:

Acute oral toxicity : LD50 (Rat, male and female): > 5 000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 6100 ppb  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403

#### Skin corrosion/irritation

Causes skin irritation.

#### Components:

##### 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species : Rabbit  
Exposure time : 4 h  
Assessment : Irritating to skin.  
Method : OECD Test Guideline 404  
Result : Irritating to skin.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.01.2023  |
| 1.2     | 05.12.2023     | 400001009508 | Date of first issue: 25.06.2018 |

Print Date 03.09.2024

### 2,3-epoxypropyl o-tolyl ether:

|            |                          |
|------------|--------------------------|
| Assessment | : Irritating to skin.    |
| Result     | : Severe skin irritation |

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Components:

#### 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

|            |                           |
|------------|---------------------------|
| Species    | : Rabbit                  |
| Assessment | : Irritating to eyes.     |
| Method     | : OECD Test Guideline 405 |
| Result     | : Irritating to eyes.     |

### 2,3-epoxypropyl o-tolyl ether:

|            |                                |
|------------|--------------------------------|
| Species    | : Rabbit                       |
| Assessment | : No eye irritation            |
| Method     | : OECD Test Guideline 405      |
| Result     | : Normally reversible injuries |

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified due to lack of data.

### Components:

#### 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

|                 |                                                      |
|-----------------|------------------------------------------------------|
| Test Type       | : Local lymph node assay (LLNA)                      |
| Exposure routes | : Skin                                               |
| Species         | : Mouse                                              |
| Method          | : OECD Test Guideline 429                            |
| Result          | : The product is a skin sensitizer, sub-category 1B. |

### 2,3-epoxypropyl o-tolyl ether:

|                 |                                            |
|-----------------|--------------------------------------------|
| Exposure routes | : Skin                                     |
| Species         | : Guinea pig                               |
| Assessment      | : May cause sensitisation by skin contact. |
| Method          | : OECD Test Guideline 406                  |
| Result          | : May cause sensitisation by skin contact. |

### Germ cell mutagenicity

Suspected of causing genetic defects.

### Components:

#### 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

|                       |                                                                                                                                                    |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro | : Test Type: In vitro mammalian cell gene mutation test<br>Test system: mouse lymphoma cells<br>Metabolic activation: without metabolic activation |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.01.2023  |
| 1.2     | 05.12.2023     | 400001009508 | Date of first issue: 25.06.2018 |

Print Date 03.09.2024

Result: positive

Test Type: reverse mutation assay  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
Result: negative

Genotoxicity in vivo : Test Type: in vivo assay  
Species: Mouse (male)  
Cell type: Germ  
Application Route: Oral  
Dose: 3333, 10000 mg/kg  
Result: negative

Test Type: gene mutation test  
Species: Rat (male)  
Cell type: Somatic  
Application Route: Oral  
Dose: 50,250,500,1000 mg/kg bw/day  
Method: OECD Test Guideline 488  
Result: negative

### 2,3-epoxypropyl o-tolyl ether:

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: positive

Genotoxicity in vivo : Application Route: Oral  
Dose: 2000 mg/kg  
Method: OECD Test Guideline 474  
Result: negative

Application Route: Dermal  
Exposure time: 5 d  
Dose: 500 mg/kg  
Result: negative

Application Route: Dermal  
Exposure time: 8 Weeks  
Dose: 1.5 mg/kg  
Method: OECD Test Guideline 478  
Result: positive

Germ cell mutagenicity-Assessment : Positive results from in vitro mammalian mutagenicity assays, chemical structure activity relationship to known germ cell mutage

### Carcinogenicity

Not classified due to lack of data.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.01.2023  |
| 1.2     | 05.12.2023     | 400001009508 | Date of first issue: 25.06.2018 |

Print Date 03.09.2024

### Components:

#### **2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

|                        |                                 |
|------------------------|---------------------------------|
| Species                | : Rat, male                     |
| Application Route      | : Oral                          |
| Exposure time          | : 24 month(s)                   |
| Dose                   | : 0, 2, 15, or 100 mg/kg bw/day |
| Frequency of Treatment | : 7 days/week                   |
| NOAEL                  | : 15 mg/kg bw/day               |
| Method                 | : OECD Test Guideline 453       |
| Result                 | : negative                      |
| Target Organs          | : Digestive organs              |

|                        |                                |
|------------------------|--------------------------------|
| Species                | : Mouse, male                  |
| Application Route      | : Dermal                       |
| Exposure time          | : 24 month(s)                  |
| Dose                   | : 0, 0.1, 10, 100 mg/kg bw/day |
| Frequency of Treatment | : 3 days/week                  |
| NOEL                   | : 0,1 mg/kg body weight        |
| Method                 | : OECD Test Guideline 453      |
| Result                 | : negative                     |
| Target Organs          | : Digestive organs             |

|                        |                               |
|------------------------|-------------------------------|
| Species                | : Rat, female                 |
| Application Route      | : Dermal                      |
| Exposure time          | : 24 month(s)                 |
| Dose                   | : 0.1, 100, 1000 mg/kg bw/day |
| Frequency of Treatment | : 5 days/week                 |
| NOEL                   | : 100 mg/kg body weight       |
| Method                 | : OECD Test Guideline 453     |
| Result                 | : negative                    |

|                        |                                 |
|------------------------|---------------------------------|
| Species                | : Rat, female                   |
| Application Route      | : Oral                          |
| Exposure time          | : 24 month(s)                   |
| Dose                   | : 0, 2, 15, or 100 mg/kg bw/day |
| Frequency of Treatment | : 7 days/week                   |
| NOAEL                  | : 100 mg/kg bw/day              |
| Method                 | : OECD Test Guideline 453       |
| Result                 | : negative                      |
| Target Organs          | : Digestive organs              |

|                        |                                 |
|------------------------|---------------------------------|
| Species                | : Rat, females                  |
| Application Route      | : Oral                          |
| Exposure time          | : 24 month(s)                   |
| Dose                   | : 0, 2, 15, or 100 mg/kg bw/day |
| Frequency of Treatment | : 7 days/week                   |
| NOEL                   | : 2 mg/kg bw/day                |
| Method                 | : OECD Test Guideline 453       |
| Result                 | : negative                      |
| Target Organs          | : Digestive organs              |

### **Reproductive toxicity**

Not classified due to lack of data.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.01.2023  |
| 1.2     | 05.12.2023     | 400001009508 | Date of first issue: 25.06.2018 |

Print Date 03.09.2024

### Components:

#### **2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

|                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility          | : Test Type: Two-generation study<br>Species: Rat, male and female<br>Application Route: Oral<br>Dose: 0, 50, 180, 540 or 750 milligram per kilogram<br>Duration of Single Treatment: 238 d<br>Frequency of Treatment: 1 daily<br>General Toxicity - Parent: NOEL: 540 mg/kg body weight<br>General Toxicity F1: NOEL: 750 mg/kg body weight<br>Symptoms: No adverse effects<br>Method: OECD Test Guideline 416<br>Result: No effects on fertility and early embryonic development were detected.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Effects on foetal development | : Species: Rabbit, female<br>Application Route: Dermal<br>Dose: 0, 30, 100 or 300 milligram per kilogram<br>Duration of Single Treatment: 28 d<br>Frequency of Treatment: 1 daily<br>General Toxicity Maternal: NOAEL: 30 mg/kg body weight<br>Developmental Toxicity: NOAEL: 300 mg/kg body weight<br>Method: Other guidelines<br>Result: No teratogenic effects<br><br>Test Type: Pre-natal<br>Species: Rabbit, female<br>Application Route: Oral<br>Dose: 0, 20, 60 or 180 milligram per kilogram<br>Duration of Single Treatment: 13 d<br>Frequency of Treatment: 1 daily<br>General Toxicity Maternal: NOAEL: 60 mg/kg body weight<br>Developmental Toxicity: NOAEL: 180 mg/kg body weight<br>Method: OECD Test Guideline 414<br>Result: No teratogenic effects<br><br>Test Type: Pre-natal<br>Species: Rat, female<br>Application Route: Oral<br>Dose: 0, 60, 180 and 540 milligram per kilogram<br>Duration of Single Treatment: 10 d<br>Frequency of Treatment: 1 daily<br>General Toxicity Maternal: NOAEL: 180 mg/kg body weight<br>Developmental Toxicity: NOAEL: > 540 mg/kg body weight<br>Method: OECD Test Guideline 414<br>Result: No teratogenic effects |

#### **STOT - single exposure**

Not classified due to lack of data.

#### **STOT - repeated exposure**

Not classified due to lack of data.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.01.2023  |
| 1.2     | 05.12.2023     | 400001009508 | Date of first issue: 25.06.2018 |

Print Date 03.09.2024

### Repeated dose toxicity

#### Components:

##### **2,2'-'[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

|                     |                              |
|---------------------|------------------------------|
| Species             | : Rat, male and female       |
| NOAEL               | : 50 mg/kg                   |
| Application Route   | : oral (gavage)              |
| Exposure time       | : 14 Weeks                   |
| Number of exposures | : 7 d                        |
| Dose                | : 0, 50, 250, 1000 mg/kg/day |
| Method              | : OECD Test Guideline 408    |

|                     |                              |
|---------------------|------------------------------|
| Species             | : Rat, male and female       |
| NOAEL               | : >= 10 mg/kg                |
| Application Route   | : Skin contact               |
| Exposure time       | : 13 Weeks                   |
| Number of exposures | : 5 d                        |
| Dose                | : 0, 10, 100, 1000 mg/kg/day |
| Method              | : OECD Test Guideline 411    |

|                     |                           |
|---------------------|---------------------------|
| Species             | : Mouse, male             |
| NOAEL               | : 100 mg/kg               |
| Application Route   | : Skin contact            |
| Exposure time       | : 13 Weeks                |
| Number of exposures | : 3 d                     |
| Dose                | : 0, 1, 10, 100 mg/kg/day |
| Method              | : OECD Test Guideline 411 |

##### **2,3-epoxypropyl o-tolyl ether:**

|                     |                           |
|---------------------|---------------------------|
| Species             | : Rat, male and female    |
| NOEC                | : 4 ppm                   |
| Test atmosphere     | : vapour                  |
| Exposure time       | : 672 h                   |
| Number of exposures | : 6 h                     |
| Method              | : OECD Test Guideline 412 |

### Aspiration toxicity

Not classified due to lack of data.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

|            |                                                                                                                                                                                                                                                              |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Assessment | : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### Experience with human exposure

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.01.2023  |
| 1.2     | 05.12.2023     | 400001009508 | Date of first issue: 25.06.2018 |

Print Date 03.09.2024

### Toxicology, Metabolism, Distribution

No data available

### Neurological effects

No data available

### Further information

No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### **2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1,8 mg/l  
aquatic invertebrates  
Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 : 11 mg/l  
plants  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: EPA-660/3-75-009

NOEC : 4,2 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: EPA-660/3-75-009

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Test Type: static test  
Test substance: Fresh water

Toxicity to daphnia and other : NOEC: 0,3 mg/l  
aquatic invertebrates  
Exposure time: 21 d  
(Chronic toxicity) Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Test substance: Fresh water  
Method: OECD Test Guideline 211

### Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

#### **2,3-epoxypropyl o-tolyl ether:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.01.2023  |
| 1.2     | 05.12.2023     | 400001009508 | Date of first issue: 25.06.2018 |

Print Date 03.09.2024

Toxicity to fish : LC50 : 13 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,8 - 5,1 mg/l  
Exposure time: 96 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 203

LC50 (Brachydanio rerio (zebrafish)): ca. 6,5 mg/l  
Exposure time: 96 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): ca. 3,3 mg/l  
Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 5,1 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 201

Toxicity to microorganisms : IC50 : > 100 mg/l  
Exposure time: 3 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 209

### 12.2 Persistence and degradability

#### Components:

#### **2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge, non-adapted  
Concentration: 20 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

Stability in water : Degradation half life (DT50): 4,83 d (25 °C)  
pH: 4  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life (DT50): 7,1 d (25 °C)  
pH: 9  
Method: OECD Test Guideline 111

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue:             |
| 1.2     | 05.12.2023     | 400001009508 | 25.01.2023                      |
|         |                |              | Date of first issue: 25.06.2018 |

Print Date 03.09.2024

Remarks: Fresh water

Degradation half life (DT50): 3,58 d (25 °C)

pH: 7

Method: OECD Test Guideline 111

Remarks: Fresh water

### 2,3-epoxypropyl o-tolyl ether:

Biodegradability : Inoculum: activated sludge  
Concentration: 10 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 17 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

Stability in water : Degradation half life (DT50): 10,5 hrs (25 °C)  
pH: 4  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life (DT50): 9,4 hrs (25 °C)

pH: 7

Method: OECD Test Guideline 111

Remarks: Fresh water

Degradation half life (DT50): 8,96 hrs (25 °C)

pH: 9

Method: OECD Test Guideline 111

Remarks: Fresh water

## 12.3 Bioaccumulative potential

### Components:

#### 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Bioaccumulation : Bioconcentration factor (BCF): 31  
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3,242 (25 °C)  
pH: 7,1  
Method: OECD Test Guideline 117

### 2,3-epoxypropyl o-tolyl ether:

Partition coefficient: n-octanol/water : log Pow: 2,5 (21 °C)  
Method: OECD Test Guideline 107

## 12.4 Mobility in soil

### Components:

#### 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Distribution among environmental compartments : Koc: 445

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.01.2023  |
| 1.2     | 05.12.2023     | 400001009508 | Date of first issue: 25.06.2018 |

Print Date 03.09.2024

### 2,3-epoxypropyl o-tolyl ether:

Distribution among environmental compartments : Koc: ca. 210  
Method: OECD Test Guideline 121

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

## 12.7 Other adverse effects

### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of contents and container in accordance with all local, regional, national and international regulations.  
Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN : UN 3082  
ADR : UN 3082  
RID : UN 3082  
IMDG : UN 3082

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.01.2023  |
| 1.2     | 05.12.2023     | 400001009508 | Date of first issue: 25.06.2018 |

Print Date 03.09.2024

**IATA** : UN 3082

### 14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BISPHENOL A EPOXY RESIN, 1,2-CRESYL GLYCIDYL ETHER)

**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BISPHENOL A EPOXY RESIN, 1,2-CRESYL GLYCIDYL ETHER)

**RID** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BISPHENOL A EPOXY RESIN, 1,2-CRESYL GLYCIDYL ETHER)

**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BISPHENOL A EPOXY RESIN, 1,2-CRESYL GLYCIDYL ETHER)

**IATA** : Environmentally hazardous substance, liquid, n.o.s.  
(BISPHENOL A EPOXY RESIN, 1,2-CRESYL GLYCIDYL ETHER)

### 14.3 Transport hazard class(es)

|             | Class | Subsidiary risks |
|-------------|-------|------------------|
| <b>ADN</b>  | : 9   |                  |
| <b>ADR</b>  | : 9   |                  |
| <b>RID</b>  | : 9   |                  |
| <b>IMDG</b> | : 9   |                  |
| <b>IATA</b> | : 9   |                  |

### 14.4 Packing group

**ADN**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**ADR**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

**RID**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.01.2023  |
| 1.2     | 05.12.2023     | 400001009508 | Date of first issue: 25.06.2018 |

Print Date 03.09.2024

### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product does not contain substances of very high concern.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.01.2023  |
| 1.2     | 05.12.2023     | 400001009508 | Date of first issue: 25.06.2018 |

Print Date 03.09.2024

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Conditions of restriction for the following entries should be considered:  
Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your vendor.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E2 ENVIRONMENTAL HAZARDS

Occupational Illnesses (R-461-3, France) : 51

Installations classified for the protection of the environment (Environment Code R511-9) : 4511

### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AIIC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.01.2023  |
| 1.2     | 05.12.2023     | 400001009508 | Date of first issue: 25.06.2018 |

Print Date 03.09.2024

### Inventories

AICS (Australia), AIIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

### 15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

## SECTION 16: Other information

### Full text of H-Statements

|      |                                                    |
|------|----------------------------------------------------|
| H315 | : Causes skin irritation.                          |
| H317 | : May cause an allergic skin reaction.             |
| H319 | : Causes serious eye irritation.                   |
| H341 | : Suspected of causing genetic defects.            |
| H411 | : Toxic to aquatic life with long lasting effects. |

### Full text of other abbreviations

|                 |                                      |
|-----------------|--------------------------------------|
| Aquatic Chronic | : Long-term (chronic) aquatic hazard |
| Eye Irrit.      | : Eye irritation                     |
| Muta.           | : Germ cell mutagenicity             |
| Skin Irrit.     | : Skin irritation                    |
| Skin Sens.      | : Skin sensitisation                 |

### Further information

#### Classification of the mixture:

|                   |      |
|-------------------|------|
| Skin Irrit. 2     | H315 |
| Eye Irrit. 2      | H319 |
| Skin Sens. 1      | H317 |
| Muta. 2           | H341 |
| Aquatic Chronic 2 | H411 |

#### Classification procedure:

|                    |
|--------------------|
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® MY 757

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.01.2023  |
| 1.2     | 05.12.2023     | 400001009508 | Date of first issue: 25.06.2018 |

Print Date 03.09.2024

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.