E-Solder 3021 B

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

E-Solder 3021 B

UFI:
Q300-P0H0-7003-GGQD

Additional information:
Manufacturer
Von Roll USA, Inc.
200 Von Roll Drive
SCHENECTADY, NY 12306
USA
Emergency telephone number +1 800-262-8200

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:
Adhesives, sealants
Epoxy resin
Hardener
For use in industrial installations and professional treatment only.

Relevant identified uses:

Life cycle stage [LCS]
IS: Use at industrial sites
PW: Widespread use by professional workers
Product Categories [PC]
PC 1: Adhesives, sealants

Uses advised against:

Life cycle stage [LCS]
C: Consumer use

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Epoxy Produkte GmbH
Am Walde 24
29323 Wietze
Germany
Telephone: +49 (0)5146 9879965
Telefax: +49 (0)5146 9879964
E-mail: hs@epoxy-produkte.de
Website: www.epoxy-produkte.de

E-mail (competent person): hs@epoxy-produkte.de

1.4. Emergency telephone number

+49 (0)5146 9879965 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Acute toxicity (oral) *(Acute Tox. 4)*	H302: Harmful if swallowed.	Calculation method.
Skin corrosion/irritation *(Skin Corr. 1B)*	H314: Causes severe skin burns and eye damage.	Calculation method.
Respiratory or skin sensitisation *(Skin Sens. 1)*	H317: May cause an allergic skin reaction.	Calculation method.

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation *(Eye Dam. 1)*	H318: Causes serious eye damage.	Calculation method.
Reproductive toxicity *(Repr. 1B)*	H360Fd: May damage fertility. Suspected of damaging the unborn child.	Calculation method.
Hazardous to the aquatic environment *(Aquatic Acute 1)*	H400: Very toxic to aquatic life.	Calculation method.
Hazardous to the aquatic environment *(Aquatic Chronic 1)*	H410: Very toxic to aquatic life with long lasting effects.	Calculation method.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:

GHS05
Corrosion

GHS07
Exclamation mark

GHS08
Health hazard

GHS09
Environment

Signal word: Danger

Hazard components for labelling:

Phenol, 4-nonyl-, branched; 4,4'-isopropylidenediphenol; 2-piperazin-1-ylethylamine; Polyaminoamid

Hazard statements for health hazards	
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H360Fd	May damage fertility. Suspected of damaging the unborn child.

Hazard statements for environmental hazards	
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statements Prevention	
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye/face protection.

Precautionary statements Response	
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P308 + P313	IF exposed or concerned: Get medical advice/attention.

Precautionary statements Storage	
P405	Store locked up.

Precautionary statements Disposal	
P501	Dispose of contents/container to an appropriate recycling or disposal facility.

2.3. Other hazards

Adverse physicochemical effects:
No information available.

Adverse human health effects and symptoms:
No information available.

Adverse environmental effects:
The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

Other adverse effects:
No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 7440-22-4 **EC No.:** 231-131-3	**silver** Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410) **Warning** M-factor (acute): 10	≥ 50 – ≤ 100 weight-%
CAS No.: 84852-15-3 **EC No.:** 284-325-5	**Phenol, 4-nonyl-, branched** Acute Tox. 4 (H302), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Repr. 2 (H361fd), Skin Corr. 1B (H314) **Danger**	> 10 – ≤ 25 weight-%
CAS No.: 140-31-8 **EC No.:** 205-411-0	**2-piperazin-1-ylethylamine** Acute Tox. 4 (H312, H302), Aquatic Chronic 3 (H412), Skin Corr. 1B (H314), Skin Sens. 1 (H317) **Danger**	≥ 2.5 – ≤ 10 weight-%
CAS No.: 68410-23-1	**Polyaminoamid** Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Skin Irrit. 2 (H315), Skin Sens. 1 (H317) **Danger**	≥ 2.5 – ≤ 10 weight-%
CAS No.: 80-05-7 **EC No.:** 201-245-8	**4,4'-isopropylidenediphenol** *Candidate List of Substances of Very High Concern for Authorisation!* Eye Dam. 1 (H318), Repr. 1B (H360F), STOT SE 3 (H335), Skin Sens. 1 (H317) **Danger**	≥ 0 – ≤ 2.5 weight-%
CAS No.: 111-40-0 **EC No.:** 203-865-4	**2,2'-iminodi(ethylamine)** Acute Tox. 4 (H312, H302), Skin Corr. 1B (H314), Skin Sens. 1 (H317) **Danger**	≥ 0 – ≤ 2.5 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:
When in doubt or if symptoms are observed, get medical advice.
Never give anything by mouth to an unconscious person or a person with cramps.

Following inhalation:
Provide fresh air.

In case of skin contact:
After contact with skin, wash immediately with plenty of water and soap.
Do not wash with: Solvents/Thinner
Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

After eye contact:
In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.
In case of eye irritation consult an ophthalmologist.

Following ingestion:
If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.
If swallowed, seek medical advice immediately and show this container or label.

Self-protection of the first aider:
Use personal protection equipment. No direct artificial respiration to be given by first aider.

4.2. Most important symptoms and effects, both acute and delayed
Skin corrosion/irritation
Allergic reactions

4.3. Indication of any immediate medical attention and special treatment needed
Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media
Suitable extinguishing media:
Foam
ABC-powder
Water mist

5.2. Special hazards arising from the substance or mixture
No known hazardous reactions.

5.3. Advice for firefighters
Co-ordinate fire-fighting measures to the fire surroundings.

5.4. Additional information
Fire fighting water forms corrosive acid solutions.
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel
Personal precautions:
Use personal protection equipment. Remove persons to safety.
Protective equipment:
Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders
Personal protection equipment:
Wear breathing apparatus if exposed to vapours/dusts/aerosols.
Personal protection equipment: see section 8

6.2. Environmental precautions
Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up
For containment:
Suitable material for taking up:
Sand, Universal binder , Earth
For cleaning up:
Clean with detergents. Avoid solvent cleaners.

6.4. Reference to other sections
Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

6.5. Additional information
Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures
Advices on safe handling:
Wear personal protection equipment (refer to section 8).
Avoid contact during pregnancy/while nursing.

Fire prevent measures:
Usual measures for fire prevention.

Measures to prevent aerosol and dust generation:
Devices with local exhaust

Advices on general occupational hygiene
Thorough skin-cleansing after handling the product.
Immediately remove any contaminated clothing, shoes or stockings.
When using do not eat, drink, smoke, sniff. When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities
Technical measures and storage conditions:
Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels:
Keep/Store only in original container.

Hints on storage assembly:
Do not store together with:
Food/feedstuff additives

Storage class (TRGS 510, Germany): 8B – Non-combustible corrosive substances

7.3. Specific end use(s)
Recommendation:
Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters
8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE)	silver **CAS No.:** 7440-22-4 **EC No.:** 231-131-3	① 0.01 mg/m³ ② 0.02 mg/m³ ⑤ (Silber, Verbindungen, anorganisch, berechnet als Ag); (einatembare Fraktion)
IOELV (EU)	silver **CAS No.:** 7440-22-4 **EC No.:** 231-131-3	① 0.01 mg/m³ ⑤ (silver compounds, soluble, calculated as Ag)
TRGS 900 (DE)	silver **CAS No.:** 7440-22-4 **EC No.:** 231-131-3	① 0.1 mg/m³ ② 0.8 mg/m³ ⑤ (Metall, einatembare Fraktion)
IOELV (EU)	silver **CAS No.:** 7440-22-4 **EC No.:** 231-131-3	① 0.1 mg/m³ ⑤ (metal)
IOELV (EU)	4,4'-isopropylidenediphenol **CAS No.:** 80-05-7 **EC No.:** 201-245-8	① 2 mg/m³ ⑤ (inhalable fraction)
TRGS 900 (DE)	4,4'-isopropylidenediphenol **CAS No.:** 80-05-7 **EC No.:** 201-245-8	① 5 mg/m³ ② 5 mg/m³ ⑤ (einatembare Fraktion)

8.1.2. Biological limit values
No data available

8.1.3. DNEL-/PNEC-values
No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls
Technical measures and the application of suitable work processes have priority over personal protection equipment.

8.2.2. Personal protection equipment
Eye/face protection:
Eye glasses with side protection EN 166

Skin protection:
Gloves with long cuffs
Suitable material:
CR (polychloroprene, chloroprene rubber)
Butyl caoutchouc (butyl rubber)
Breakthrough time: 2-4 h
Thickness of the glove material 0,5 mm Tested protective gloves must be worn EN ISO 374 min In the case of wanting to use the gloves again, clean them before taking off and air them well.

Respiratory protection:
Respiratory protection necessary at:
insufficient exhaust

8.2.3. Environmental exposure controls
Preventive industrial medical examinations are to be offered.

8.3. Additional information
Preventive industrial medical examinations are to be offered.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance
Physical state: Liquid
Colour: not determined
Odour: not determined
Odour threshold: not determined

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	*not determined*		
Melting point	*not determined*		
Freezing point	*not applicable*		
Initial boiling point and boiling range	*not determined*		
Decomposition temperature	*not determined*		
Flash point	*not determined*		
Evaporation rate	*not determined*		
Auto-ignition temperature	*not determined*		
Upper/lower flammability or explosive limits	*not determined*		
Vapour pressure	*not determined*		
Vapour density	*not determined*		
Density	*not determined*		
Relative density	*not determined*		
Bulk density	*not determined*		
Water solubility	*not determined*		
Partition coefficient: n-octanol/water	*not determined*		
Dynamic viscosity	*not determined*		
Kinematic viscosity	*not determined*	40 °C	

9.2. Other information
No data available

SECTION 10: Stability and reactivity

10.1. Reactivity
The product is stable under storage at normal ambient temperatures.

10.2. Chemical stability
The substance is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions
No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid
Keep away from heat.

10.5. Incompatible materials
no restriction

10.6. Hazardous decomposition products
No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Substance name	Toxicological information
2-piperazin-1-ylethylamine **CAS No.:** 140-31-8 **EC No.:** 205-411-0	**LD_{50} oral:** 2,140 mg/kg (Rat) **LD_{50} dermal:** 866 mg/kg **LC_{50} Acute inhalation toxicity (vapour):** 2,000 mg/l
4,4'-isopropylidenediphenol **CAS No.:** 80-05-7 **EC No.:** 201-245-8	**LD_{50} oral:** 4,100 mg/kg **LD_{50} dermal:** 3,000 mg/kg
2,2'-iminodi(ethylamine) **CAS No.:** 111-40-0 **EC No.:** 203-865-4	**LD_{50} dermal:** =1,045 mg/kg

Acute oral toxicity:
Harmful if swallowed.

Acute dermal toxicity:
Direct derivation of an ATE because of robust data.

Acute inhalation toxicity:
There are no data available on the mixture itself.

Skin corrosion/irritation:
Causes severe burns.

Serious eye damage/irritation:
Causes serious eye damage.

Respiratory or skin sensitisation:
Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity:
No experimental indications of in vitro mutagenicity exist.

Carcinogenicity:
No indication of human carcinogenicity.

Reproductive toxicity:
May damage fertility. Suspected of damaging the unborn child.

STOT-single exposure:
No information available.

STOT-repeated exposure:
No information available.

Aspiration hazard:
No information available.

Additional information:
No data available

11.2. Information on other hazards

Endocrine disrupting properties:
The product contains a substance that is identified as having endocrine disrupting properties.
4,4'-isopropylidenediphenol

SECTION 12: Ecological information

12.1. Toxicity

Substance name	Toxicological information
silver **CAS No.:** 7440-22-4 **EC No.:** 231-131-3	**NOEC:** =0.13 mg/l 28 d (fish) **EC_{50}:** =0.002 mg/l (crustaceans) EC10/7d
2-piperazin-1-ylethylamine **CAS No.:** 140-31-8 **EC No.:** 205-411-0	**LC_{50}:** 2,190 mg/l 4 d (fish)

Assessment/classification:
Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Additional ecotoxicological information:
Do not allow uncontrolled discharge of product into the environment.

12.2. Persistence and degradability

Substance name	Biodegradation	Remark
silver **CAS No.:** 7440-22-4 **EC No.:** 231-131-3	Yes, slowly	
2-piperazin-1-ylethylamine **CAS No.:** 140-31-8 **EC No.:** 205-411-0	Yes, slowly	
4,4'-isopropylidenediphenol **CAS No.:** 80-05-7 **EC No.:** 201-245-8	Yes, rapidly	

Additional information:
No information available.

12.3. Bioaccumulative potential

Substance name	Log K_{OW}	Bioconcentration factor (BCF)
2-piperazin-1-ylethylamine **CAS No.:** 140-31-8 **EC No.:** 205-411-0	-1.48	
4,4'-isopropylidenediphenol **CAS No.:** 80-05-7 **EC No.:** 201-245-8	3.4	73

Bioconcentration factor (BCF):
No information available.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Substance name	Results of PBT and vPvB assessment
silver **CAS No.:** 7440-22-4 **EC No.:** 231-131-3	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
Phenol, 4-nonyl-, branched **CAS No.:** 84852-15-3 **EC No.:** 284-325-5	—
2-piperazin-1-ylethylamine **CAS No.:** 140-31-8 **EC No.:** 205-411-0	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
Polyaminoamid **CAS No.:** 68410-23-1	—
4,4'-isopropylidenediphenol **CAS No.:** 80-05-7 **EC No.:** 201-245-8	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
2,2'-iminodi(ethylamine) **CAS No.:** 111-40-0 **EC No.:** 203-865-4	—

The mixture contains the following substances fulfilling the PBT-/vPvB criteria according to REACH Annex XIII
4-Nonylphenol, branched

12.6. Endocrine disrupting properties
The product contains a substance that is identified as having endocrine disrupting properties.
4,4'-isopropylidenediphenol

12.7. Other adverse effects
No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods
Dispose of waste according to applicable legislation.
List of proposed waste codes/waste designations in accordance with EWC

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

08 04 09 *	Waste adhesives and sealants containing organic solvents or other dangerous substances

**: Evidence for disposal must be provided.*

Waste code packaging

08 04 09 *	Waste adhesives and sealants containing organic solvents or other dangerous substances

**: Evidence for disposal must be provided.*

Waste treatment options

Appropriate disposal / Product:
Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:
Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
UN 1760	UN 1760	UN 1760	UN 1760
14.2. UN proper shipping name			
CORROSIVE LIQUID, N.O.S. (Phenol, 4-nonyl-, branched, 2-piperazin-1-ylethylamine)	CORROSIVE LIQUID, N.O.S. (Phenol, 4-nonyl-, branched, 2-piperazin-1-ylethylamine)	CORROSIVE LIQUID, N.O.S. (Phenol, 4-nonyl-, branched, 2-piperazin-1-ylethylamine)	CORROSIVE LIQUID, N.O.S. (Phenol, 4-nonyl-, branched, 2-piperazin-1-ylethylamine)

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.3. Transport hazard class(es)			
8	8	8	8
14.4. Packing group			
II	II	II	II
14.5. Environmental hazards			
		MARINE POLLUTANT	No
14.6. Special precautions for user			
Special provisions: 274 **Limited quantity (LQ):** 1 L **Excepted Quantities (EQ):** E2 **Hazard identification number (Kemler No.):** 80 **Classification code:** C9 **Tunnel restriction code:** (E)	**Special provisions:** 274 **Limited quantity (LQ):** 1 L **Excepted Quantities (EQ):** E2 **Classification code:** C9	**Special provisions:** 274 **Limited quantity (LQ):** 1 L **Excepted Quantities (EQ):** E2 **EmS-No.:** F-A, S-B	**Special provisions:** A3 **Limited quantity (LQ):** Y840 **Excepted Quantities (EQ):** E2 **Remark:** A3

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

* **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

15.1.1. EU legislation

Authorisations:

not applicable

Restrictions on use:

Use restriction according to REACH annex XVII, no.: 46 - Nonylphenol (CAS 84852-15-3) (not applicable)
Use restriction according to REACH annex XVII, no.: 66 4,4'-isopropylidenediphenol; Bisphenol A; BPA (CAS 80-05-7) (not applicable)

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive], Hazard categories:
• E1 Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1
This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH:
Nonylphenol (CAS 84852-15-3)
4,4'-isopropylidenediphenol; Bisphenol A; BPA (CAS 80-05-7)

Version: Candidate List on 17 January 2022

RoHS - Directive 2011/65/EU This product is compatible with the current ROHS-Directive. (2011/65/EU, 2015/863/EU)

15.1.2. National regulations

[DE] National regulations

Störfallverordnung

for substances contained in the product:

Hazard categories:

- E1 Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

Water hazard class

WGK:

3 - stark wassergefährdend

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture

16.2. Abbreviations and acronyms

For abbreviations and acronyms, see table on the eSDScom website
-ADR: European agreement concerning the international carriage of dangerous goods by road (Accord européen relatif transport des merchandises dangereuses par route)
-CAS: Chemical Abstract Service
-CLP: Classification, labelling and Packaging
-DNEL: Derived No Effect Level
-EC_{50}: Effective Concentration 50%
-ECHA: European Chemical Agency
-LC_{50}: Lethal Concentration 50%
-LD_{50}: Lethal Dose 50%
-PBT: persistent, bioaccumulative, toxic
-PNEC: Predicted No Effect Concentration
-REACH: Registration, Evaluation and Authorization of Chemicals
-SVHC: Substance of Very High Concern
-VOC: Volatile organic compounds
-vPvB: very persistent, very bioaccumulative

16.3. Key literature references and sources for data

REACH Dissemination Portal
https://echa.europa.eu/de/information-on-chemicals/registered-substances

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Acute toxicity (oral) *(Acute Tox. 4)*	H302: Harmful if swallowed.	Calculation method.
Skin corrosion/irritation *(Skin Corr. 1B)*	H314: Causes severe skin burns and eye damage.	Calculation method.
Respiratory or skin sensitisation *(Skin Sens. 1)*	H317: May cause an allergic skin reaction.	Calculation method.
Serious eye damage/eye irritation *(Eye Dam. 1)*	H318: Causes serious eye damage.	Calculation method.
Reproductive toxicity *(Repr. 1B)*	H360Fd: May damage fertility. Suspected of damaging the unborn child.	Calculation method.
Hazardous to the aquatic environment *(Aquatic Acute 1)*	H400: Very toxic to aquatic life.	Calculation method.
Hazardous to the aquatic environment *(Aquatic Chronic 1)*	H410: Very toxic to aquatic life with long lasting effects.	Calculation method.

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H360F	May damage fertility.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

16.6. Training advice
No data available

16.7. Additional information
The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.
This Safety Data Sheet was drawn up by TÜV SÜD Industrie Service GmbH (see below), based on data from the supplier, who is named in section 1
and who is responsible for this document.
TÜV SÜD Industrie Service GmbH
Department Environmental Service
Westendstraße 199
80686 Munich - Germany

* Data changed compared with the previous version