

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 1570 FST B

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 11.06.2018  |
| 1.2     | 10.11.2021     | 400001009725 | Date of first issue: 01.03.2017 |

Print Date 09.01.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : ARALDITE® 1570 FST B

Unique Formula Identifier (UFI) : 0QP5-S012-W00T-5243

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Hardener

#### 1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe)BVBA  
Address : Everslaan 45  
3078 Everberg  
Belgium

Telephone : +41 61 299 20 41  
Telefax : +41 61 299 20 40

E-mail address of person responsible for the SDS : Global\_Product\_EHS\_AdMat@huntsman.com

#### 1.4 Emergency telephone number

Emergency telephone number : Centres Antipoison et de Toxicovigilance:  
ANGERS: 02 41 48 21 21  
BORDEAUX: 05 56 96 40 80  
LILLE: 0 825 812 822  
LYON: 04 72 11 69 11  
MARSEILLE 04 91 75 25 25  
NANCY: 03 83 32 36 36  
PARIS: 01 40 05 48 48  
RENNES: 02 99 59 22 22  
STRASBOURG: 03 88 37 37 37  
TOULOUSE: 05 61 77 74 47  
EUROPE: +32 35 75 1234  
France ORFILA: +33(0)145425959  
ASIA: +65 6336-6011  
China: +86 20 39377888  
+86 532 83889090  
India: + 91 22 42 87 5333  
Australia: 1800 786 152  
New Zealand: 0800 767 437  
USA: +1/800/424.9300

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 1570 FST B

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue:             |
| 1.2     | 10.11.2021     | 400001009725 | 11.06.2018                      |
|         |                |              | Date of first issue: 01.03.2017 |

Print Date 09.01.2024

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

|                                      |                                                        |
|--------------------------------------|--------------------------------------------------------|
| Skin irritation, Category 2          | H315: Causes skin irritation.                          |
| Serious eye damage, Category 1       | H318: Causes serious eye damage.                       |
| Skin sensitisation, Category 1       | H317: May cause an allergic skin reaction.             |
| Chronic aquatic toxicity, Category 2 | H411: Toxic to aquatic life with long lasting effects. |

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

|                   |      |                                                  |
|-------------------|------|--------------------------------------------------|
| Hazard statements | H315 | Causes skin irritation.                          |
|                   | H317 | May cause an allergic skin reaction.             |
|                   | H318 | Causes serious eye damage.                       |
|                   | H411 | Toxic to aquatic life with long lasting effects. |

|                          |                    |                                                          |
|--------------------------|--------------------|----------------------------------------------------------|
| Precautionary statements | <b>Prevention:</b> |                                                          |
|                          | P261               | Avoid breathing mist or vapours.                         |
|                          | P264               | Wash skin thoroughly after handling.                     |
|                          | P273               | Avoid release to the environment.                        |
|                          | P280               | Wear protective gloves/ eye protection/ face protection. |

#### Response:

|                           |                                                                                                                                                                            |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| P305 + P351 + P338 + P310 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. |
| P391                      | Collect spillage.                                                                                                                                                          |

Hazardous components which must be listed on the label:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine

2,4,6-tris(dimethylaminomethyl)phenol

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 1570 FST B

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue:             |
| 1.2     | 10.11.2021     | 400001009725 | 11.06.2018                      |
|         |                |              | Date of first issue: 01.03.2017 |

Print Date 09.01.2024

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Hazardous components

| Chemical name                                                                                                     | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number    | Classification                                                                            | Concentration<br>(% w/w) |
|-------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------------|
| Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine | 68082-29-1<br>500-191-5<br>01-2119972320-44              | Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br>Skin Sens. 1A; H317<br>Aquatic Chronic 2; H411 | >= 30 -<br>< 50          |
| 2,4,6-tris(dimethylaminomethyl)phenol                                                                             | 90-72-2<br>202-013-9<br>603-069-00-0<br>01-2119560597-27 | Acute Tox. 4; H302<br>Skin Corr. 1C; H314<br>Eye Dam. 1; H318                             | >= 3 - <<br>5            |

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Treat symptomatically.  
Get medical attention if symptoms occur.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.  
Avoid inhalation, ingestion and contact with skin and eyes.  
No action shall be taken involving any personal risk or without suitable training.  
It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : If skin irritation persists, call a physician.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 1570 FST B

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue:             |
| 1.2     | 10.11.2021     | 400001009725 | 11.06.2018                      |
|         |                |              | Date of first issue: 01.03.2017 |

Print Date 09.01.2024

- If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

### 4.2 Most important symptoms and effects, both acute and delayed

None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : Exercise caution when using a high volume water jet as it may scatter and spread fire

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 1570 FST B

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 11.06.2018  |
| 1.2     | 10.11.2021     | 400001009725 | Date of first issue: 01.03.2017 |

Print Date 09.01.2024

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons.  
Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 1570 FST B

Version 1.2      Revision Date: 10.11.2021      SDS Number: 400001009725      Date of last issue: 11.06.2018  
Date of first issue: 01.03.2017

Print Date 09.01.2024

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers.

Advice on common storage : For incompatible materials please refer to Section 10 of this SDS.

Further information on storage stability : Stable under normal conditions.

Recommended storage temperature : 2 - 8 °C

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name                                                                               | End Use   | Exposure routes | Potential health effects   | Value       |
|----------------------------------------------------------------------------------------------|-----------|-----------------|----------------------------|-------------|
| 2,4,6-tris(dimethylaminomethyl)phenol                                                        | Workers   | Inhalation      | Long-term systemic effects | 0,53 mg/m3  |
|                                                                                              | Workers   | Inhalation      | Acute systemic effects     | 2,1 mg/m3   |
|                                                                                              | Workers   | Dermal          | Long-term systemic effects | 0,150 mg/kg |
|                                                                                              | Workers   | Dermal          | Acute systemic effects     | 0,600 mg/kg |
|                                                                                              | Consumers | Inhalation      | Long-term systemic effects | 0,130 mg/m3 |
|                                                                                              | Consumers | Inhalation      | Acute systemic effects     | 0,130 mg/m3 |
|                                                                                              | Consumers | Dermal          | Long-term systemic effects | 0,075 mg/kg |
|                                                                                              | Consumers | Dermal          | Acute systemic effects     | 0,075 mg/kg |
|                                                                                              | Consumers | Oral            | Long-term systemic effects | 0,075 mg/kg |
| Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and | Workers   | Oral            | Long-term systemic effects | 3,9 mg/m3   |

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

**ARALDITE® 1570 FST B**Version  
1.2Revision Date:  
10.11.2021SDS Number:  
400001009725Date of last issue: 11.06.2018  
Date of first issue: 01.03.2017

Print Date 09.01.2024

|                      |           |            |                            |                 |
|----------------------|-----------|------------|----------------------------|-----------------|
| triethylenetetramine |           |            |                            |                 |
|                      | Workers   | Dermal     | Long-term systemic effects | 1,1 mg/kg       |
|                      | Workers   | Inhalation | Systemic effects           | 0,97 mg/m3      |
|                      | Consumers | Oral       | Long-term systemic effects | 0,56 mg/kg      |
|                      | Consumers | Dermal     | Long-term systemic effects | 0,56 mg/kg      |
| Oxydipropanol        | Workers   | Inhalation | Long-term systemic effects | 238 mg/m3       |
|                      | Workers   | Dermal     | Long-term systemic effects | 84 mg/kg bw/day |
|                      | Consumers | Inhalation | Long-term systemic effects | 70 mg/m3        |
|                      | Consumers | Dermal     | Long-term systemic effects | 51 mg/kg bw/day |
|                      | Consumers | Oral       | Long-term systemic effects | 24 mg/kg bw/day |

**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:**

| Substance name                                                                                                    | Environmental Compartment | Value        |
|-------------------------------------------------------------------------------------------------------------------|---------------------------|--------------|
| 2,4,6-tris(dimethylaminomethyl)phenol                                                                             | Fresh water               | 0,046 mg/l   |
|                                                                                                                   | Marine water              | 0,005 mg/l   |
| Remarks:                                                                                                          | Assessment Factors        |              |
|                                                                                                                   | Sewage treatment plant    | 0,262 mg/l   |
|                                                                                                                   | Assessment Factors        |              |
|                                                                                                                   | Freshwater - intermittent | 0,46 mg/l    |
|                                                                                                                   | Soil                      | 0,025 mg/kg  |
| Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine | Fresh water               | 0,00434 mg/l |
|                                                                                                                   | Assessment Factors        |              |
|                                                                                                                   | Marine water              | 0,00043 mg/l |
|                                                                                                                   | Assessment Factors        |              |
|                                                                                                                   | Freshwater - intermittent | 0,0434 mg/l  |
|                                                                                                                   | Assessment Factors        |              |
|                                                                                                                   | Sewage treatment plant    | 3,84 mg/l    |
|                                                                                                                   | Assessment Factors        |              |
|                                                                                                                   | Fresh water sediment      | 434,02 mg/kg |
|                                                                                                                   | Equilibrium method        |              |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 1570 FST B

Version 1.2      Revision Date: 10.11.2021      SDS Number: 400001009725      Date of last issue: 11.06.2018  
Date of first issue: 01.03.2017

Print Date 09.01.2024

|               |                           |                               |
|---------------|---------------------------|-------------------------------|
|               | Marine sediment           | 43,4 mg/kg                    |
|               | Equilibrium method        |                               |
|               | Soil                      | 86,78 mg/kg                   |
|               | Equilibrium method        |                               |
| Oxydipropanol | Fresh water               | 0,1 mg/l                      |
|               | Marine water              | 0,01 mg/l                     |
|               | Freshwater - intermittent | 1 mg/l                        |
|               | Sewage treatment plant    | 1000 mg/l                     |
|               | Fresh water sediment      | 0,238 mg/kg dry weight (d.w.) |
|               | Marine sediment           | 0,024 mg/kg dry weight (d.w.) |
|               | Soil                      | 0,025 mg/kg dry weight (d.w.) |
|               | Oral                      | 313 mg/kg                     |

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

#### Hand protection

Material : butyl-rubber

Material : Ethyl Vinyl Alcohol Laminate (EVAL)

Break through time : > 8 h

Material : Nitrile rubber

Break through time : 10 - 480 min

#### Remarks

: Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).  
Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

#### Skin and body protection

: Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

#### Respiratory protection

: Use respiratory protection unless adequate local exhaust

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 1570 FST B

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue:             |
| 1.2     | 10.11.2021     | 400001009725 | 11.06.2018                      |
|         |                |              | Date of first issue: 01.03.2017 |

Print Date 09.01.2024

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines  
Equipment should conform to EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                                                  |                                                             |
|--------------------------------------------------|-------------------------------------------------------------|
| Physical state                                   | : paste                                                     |
| Colour                                           | : white                                                     |
| Odour                                            | : amine-like                                                |
| Odour Threshold                                  | : No data is available on the product itself.               |
| pH                                               | : substance/mixture is non-soluble (in water)               |
| Melting point/freezing point                     | : No data is available on the product itself.               |
| Boiling point                                    | : > 200 °C                                                  |
| Flash point                                      | : > 200 °C<br>Method: Pensky-Martens closed cup, closed cup |
| Flammability (solid, gas)                        | : No data is available on the product itself.               |
| Upper explosion limit / Upper flammability limit | : No data is available on the product itself.               |
| Lower explosion limit / Lower flammability limit | : No data is available on the product itself.               |
| Vapour pressure                                  | : < 0,1 hPa (20 °C)                                         |
| Relative vapour density                          | : No data is available on the product itself.               |
| Relative density                                 | : No data is available on the product itself.               |
| Density                                          | : 1,26 g/cm <sup>3</sup> (20 °C)                            |
| Solubility(ies)                                  |                                                             |
| Water solubility                                 | : practically insoluble (20 °C)                             |
| Solubility in other solvents                     | : No data is available on the product itself.               |
| Partition coefficient: n-octanol/water           | : No data is available on the product itself.               |
| Auto-ignition temperature                        | : No data is available on the product itself.               |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 1570 FST B

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 11.06.2018  |
| 1.2     | 10.11.2021     | 400001009725 | Date of first issue: 01.03.2017 |

Print Date 09.01.2024

Decomposition temperature : > 250 °C

Viscosity : No data is available on the product itself.

### 9.2 Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials

Materials to avoid : Strong acids  
Strong bases  
Strong oxidizing agents

### 10.6 Hazardous decomposition products

Hazardous decomposition products : carbon dioxide  
carbon monoxide  
Nitrogen oxides (NO<sub>x</sub>)

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Acute oral toxicity - Product : Acute toxicity estimate : > 2 000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : No data available

#### Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine:

Acute dermal toxicity : LD50 (Rat, male and female): > 2 000 mg/kg  
Method: OECD Test Guideline 402

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 1570 FST B

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 11.06.2018  |
| 1.2     | 10.11.2021     | 400001009725 | Date of first issue: 01.03.2017 |

Print Date 09.01.2024

2,4,6-tris(dimethylaminomethyl)phenol:

Acute dermal toxicity : LD50 (Rat, male): > 1 ml/kg  
Assessment: The substance or mixture has no acute dermal toxicity

Acute toxicity (other routes of administration) : No data available

### Skin corrosion/irritation

#### Product:

Species: Rabbit  
Assessment: Irritant  
Result: Irritating to skin.

### Serious eye damage/eye irritation

#### Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine:

Species: Rabbit  
Assessment: Severe eye irritation  
Method: OECD Test Guideline 405  
Result: Irreversible effects on the eye

2,4,6-tris(dimethylaminomethyl)phenol:

Species: Rabbit  
Assessment: Corrosive  
Method: Other guidelines  
Result: Corrosive

### Respiratory or skin sensitisation

#### Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine:

Exposure routes: Skin  
Species: Mouse  
Assessment: The product is a skin sensitiser, sub-category 1A.  
Method: OECD Test Guideline 429  
Result: Causes sensitisation.

2,4,6-tris(dimethylaminomethyl)phenol:

Exposure routes: Skin  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitisation.

Assessment: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 1570 FST B

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 11.06.2018  |
| 1.2     | 10.11.2021     | 400001009725 | Date of first issue: 01.03.2017 |

Print Date 09.01.2024

### Germ cell mutagenicity

#### Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 487  
Result: negative

: Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

: Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

2,4,6-tris(dimethylaminomethyl)phenol:

Genotoxicity in vitro : Concentration: 5000 ug/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

: Concentration: 2500 ug/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

: Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo : No data available

Germ cell mutagenicity-  
Assessment : No data available

### **Carcinogenicity**

No data available

Carcinogenicity -  
Assessment : No data available

### **Reproductive toxicity**

#### Components:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 1570 FST B

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 11.06.2018  |
| 1.2     | 10.11.2021     | 400001009725 | Date of first issue: 01.03.2017 |

Print Date 09.01.2024

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine:

Effects on fertility : Species: Rat, male and female  
Application Route: Oral  
Method: OECD Test Guideline 422

2,4,6-tris(dimethylaminomethyl)phenol:

Species: Rat, male and female  
Application Route: Oral  
Method: OECD Test Guideline 422  
Remarks: No significant adverse effects were reported

Effects on foetal development : No data available

Reproductive toxicity - Assessment : No data available

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

### Repeated dose toxicity

#### Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine:

Species: Rat, male and female  
NOAEL: 1000  
Application Route: Ingestion  
Exposure time: 6 Weeks Number of exposures: 7 d  
Method: Subacute toxicity

2,4,6-tris(dimethylaminomethyl)phenol:

Species: Rat, male and female  
NOEL: 15 mg/kg  
Application Route: Ingestion  
Exposure time: 1 032 h Number of exposures: 7 d  
Method: Subacute toxicity

Repeated dose toxicity - Assessment : No data available

### Aspiration toxicity

No data available

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 1570 FST B

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 11.06.2018  |
| 1.2     | 10.11.2021     | 400001009725 | Date of first issue: 01.03.2017 |

Print Date 09.01.2024

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

### Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

### Toxicology, Metabolism, Distribution

No data available

### Neurological effects

No data available

### Further information

Ingestion: No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 7,07 mg/l  
Exposure time: 96 h  
Test substance: Fresh water  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 7,07 mg/l  
aquatic invertebrates  
Exposure time: 48 h  
Test Type: static test

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 1570 FST B

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue:             |
| 1.2     | 10.11.2021     | 400001009725 | 11.06.2018                      |
|         |                |              | Date of first issue: 01.03.2017 |

Print Date 09.01.2024

Test substance: Fresh water  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 4,34 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): 384 mg/l  
Exposure time: 3 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 209

2,4,6-tris(dimethylaminomethyl)phenol:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 175 mg/l  
Exposure time: 96 h  
Test Type: static test  
Test substance: Fresh water

Toxicity to daphnia and other aquatic invertebrates : LC50 (Palaeomonetes vulgaris (Grass shrimp)): 718 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no  
Test substance: Marine water

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 84 mg/l  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 6,25 mg/l  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 201

### 12.2 Persistence and degradability

#### Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine:

Biodegradability : Inoculum: activated sludge  
Result: Not readily biodegradable.  
Biodegradation: 0 - 70 %  
Exposure time: 74 d  
Method: OECD Test Guideline 301B

2,4,6-tris(dimethylaminomethyl)phenol:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 1570 FST B

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 11.06.2018  |
| 1.2     | 10.11.2021     | 400001009725 | Date of first issue: 01.03.2017 |

Print Date 09.01.2024

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge, non-adapted  
Concentration: 2 mg/l  
Result: Not biodegradable  
Biodegradation: 4 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

### 12.3 Bioaccumulative potential

#### Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine:

Partition coefficient: n-octanol/water : log Pow: 10,34

2,4,6-tris(dimethylaminomethyl)phenol:

Partition coefficient: n-octanol/water : Pow: >= 0,219 (21,5 °C)  
log Pow: -0,66 (21,5 °C)  
Method: OPPTS 830.7550

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

### 12.7 Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of contents and container in accordance with all local, regional, national and international regulations.  
Do not dispose of waste into sewer.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 1570 FST B

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 11.06.2018  |
| 1.2     | 10.11.2021     | 400001009725 | Date of first issue: 01.03.2017 |

Print Date 09.01.2024

Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

### SECTION 14: Transport information

#### 14.1 UN number or ID number

|      |           |
|------|-----------|
| ADN  | : UN 3082 |
| ADR  | : UN 3082 |
| RID  | : UN 3082 |
| IMDG | : UN 3082 |
| IATA | : UN 3082 |

#### 14.2 UN proper shipping name

|      |                                                                            |
|------|----------------------------------------------------------------------------|
| ADN  | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(polyamide resin) |
| ADR  | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(polyamide resin) |
| RID  | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(polyamide resin) |
| IMDG | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(polyamide resin) |
| IATA | : Environmentally hazardous substance, liquid, n.o.s.<br>(polyamide resin) |

#### 14.3 Transport hazard class(es)

|      |     |
|------|-----|
| ADN  | : 9 |
| ADR  | : 9 |
| RID  | : 9 |
| IMDG | : 9 |
| IATA | : 9 |

#### 14.4 Packing group

|                              |       |
|------------------------------|-------|
| ADN                          |       |
| Packing group                | : III |
| Classification Code          | : M6  |
| Hazard Identification Number | : 90  |
| Labels                       | : 9   |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 1570 FST B

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 11.06.2018  |
| 1.2     | 10.11.2021     | 400001009725 | Date of first issue: 01.03.2017 |

Print Date 09.01.2024

### ADR

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

### RID

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 1570 FST B

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue:             |
| 1.2     | 10.11.2021     | 400001009725 | 11.06.2018                      |
|         |                |              | Date of first issue: 01.03.2017 |

Print Date 09.01.2024

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E2 ENVIRONMENTAL HAZARDS

Occupational Illnesses (R-461-3, France) : 49, 84

Installations classified for the protection of the environment (Environment Code R511-9) : 4511

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AIIC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 1570 FST B

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 11.06.2018  |
| 1.2     | 10.11.2021     | 400001009725 | Date of first issue: 01.03.2017 |

Print Date 09.01.2024

TSCA : All substances listed as active on the TSCA inventory

### Inventories

AICS (Australia), AIIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOIC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

### 15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

## SECTION 16: Other information

### Full text of H-Statements

|      |                                                    |
|------|----------------------------------------------------|
| H302 | : Harmful if swallowed.                            |
| H314 | : Causes severe skin burns and eye damage.         |
| H315 | : Causes skin irritation.                          |
| H317 | : May cause an allergic skin reaction.             |
| H318 | : Causes serious eye damage.                       |
| H411 | : Toxic to aquatic life with long lasting effects. |

### Full text of other abbreviations

|                 |                            |
|-----------------|----------------------------|
| Acute Tox.      | : Acute toxicity           |
| Aquatic Chronic | : Chronic aquatic toxicity |
| Eye Dam.        | : Serious eye damage       |
| Skin Corr.      | : Skin corrosion           |
| Skin Irrit.     | : Skin irritation          |
| Skin Sens.      | : Skin sensitisation       |

### Further information

#### Classification of the mixture:

|                   |      |
|-------------------|------|
| Skin Irrit. 2     | H315 |
| Eye Dam. 1        | H318 |
| Skin Sens. 1      | H317 |
| Aquatic Chronic 2 | H411 |

#### Classification procedure:

|                                     |
|-------------------------------------|
| Based on product data or assessment |
| Calculation method                  |
| Calculation method                  |
| Calculation method                  |

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 1570 FST B

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 11.06.2018  |
| 1.2     | 10.11.2021     | 400001009725 | Date of first issue: 01.03.2017 |

Print Date 09.01.2024

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.