

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue: 03.10.2017
2.1	14.02.2022	400001010584	Date of first issue: 12.08.2015

Print Date 28.06.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : HARDENER 946 US

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Hardener
Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe)BVBA
Address : Everslaan 45
3078 Everberg
Belgium
Telephone : +41 61 299 20 41
Telefax : +41 61 299 20 40
E-mail address of person : Global_Product_EHS_AdMat@huntsman.com
responsible for the SDS

1.4 Emergency telephone number

Emergency telephone number : Centres Antipoison et de Toxicovigilance:
ANGERS: 02 41 48 21 21
BORDEAUX: 05 56 96 40 80
LILLE: 0 825 812 822
LYON: 04 72 11 69 11
MARSEILLE 04 91 75 25 25
NANCY: 03 83 32 36 36
PARIS: 01 40 05 48 48
RENNES: 02 99 59 22 22
STRASBOURG: 03 88 37 37 37
TOULOUSE: 05 61 77 74 47
EUROPE: +32 35 75 1234
France ORFILA: +33(0)145425959
ASIA: +65 6336-6011
China: +86 20 39377888
+86 532 83889090
India: + 91 22 42 87 5333
Australia: 1800 786 152
New Zealand: 0800 767 437
USA: +1/800/424.9300

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 2 H330: Fatal if inhaled.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue:
2.1	14.02.2022	400001010584	03.10.2017
			Date of first issue: 12.08.2015

Print Date 28.06.2022

Acute toxicity, Category 4	H312: Harmful in contact with skin.
Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 1B	H360F: May damage fertility.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Chronic aquatic toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements	H312	Harmful in contact with skin.
	H314	Causes severe skin burns and eye damage.
	H317	May cause an allergic skin reaction.
	H330	Fatal if inhaled.
	H335	May cause respiratory irritation.
	H360F	May damage fertility.
H411	Toxic to aquatic life with long lasting effects.	

Precautionary statements	Prevention:	
	P201	Obtain special instructions before use.
	P260	Do not breathe mist or vapours.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313	IF exposed or concerned: Get medical

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue:
2.1	14.02.2022	400001010584	03.10.2017
			Date of first issue: 12.08.2015

Print Date 28.06.2022

P391
Storage:
P403 + P233

advice/ attention.

Collect spillage.

Store in a well-ventilated place. Keep container tightly closed.

Hazardous components which must be listed on the label:

2,2'-iminodiethylamine
4,4'-isopropylidenediphenol
2-aminoethanol

Additional Labelling:

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

Toxicological information: This substance/mixture contains components considered to have endocrine disrupting properties affecting human health, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Amines

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2,2'-iminodiethylamine	111-40-0 203-865-4 612-058-00-X 01-2119473793-27	Acute Tox. 4; H302 Acute Tox. 2; H330 Acute Tox. 4; H312 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system) Acute toxicity estimate Acute oral toxicity: 1 620 mg/kg Acute inhalation toxicity	>= 50 - < 70

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version
2.1

Revision Date:
14.02.2022

SDS Number:
400001010584

Date of last issue: 03.10.2017
Date of first issue: 12.08.2015

Print Date 28.06.2022

		(dust/mist): 0,185 mg/l Acute dermal toxicity: 1 045 mg/kg	
4,4'-isopropylidenediphenol	80-05-7 201-245-8 604-030-00-0 01-2119457856-23	Eye Dam. 1; H318 Skin Sens. 1; H317 Repr. 1B; H360F STOT SE 3; H335 (Respiratory system) Aquatic Chronic 2; H411	>= 30 - < 50
2-aminoethanol	141-43-5 205-483-3 603-030-00-8	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) Aquatic Chronic 3; H412 specific concentration limit STOT SE 3; H335 >= 5 % Acute toxicity estimate Acute oral toxicity: 1 089 mg/kg	>= 5 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Treat symptomatically.
Get medical attention if symptoms occur.
- Protection of first-aiders : First Aid responders should pay attention to self-protection
and use the recommended protective clothing
If potential for exposure exists refer to Section 8 for specific
personal protective equipment.
Avoid inhalation, ingestion and contact with skin and eyes.
No action shall be taken involving any personal risk or without
suitable training.
It may be dangerous to the person providing aid to give
mouth-to-mouth resuscitation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue:
2.1	14.02.2022	400001010584	03.10.2017
			Date of first issue: 12.08.2015

Print Date 28.06.2022

- | | |
|-------------------------|--|
| If inhaled | : Call a physician or poison control centre immediately.
If inhaled, remove to fresh air.
Get medical attention if symptoms occur. |
| In case of skin contact | : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
Take victim immediately to hospital.
If on skin, rinse well with water.
If on clothes, remove clothes. |
| In case of eye contact | : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital. |

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : Exercise caution when using a high volume water jet as it may scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon dioxide (CO₂)
Carbon monoxide
Nitrogen oxides (NO_x)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue: 03.10.2017
2.1	14.02.2022	400001010584	Date of first issue: 12.08.2015

Print Date 28.06.2022

5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
Evacuate personnel to safe areas.
Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons.
Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.
Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version 2.1 Revision Date: 14.02.2022 SDS Number: 400001010584 Date of last issue: 03.10.2017
Date of first issue: 12.08.2015

Print Date 28.06.2022

Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Prevent unauthorized access. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Keep in properly labelled containers.

Advice on common storage : For incompatible materials please refer to Section 10 of this SDS.

Further information on storage stability : Stable under normal conditions.

Recommended storage temperature : 2 - 40 °C

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2,2'-iminodiethylamine	111-40-0	VME	1 ppm 4 mg/m ³	FR VLE
Further information	Risk for sensitisation of the skin, Indicative exposure limits			
4,4'-isopropylidenediph enol	80-05-7	VME (Dust, inhalable fraction)	2 mg/m ³	FR VLE
Further information	Reprotoxic category 1B - Probably reprotoxic to humans, Regulatory binding exposure limits			
		TWA (inhalable fraction)	2 mg/m ³	2017/164/EU

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version
2.1

Revision Date:
14.02.2022

SDS Number:
400001010584

Date of last issue: 03.10.2017
Date of first issue: 12.08.2015

Print Date 28.06.2022

Further information	Indicative			
2-aminoethanol	141-43-5	TWA	1 ppm 2,5 mg/m3	2006/15/EC
Further information	Indicative, Identifies the possibility of significant uptake through the skin			
		STEL	3 ppm 7,6 mg/m3	2006/15/EC
Further information	Indicative, Identifies the possibility of significant uptake through the skin			
		VLCT (VLE)	3 ppm 7,6 mg/m3	FR VLE
Further information	Risk of penetration through skin, Regulatory binding exposure limits			
		VME	1 ppm 2,5 mg/m3	FR VLE
Further information	Risk of penetration through skin, Regulatory binding exposure limits			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2,2'-iminodiethylamine	Workers	Inhalation	Long-term systemic effects	15,4 mg/m3
	Workers	Inhalation	Acute systemic effects	92,1 mg/m3
	Workers	Inhalation	Long-term local effects	0,87 mg/m3
	Workers	Inhalation	Acute local effects	2,6 mg/m3
	Workers	Dermal	Long-term systemic effects	11,4 mg/kg bw/day
	Workers	Dermal	Long-term local effects	1,1 mg/cm2
	Consumers	Inhalation	Long-term systemic effects	4,6 mg/m3
	Consumers	Inhalation	Acute systemic effects	27,5 mg/m3
	Consumers	Dermal	Long-term systemic effects	4,88 mg/kg bw/day
	Consumers	Dermal	Acute systemic effects	4,88 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	1 mg/m3
	Workers	Inhalation	Long-term local effects	0,51 mg/m3
2-aminoethanol	Consumers	Dermal	Long-term systemic effects	3 mg/kg bw/day
	Consumers	Inhalation	Long-term local effects	0,28 mg/m3
	Consumers	Inhalation	Long-term systemic effects	0,18 mg/m3
	Consumers	Dermal	Long-term systemic effects	1,5 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2,2'-iminodiethylamine	Fresh water	0,56 mg/l
	Freshwater - intermittent	0,32 mg/l
	Fresh water sediment	1072 mg/kg dry

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version 2.1 Revision Date: 14.02.2022 SDS Number: 400001010584 Date of last issue: 03.10.2017
Date of first issue: 12.08.2015

Print Date 28.06.2022

		weight (d.w.)
	Marine water	0,056 mg/l
	Marine sediment	107,2 mg/kg dry weight (d.w.)
	Sewage treatment plant	6 mg/l
	Soil	7,97 mg/kg dry weight (d.w.)
2-aminoethanol	Fresh water	0,07 mg/l
	Marine water	0,007 mg/l
	Freshwater - intermittent	0,028 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	0,357 mg/kg dry weight (d.w.)
	Marine sediment	0,036 mg/kg dry weight (d.w.)
	Soil	1,29 mg/kg dry weight (d.w.)

8.2 Exposure controls

Personal protective equipment

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Hand protection

Material : butyl-rubber
Break through time : > 8 h

Material : Nitrile rubber
Break through time : 10 - 480 min

Remarks

: Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).
Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection

: Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection

: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines
Equipment should conform to EN 14387

Filter type

: Organic vapour type (A)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue:
2.1	14.02.2022	400001010584	03.10.2017
			Date of first issue: 12.08.2015

Print Date 28.06.2022

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: amber
Odour	: amine-like
Odour Threshold	: No data is available on the product itself.
pH	: No data is available on the product itself.
Melting point/freezing point	: No data is available on the product itself.
Boiling point	: 207 °C
Flash point	: > 100 °C Method: Pensky-Martens closed cup
Flammability (solid, gas)	: No data is available on the product itself.
Upper explosion limit / Upper flammability limit	: No data is available on the product itself.
Lower explosion limit / Lower flammability limit	: No data is available on the product itself.
Vapour pressure	: < 1,3 hPa (20 °C)
Relative vapour density	: No data is available on the product itself.
Relative density	: No data is available on the product itself.
Density	: 1,05 g/cm ³ (25 °C)
Solubility(ies)	
Water solubility	: partly soluble (20 °C)
Solubility in other solvents	: No data is available on the product itself.
Partition coefficient: n-octanol/water	: No data is available on the product itself.
Auto-ignition temperature	: No data is available on the product itself.
Decomposition temperature	: No data is available on the product itself.
Viscosity	
Viscosity, dynamic	: 400 mPa.s (25 °C)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue: 03.10.2017
2.1	14.02.2022	400001010584	Date of first issue: 12.08.2015

Print Date 28.06.2022

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

Hazardous decomposition products : carbon monoxide
carbon dioxide
Nitrogen oxides (NO_x)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 2 000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 0,3599 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Assessment: The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.

Acute dermal toxicity : Acute toxicity estimate: 1 791 mg/kg
Method: Calculation method

Components:

2,2'-iminodiethylamine:

Acute oral toxicity : LD50 (Rat, male): 1 620 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue:
2.1	14.02.2022	400001010584	03.10.2017
			Date of first issue: 12.08.2015

Print Date 28.06.2022

Acute toxicity estimate: 1 620 mg/kg
Method: Calculation method

Acute inhalation toxicity : LC50 (Rat, male and female): 0,185 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute toxicity estimate: 0,185 mg/l
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : LD50 (Rabbit): 1 045 mg/kg

Acute toxicity estimate: 1 045 mg/kg
Method: Calculation method

4,4'-isopropylidenediphenol:

Acute oral toxicity : LD50 (Rat, male and female): > 2 000 - < 5 000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): > 170 mg/m3
Exposure time: 6 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit, male): ca. 6 400 mg/kg

2-aminoethanol:

Acute oral toxicity : LD50 (Rat, male and female): 1 089 mg/kg
Method: OECD Test Guideline 401

Acute toxicity estimate: 1 089 mg/kg
Method: Calculation method

Acute inhalation toxicity : LC50 (Rat, male and female): 1,3 mg/l
Exposure time: 6 h
Test atmosphere: vapour
Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rabbit, male and female): 2 504 mg/kg
Method: OECD Test Guideline 402
Assessment: The component/mixture is moderately toxic after single contact with skin.

Skin corrosion/irritation

Components:

2,2'-iminodiethylamine:

Species : Rabbit

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue: 03.10.2017
2.1	14.02.2022	400001010584	Date of first issue: 12.08.2015

Print Date 28.06.2022

Assessment : Causes burns.
Result : Causes burns.

4,4'-isopropylidenediphenol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

2-aminoethanol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Causes burns.

Serious eye damage/eye irritation

Components:

2,2'-iminodiethylamine:

Species : Rabbit
Assessment : Corrosive
Result : Corrosive

4,4'-isopropylidenediphenol:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

2-aminoethanol:

Species : Rabbit
Assessment : Corrosive
Result : Corrosive

Respiratory or skin sensitisation

Components:

2,2'-iminodiethylamine:

Exposure routes : Skin
Species : Mouse
Method : OECD Test Guideline 429
Result : May cause sensitisation by skin contact.
Remarks : Causes sensitisation.

Exposure routes : Respiratory Tract
Species : Mouse
Result : Does not cause respiratory sensitisation.

4,4'-isopropylidenediphenol:

Exposure routes : Skin
Species : Mouse
Method : OECD Test Guideline 429
Result : Does not cause skin sensitisation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue: 03.10.2017
2.1	14.02.2022	400001010584	Date of first issue: 12.08.2015

Print Date 28.06.2022

Exposure routes : Skin
Species : Humans
Assessment : May cause sensitisation by skin contact.
Result : Causes sensitisation.

2-aminoethanol:

Exposure routes : Skin
Species : Guinea pig
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Components:

2,2'-iminodiethylamine:

Genotoxicity in vivo : Cell type: Somatic
Application Route: Oral
Dose: 85 - 850 mg/kg
Method: OECD Test Guideline 474
Result: negative

Application Route: Oral
Result: negative

4,4'-isopropylidenediphenol:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Method: OECD Test Guideline 474
Result: negative

2-aminoethanol:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Metabolic activation: negative
Result: negative

Genotoxicity in vivo : Application Route: Oral
Exposure time: 24 h
Dose: 375 - 1500 mg/kg
Method: OECD Test Guideline 474
Result: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue: 03.10.2017
2.1	14.02.2022	400001010584	Date of first issue: 12.08.2015

Print Date 28.06.2022

Carcinogenicity

Components:

2,2'-iminodiethylamine:

Species	: Mouse, male
Application Route	: Dermal
Dose	: 56.3 mg/kg
Frequency of Treatment	: 3 daily
Result	: negative

4,4'-isopropylidenediphenol:

Species	: Rat, male and female
Application Route	: Oral
Exposure time	: 103 weeks
Frequency of Treatment	: 7 daily
Result	: negative

Reproductive toxicity

Components:

2,2'-iminodiethylamine:

Effects on fertility	: Species: Rat, male and female Application Route: Oral General Toxicity - Parent: NOAEL: 30 mg/kg wet weight Method: OECD Test Guideline 421
----------------------	--

Effects on foetal development	: Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 100 mg/kg body weight Method: OECD Test Guideline 421 Result: No adverse effects
-------------------------------	---

4,4'-isopropylidenediphenol:

Effects on fertility	: Species: Rat, male and female Application Route: Oral Method: OECD Test Guideline 416 Result: Embryotoxic effects and adverse effects on the offspring were detected.
----------------------	--

Effects on foetal development	: Species: Rat, female Application Route: Oral General Toxicity Maternal: NOAEL: < 160 mg/kg body weight Method: OECD Test Guideline 416 Result: No teratogenic effects
-------------------------------	---

Reproductive toxicity - Assessment	: Clear evidence of adverse effects on sexual function and fertility, based on animal experiments.
------------------------------------	--

2-aminoethanol:

Effects on fertility	: Species: Rat, male and female Application Route: Oral Target Organs: Reproductive organs
----------------------	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue: 03.10.2017
2.1	14.02.2022	400001010584	Date of first issue: 12.08.2015

Print Date 28.06.2022

Method: OECD Test Guideline 416
Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development : Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 120 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects

Species: Rat
Application Route: Dermal
General Toxicity Maternal: NOAEL: 75 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects

STOT - single exposure

Components:

2,2'-iminodiethylamine:

Target Organs : Respiratory Tract
Assessment : May cause respiratory irritation.

4,4'-isopropylidenediphenol:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

2-aminoethanol:

Exposure routes : Inhalation
Target Organs : Respiratory Tract
Assessment : May cause respiratory irritation.

STOT - repeated exposure

No data available

Repeated dose toxicity

Components:

2,2'-iminodiethylamine:

Species : Rat, male and female
NOEC : 70 - 80 mg/m³
Application Route : Ingestion
Test atmosphere : vapour
Exposure time : 360 h
Number of exposures : 7 d
Method : Subchronic toxicity

Species : Rat, male and female
NOAEL : 114 mg/kg/d
Application Route : Skin contact
Exposure time : 9 600 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue: 03.10.2017
2.1	14.02.2022	400001010584	Date of first issue: 12.08.2015

Print Date 28.06.2022

Number of exposures : 6 d
Method : Chronic toxicity

4,4'-isopropylidenediphenol:

Species : Dog, male and female
NOEC : 75 mg/kg, 10 mg/m³
Application Route : Ingestion
Test atmosphere : dust/mist
Exposure time : 2 160 h
Number of exposures : 7 d
Method : Subchronic toxicity

Species : Rat, male and female
LOAEL : 600 mg/kg
Application Route : Ingestion
Exposure time : 672 h
Number of exposures : 7 d
Method : Subchronic toxicity

2-aminoethanol:

Species : Rat, male and female
NOEC : 300 mg/m³
Application Route : Ingestion
Test atmosphere : vapour
Exposure time : 672 h
Number of exposures : 7 d
Method : OECD Test Guideline 412

Aspiration toxicity

No data available

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : This substance/mixture contains components considered to have endocrine disrupting properties affecting human health, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue:
2.1	14.02.2022	400001010584	03.10.2017
			Date of first issue: 12.08.2015

Print Date 28.06.2022

SECTION 12: Ecological information

12.1 Toxicity

Components:

2,2'-iminodiethylamine:

- Toxicity to fish : LC50 : 430 mg/l
Exposure time: 96 h
Test Type: semi-static test
Test substance: Fresh water
Method: Directive 67/548/EEC, Annex V, C.1.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 64,6 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: Regulation (EC) No. 440/2008, Annex, C.2
- EC50 (Daphnia magna (Water flea)): 16 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: DIN 38412
- Toxicity to algae/aquatic plants : EbC50 (Selenastrum capricornutum (green algae)): 1 164 mg/l
Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC: 10 mg/l
Exposure time: 28 d
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 5,6 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test
Test substance: Fresh water
Method: Directive 67/548/EEC, Annex V, C.20
- Toxicity to soil dwelling organisms : EC50: > 1 000 mg/kg
Exposure time: 56 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 222

Ecotoxicology Assessment

- Acute aquatic toxicity : This product has no known ecotoxicological effects.

4,4'-isopropylidenediphenol:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue: 03.10.2017
2.1	14.02.2022	400001010584	Date of first issue: 12.08.2015

Print Date 28.06.2022

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 7,5 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 : 3,9 - 10,2 mg/l
Exposure time: 48 h
(Ceriodaphnia dubia (Water flea)):

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 2,5 - 3,1 mg/l
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC: 0,016 mg/l
Exposure time: 444 d
Species: Pimephales promelas (fathead minnow)
Test Type: flow-through test
Test substance: Fresh water
Method: Fish Life Cycle Toxicity
Remarks: Toxic to aquatic organisms.

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

2-aminoethanol:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 349 mg/l
Exposure time: 96 h
Test Type: semi-static test
Test substance: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 65 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic plants : ErC50 : 2,8 mg/l
Exposure time: 72 h
Test substance: Fresh water
Method: OECD Test Guideline 201

NOECr : 1 mg/l
Exposure time: 72 h
Test substance: Fresh water
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC: 1,2 mg/l
Exposure time: 30 d
Species: Oryzias latipes (Orange-red killifish)
Test substance: Fresh water
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,85 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue:
2.1	14.02.2022	400001010584	03.10.2017
			Date of first issue: 12.08.2015

Print Date 28.06.2022

Test substance: Fresh water
Method: OECD Test Guideline 211

12.2 Persistence and degradability

Components:

2,2'-iminodiethylamine:

Biodegradability : Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: 87 %
Exposure time: 21 d
Method: OECD Test Guideline 301D

Photodegradation : Test Type: Air
Rate constant: 500000
Degradation (direct photolysis): 50 %

4,4'-isopropylidenediphenol:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 1 - 2 %
Exposure time: 28 d

2-aminoethanol:

Biodegradability : Inoculum: activated sludge
Concentration: 20 mg/l
Result: Readily biodegradable.
Biodegradation: > 90 %
Exposure time: 21 d
Method: OECD Test Guideline 301A

Photodegradation : Test Type: Air
Rate constant: 35.844
Degradation (direct photolysis): 50 %

12.3 Bioaccumulative potential

Components:

2,2'-iminodiethylamine:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Exposure time: 42 d
Bioconcentration factor (BCF): 0,3 - 6,3
Test substance: Fresh water
Method: flow-through test
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: -1,58 (20 °C)
pH: 7

2-aminoethanol:

Partition coefficient: n-octanol/water : log Pow: -1,31 (25 °C)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue: 03.10.2017
2.1	14.02.2022	400001010584	Date of first issue: 12.08.2015

Print Date 28.06.2022

12.4 Mobility in soil

Components:

2,2'-iminodiethylamine:

Distribution among : Koc: 19111
environmental compartments

2-aminoethanol:

Distribution among : Koc: 1,167
environmental compartments

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : This substance/mixture contains components considered to have endocrine disrupting properties for environment , according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

Components:

4,4'-isopropylidenediphenol:

Assessment : The substance is considered to have endocrine disrupting properties according to REACH Article 57(f) for the environment.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of contents and container in accordance with all local, regional, national and international regulations.
Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue: 03.10.2017
2.1	14.02.2022	400001010584	Date of first issue: 12.08.2015

Print Date 28.06.2022

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 2735
ADR	: UN 2735
RID	: UN 2735
IMDG	: UN 2735
IATA	: UN 2735

14.2 UN proper shipping name

ADN	: AMINES, LIQUID, CORROSIVE, N.O.S. (DIETHYLENETRIAMINE)
ADR	: AMINES, LIQUID, CORROSIVE, N.O.S. (DIETHYLENETRIAMINE)
RID	: AMINES, LIQUID, CORROSIVE, N.O.S. (DIETHYLENETRIAMINE)
IMDG	: AMINES, LIQUID, CORROSIVE, N.O.S. (DIETHYLENETRIAMINE)
IATA	: Amines, liquid, corrosive, n.o.s. (DIETHYLENETRIAMINE)

14.3 Transport hazard class(es)

ADN	: 8
ADR	: 8
RID	: 8
IMDG	: 8
IATA	: 8

14.4 Packing group

ADN	
Packing group	: II
Classification Code	: C7
Hazard Identification Number	: 80
Labels	: 8
ADR	
Packing group	: II
Classification Code	: C7
Hazard Identification Number	: 80
Labels	: 8
Tunnel restriction code	: (E)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue: 03.10.2017
2.1	14.02.2022	400001010584	Date of first issue: 12.08.2015

Print Date 28.06.2022

RID

Packing group : II
Classification Code : C7
Hazard Identification Number : 80
Labels : 8

IMDG

Packing group : II
Labels : 8
EmS Code : F-A, S-B

IATA (Cargo)

Packing instruction (cargo aircraft) : 855
Packing instruction (LQ) : Y840
Packing group : II
Labels : Corrosive

IATA (Passenger)

Packing instruction (passenger aircraft) : 851
Packing instruction (LQ) : Y840
Packing group : II
Labels : Corrosive

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes(4,4'-Isopropylidenediphenol)

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : 4,4'-isopropylidenediphenol

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue: 03.10.2017
2.1	14.02.2022	400001010584	Date of first issue: 12.08.2015

Print Date 28.06.2022

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

H2 ACUTE TOXIC

E2 ENVIRONMENTAL
HAZARDS

Occupational Illnesses (R- : 51, 49, 49 bis
461-3, France)

Installations classified for the : 4120, 4511
protection of the environment
(Environment Code R511-9)

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AIIC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

Inventories

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue: 03.10.2017
2.1	14.02.2022	400001010584	Date of first issue: 12.08.2015

Print Date 28.06.2022

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H312	: Harmful in contact with skin.
H314	: Causes severe skin burns and eye damage.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H330	: Fatal if inhaled.
H332	: Harmful if inhaled.
H335	: May cause respiratory irritation.
H360F	: May damage fertility.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Chronic	: Chronic aquatic toxicity
Eye Dam.	: Serious eye damage
Repr.	: Reproductive toxicity
Skin Corr.	: Skin corrosion
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure
2006/15/EC	: Europe. Indicative occupational exposure limit values
2017/164/EU	: Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
FR VLE	: France. Occupational Exposure Limits (INRS)
2006/15/EC / TWA	: Limit Value - eight hours
2006/15/EC / STEL	: Short term exposure limit
2017/164/EU / TWA	: Limit Value - eight hours
FR VLE / VME	: Time Weighted Average
FR VLE / VLCT (VLE)	: Short Term Exposure Limit

Further information

Classification of the mixture:

Acute Tox. 2	H330
Acute Tox. 4	H312
Skin Corr. 1B	H314
Eye Dam. 1	H318
Skin Sens. 1	H317
Repr. 1B	H360F
STOT SE 3	H335

Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

HARDENER 946 US

Version	Revision Date:	SDS Number:	Date of last issue: 03.10.2017
2.1	14.02.2022	400001010584	Date of first issue: 12.08.2015

Print Date 28.06.2022

Aquatic Chronic 2

H411

Calculation method

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.